



CSA / CSA Supreme - 48-Frame - Above Ground - Pool Pump

FEATURES:

- 1 ½" union threads / 1 ½" FPT Intake and 2" union threads / 1 ½" FPT discharge
- Weatherproof motor housing
- On / Off Toggle Switch
- Extra large 7" pump trap with clear lid
- 25 ft. cord with 3-prong NEMA (regular) plug

CSA Pumps & Filter Systems

The Supreme Pump is the ultimate in above-ground pool engineering. Designed for today's more demanding applications, the Supreme Pump is ideal for D.E., cartridge or sand filtration systems of all sizes.



For replacement parts, see page 289.

CSA Supreme 48-Frame Above Ground Pool Pumps


Part No.	Description	Volts	HP	Amps	Weight (lbs.)	List (US \$)
PSPC1075-25	1-Speed - 25 ft. Cord	115	¾	10.3	31	886.56
PSPC1100-25	1-Speed - 25 ft. Cord	115	1.0	10.3	32	899.66
PSPC1150-25	1-Speed - 25 ft. Cord	115	1.5	11.6	37	951.27
PSPC2075-25	2-Speed - 25 ft. Cord	115	¾	8.8 / 2.6	--	1,014.49
PSPC2100-25	2-Speed - 25 ft. Cord	115	1.0	8.8 / 2.6	33	1,027.59
PSPC2150-25	2-Speed - 25 ft. Cord	115	1.5	11.0 / 2.9	36	1,079.18

CSA / CSA Hi-Flo II Side Discharge - 48-Frame - Above Ground - Pool Pump



FEATURES:

- 1 1/2" union threads / 1 1/2" FPT Intake and 2" union threads / 1 1/2" FPT discharge
- Weatherproof Motor housing
- On / Off Toggle Switch
- Large 6" pump trap with 2-piece lid
- 25 ft. cord with 3-prong NEMA (regular) plug




The Hi-Flo II above ground pump was designed for high performance. The Hi-Flo II pump features high flow rate performance for faster filtering cycles. This pump is ideal for new installations or as a replacement pump.



For replacement parts, see page 291.

CSA Pumps & Filter Systems



CSA Hi-Flo II Side Discharge 48-Frame Above Ground Pool Pumps

Part No.	Description	Volts	HP	Amps	Weight (lbs.)	List (US \$)
PHC1075-25	1-Speed - 25 ft. Cord	115	3/4	10.3	25	834.53
PHC1100-25	1-Speed - 25 ft. Cord	115	1.0	10.3	28	847.65
PHC1151-25	1-Speed - 25 ft. Cord	115	1.5	11.6	35	877.29
PHC2075-25	2-Speed - 25 ft. Cord	115	3/4	8.8 / 2.6	31	962.46
PHC2100-25	2-Speed - 25 ft. Cord	115	1.0	8.8 / 2.6	31	975.57
PHC2150-25	2-Speed - 25 ft. Cord	115	1.5	11.0 / 2.9	31	1,027.18



CSA / CSA ProClean Plus Single Cartridge Filter Systems

FEATURES:

- Raised inlet for clean easy plumbing
- Top-mounted pressure gauge for easy reading
- "Start-Service" dial on pressure gauge to inform user when it is time to service
- Extra-large air relief
- Drain accepts a standard hose for easy drainage

This system is our Pro-Clean Plus in-ground pool filter with Waterway's above-ground CSA Hi-Flo II or CSA Supreme Pump for an exceptional above-ground system.

CSA Pumps & Filter Systems



CSA ProClean Plus Single Cartridge Filter Systems - Hi-Flo II 1-Speed Pump

Part No.	Filter	Filtration Area	Pump	HP	List (US \$)
520-6000-C25S	PCCF-075	75 sq. ft.	PHC1100-25	1.0	1,146.48
520-6100-C25S	PCCF-100	100 sq. ft.	PHC1100-25	1.0	1,289.81
520-6115-C25S	PCCF-100	100 sq. ft.	PHC1150-25	1.5	1,504.38
520-6215-C25S	PCCF-125	125 sq. ft.	PHC1150-25	1.5	1,574.80
520-6315-C25S	PCCF-150	150 sq. ft.	PHC1150-25	1.5	1,645.16
520-6415-C25S	PCCF-175	175 sq. ft.	PHC1150-25	1.5	1,840.40
520-6515-C25S	PCCF-200	200 sq. ft.	PHC1150-25	1.5	1,966.42
520-6520-C25S	PCCF-200	200 sq. ft.	PHC1200-25	2.0	2,083.04

CSA ProClean Plus Single Cartridge Filter Systems - Supreme 1-Speed Pump

Part No.	Filter	Filtration Area	Pump	HP	List (US \$)
FPSC10010-25S	PCCF-100	100 sq. ft.	PSPC1100-25	1.0	1,430.98
FPSC10015-25S	PCCF-100	100 sq. ft.	PSPC1150-25	1.5	1,639.07
FPSC12515-25S	PCCF-125	125 sq. ft.	PSPC1150-25	1.5	1,715.87
FPSC15015-25S	PCCF-150	150 sq. ft.	PSPC1150-25	1.5	1,792.65
FPSC17515-25S	PCCF-175	175 sq. ft.	PSPC1150-25	1.5	1,986.52
FPSC20015-25S	PCCF-200	200 sq. ft.	PSPC1150-25	1.5	2,143.11
FPSC20020-25S	PCCF-200	200 sq. ft.	PSPC1200-25	2.0	2,248.70



FEATURES:

- True Spiral Laminar flow D.E. filter or large filtration, small footprint cartridge filter
- Top of the line Supreme High Performance Pump
- Extra large 7" pump trap with clear lid
- Unionized gate valve to isolate the system for maintenance
- Two 1 1/2" diameter hoses with clamps
- Filter and pump mounting base
- Complete fitting package for all connections



CSA Pumps & Filter Systems

CSA ClearWater II D.E. Deluxe Systems - Supreme 1-Speed Pump

Part No.	Filter	Flow Rate	Pump	HP	Volts	Weight (lbs.)	List (US \$)
FDSC04410-25S	FD12	44 GPM	PSPC1100-25	1.0	115	73	1,554.32
FDSC06710-25S	FD18	67 GPM	PSPC1100-25	1.0	115	78	1,734.08

CSA ClearWater II Cartridge Deluxe Systems - Supreme 1-Speed Pump

Part No.	Filter	Filtration Area	Pump	HP	Volts	Weight (lbs.)	List (US \$)
FCSC07510-25S	FC075	75 sq. ft.	PSPC1100-25	1.0	115	70	1,411.39
FCSC10010-25S	FC100	100 sq. ft.	PSPC1100-25	1.0	115	76	1,578.69
FCSC15015-25S	FC150	150 sq. ft.	PSPC1150-25	1.5	115	81	1,812.01
FCSC20015-25S	FC200	200 sq. ft.	PSPC1150-25	1.5	115	82	1,964.14

INCLUDES:

- 2 hoses (1 1/2" x 6 ft.)
- Filter / Pump Hose with Union Adapters, hose fittings and hose clamps
- Supreme Pump with 25 ft. cord with 3-prong NEMA (regular) plug
- Deluxe one-piece base system
- Unionized gate valve to isolate system for maintenance
- Accessory base for optional timer and/or chlorinator



CSA / ClearWater Sand CSA Systems

DELUXE SYSTEM FEATURES:

- Large filtration sand filter with durable, high flow laterals
- Top-of-the-Line Supreme High Performance Pump
- Extra large 7" pump trap with clear lid
- Union connection on multi-port for easy installation
- Unionized gate valve to isolate the system for maintenance
- Filter and pump mounting bases and additional accessory base for chlorinator and timer (*sold separately*)
- Fittings package for all connections

STANDARD SYSTEM FEATURES:

- Large filtration sand filter with durable, high flow laterals
- Hi-Flo II High Performance Pump
- Large 6" pump trap with 2-piece lid
- Union connection on multi-port for easy installation



INCLUDES:

- Filter and multi-port valve
- Filter base
- Filter / Pump Hose with Union Adapters
- Supreme Pump with 25 ft. cord
- Pump base
- Return hose and gate valve
- Accessory base for optional timer and/or chlorinator

INCLUDES:

- Filter / Pump Hose with Union Adapters, hose fittings and hose clamps
- Deluxe one-piece base system
- Unionized gate valve to isolate system for maintenance
- Accessory base for optional timer and/or chlorinator

INCLUDES:

- Filter
- Filter base
- Filter / Pump Hose with Union Adapters
- Hi-Flo Pump with 25 ft. cord
- Pump base

CSA ClearWater Sand Deluxe Systems - Supreme 1-Speed Pump

Part No.	Filter	Diameter	Pump	HP	Volts	Weight (lbs.)	List (US \$)
FSSC01610-25S	FS016	16"	PSPC1100-25	1.0	115	67	1,299.50
FSSC01910-25S	FS019	19"	PSPC1100-25	1.0	115	67	1,376.14
FSSC02215-25S	FS022	22"	PSPC1150-25	1.5	115	67	1,516.88
FSSC02615-25S	FS026	26"	PSPC1150-25	1.5	115	82	1,647.63

CSA ClearWater Sand Deluxe Systems (without Supreme Pump)

Part No.	Diameter	Weight (lbs.)	List (US \$)
FS016H	16"	--	636.94
FS019H	19"	--	693.58
FS022H	22"	--	796.59
FS026H	26"	--	927.08

CSA ClearWater Sand Standard Systems - Hi-Flo II 1-Speed Pump

Part No.	Filter	Diameter	Pump	HP	Volts	Weight (lbs.)	List (US \$)
520-5400-25S	FS016	16"	PHC1100-25	1.0	115	61	1,250.05
520-5420-25S	FS019	19"	PHC1100-25	1.0	115	74	1,294.14
520-5440-25S	FS022	22"	PHC1150-25	1.5	115	--	1,434.90
520-5460-25S	FS026	26"	PHC1150-25	1.5	115	--	1,552.82



DELUXE SYSTEM FEATURES:

- Large filter with extra sand-holding capacity
- Top-of-the-line Supreme High Performance Pump
- Extra large 7" pump trap with clear lid
- Union connection on multi-port for easy installation
- Unionized gate valve to isolate the system for maintenance
- Filter and pump mounting bases and additional accessory base for chlorinator and timer (*sold separately*)
- Fittings package for all connections

STANDARD SYSTEM FEATURES:

- Large filter with extra sand-holding capacity
- Hi-Flo II High Performance Pump
- Large 6" pump trap with 2-piece lid
- Standard pump and filter base
- Fittings package for all connections



CSA Pumps & Filter Systems

Carefree Sand CSA Deluxe System with Supreme 1-Speed Pump

Part No.	Filter	Diameter	Pump	HP	Volts	Weight (lbs.)	List (US \$)
FSSC016910-25S	FS01619	16"	PSPC1100-25	1.0	115	--	1,438.65
FSSC019910-25S	FS01922	19"	PSPC1100-25	1.0	115	--	1,484.10
FSSC022915-25S	FS02225	22"	PSPC1150-25	1.5	115	--	1,629.11
FSSC026915-25S	FS02629	26"	PSPC1150-25	1.5	115	--	1,763.75

INCLUDES:

- Filter and multi-port valve
- Filter base
- Filter / Pump Hose with Union Adapters
- Supreme Pump with 25 ft. cord
- Pump base
- Return hose and gate valve
- Accessory base for optional timer and/or chlorinator

Carefree Sand CSA Deluxe System (without Supreme Pump)

Part No.	Filter	Diameter	Weight (lbs.)	List (US \$)
FS01619H	FS01619	16"	--	710.76
FS01922H	FS01922	19"	--	768.78
FS02225H	FS02225	22"	--	879.24
FS02629H	FS02629	26"	--	1,054.79

INCLUDES:

- Filter / Pump Hose with Union Adapters, hose fittings and hose clamps
- Deluxe one-piece base system
- Unionized gate valve to isolate system for maintenance
- Accessory base for optional timer and/or chlorinator

Carefree Sand CSA Standard System with Hi-Flo II 1-Speed Pump

Part No.	Filter	Diameter	Pump	HP	Volts	Weight (lbs.)	List (US \$)
520-5300-C25S	FS01619	16"	PHC1100-25	1.0	115	--	1,259.12
520-5320-C25S	FS01922	19"	PHC1100-25	1.0	115	77	1,272.76
520-5340-C25S	FS02225	22"	PHC1150-25	1.5	115	88	1,449.57
520-5360-C25S	FS02629	26"	PHC1150-25	1.5	115	--	1,493.98

INCLUDES:

- Filter
- Filter base
- Filter / Pump Hose with Union Adapters
- Hi-Flo Pump with 25 ft. cord
- Pump base