



**FEATURES:**

- 1 ½" union threads / 1 ½" FPT Intake and 2" union threads / 1 ½" FPT discharge
- Weatherproof motor housing
- On / Off Toggle Switch
- Extra large 7" pump trap with clear lid
- 25 ft. cord with 3-prong NEMA (regular) plug



*The Supreme Pump is the ultimate in above-ground pool engineering. Designed for today's more demanding applications, the Supreme Pump is ideal for D.E., cartridge or sand filtration systems of all sizes.*



For replacement parts, see page 224.

## CSA Supreme 48-Frame Above Ground Pool Pumps

Part No.	Description	Volts	HP	Amps	Weight (lbs.)	List (US \$)
<b>PSPC1075-25</b>	1-Speed - 25 ft. Cord	115	¾	10.3	31	717.17
<b>PSPC1100-25</b>	1-Speed - 25 ft. Cord	115	1.0	10.3	32	727.77
<b>PSPC1150-25</b>	1-Speed - 25 ft. Cord	115	1.5	11.6	37	769.51
<b>PSPC2075-25</b>	2-Speed - 25 ft. Cord	115	¾	8.8 / 2.6	--	820.65
<b>PSPC2100-25</b>	2-Speed - 25 ft. Cord	115	1.0	8.8 / 2.6	33	831.24
<b>PSPC2150-25</b>	2-Speed - 25 ft. Cord	115	1.5	11.0 / 2.9	36	872.99



# CSA / CSA Hi-Flo Side Discharge - 48-Frame - Above Ground - Pool Pump

### FEATURES:

- 1 1/2" union threads / 1 1/2" FPT Intake and 2" union threads / 1 1/2" FPT discharge
- Weatherproof Motor housing
- On / Off Toggle Switch
- Large 6" pump trap with one-piece clear lid
- 25 ft. cord with 3-prong NEMA (regular) plug


The Hi-Flo above ground pump was designed for superior and efficient performance.

The Hi-Flo pump features high flow rate performance for faster filtering cycles. This pump is ideal for new installations or as a replacement pump.



For replacement parts, see page 226.

## PRESSURE VERSUS FLOW RATE



### CSA Hi-Flo Side Discharge 48-Frame Above Ground Pool Pumps

Part No.	Description	Volts	HP	Amps	Weight (lbs.)	List (US \$)
<b>PHC1075-25</b>	1-Speed - 25 ft. Cord	115	3/4	10.3	29	675.07
<b>PHC1100-25</b>	1-Speed - 25 ft. Cord	115	1.0	10.3	30	685.68
<b>PHC1151-25</b>	1-Speed - 25 ft. Cord	115	1.5	11.6	35	709.66
<b>PHC2075-25</b>	2-Speed - 25 ft. Cord	115	3/4	8.8 / 2.6	31	778.56
<b>PHC2100-25</b>	2-Speed - 25 ft. Cord	115	1.0	8.8 / 2.6	31	789.17
<b>PHC2150-25</b>	2-Speed - 25 ft. Cord	115	1.5	11.0 / 2.9	31	830.91



## FEATURES:

- Raised inlet for clean easy plumbing and extra dirt holding capacity
- Top-mounted pressure gauge for easy reading
- “Start-Service” dial on pressure gauge to inform user when it is time to service
- Extra-large air relief
- Drain accepts a standard hose for easy drainage



*This system is our Pro-Clean in-ground pool filter with Waterway's above-ground CSA Hi-Flo or CSA Supreme Pump for an exceptional above-ground system.*

### CSA ProClean Single Cartridge Filter Systems - Hi-Flo 1-Speed Pump

Part No.	Filter	Filtration Area	Pump	HP	List (US \$)
<b>520-6000-C25S</b>	PCCF-075	75 sq. ft.	PHC1100-25	1.0	922.88
<b>520-6100-C25S</b>	PCCF-100	100 sq. ft.	PHC1100-25	1.0	1048.20
<b>520-6115-C25S</b>	PCCF-100	100 sq. ft.	PHC1150-25	1.5	1222.57
<b>520-6215-C25S</b>	PCCF-125	125 sq. ft.	PHC1150-25	1.5	1279.79
<b>520-6315-C25S</b>	PCCF-150	150 sq. ft.	PHC1150-25	1.5	1336.98
<b>520-6415-C25S</b>	PCCF-175	175 sq. ft.	PHC1150-25	1.5	1481.46
<b>520-6515-C25S</b>	PCCF-200	200 sq. ft.	PHC1150-25	1.5	1598.07
<b>520-6520-C25S</b>	PCCF-200	200 sq. ft.	PHC1200-25	2.0	1676.78

### CSA ProClean Single Cartridge Filter Systems - Supreme 1-Speed Pump

Part No.	Filter	Filtration Area	Pump	HP	List (US \$)
<b>FPSC10010-25S</b>	PCCF-100	100 sq. ft.	PSPC1100-25	1.0	1151.89
<b>FPSC10015-25S</b>	PCCF-100	100 sq. ft.	PSPC1150-25	1.5	1319.40
<b>FPSC12515-25S</b>	PCCF-125	125 sq. ft.	PSPC1150-25	1.5	1381.21
<b>FPSC15015-25S</b>	PCCF-150	150 sq. ft.	PSPC1150-25	1.5	1443.02
<b>FPSC17515-25S</b>	PCCF-175	175 sq. ft.	PSPC1150-25	1.5	1599.08
<b>FPSC20015-25S</b>	PCCF-200	200 sq. ft.	PSPC1150-25	1.5	1725.13
<b>FPSC20020-25S</b>	PCCF-200	200 sq. ft.	PSPC1200-25	2.0	1810.13



## CSA / CSA ClearWater II D.E. and Cartridge Filter Deluxe Systems

### FEATURES:

- True Spiral Laminar flow D.E. filter or large filtration, small footprint cartridge filter
- Top of the line Supreme High Performance Pump
- Extra large 7" pump trap with clear lid
- Unionized gate valve to isolate the system for maintenance
- Two 1 1/2" diameter hoses with clamps
- Filter and pump mounting base
- Complete fitting package for all connections



### INCLUDES:

- 2 hoses (1 1/2" x 6 ft.)
- Filter / Pump Hose with Union Adapters, Hose fittings and hose clamps
- Supreme Pump with 25 ft. cord with 3-prong NEMA (regular) plug
- Deluxe one-piece base system
- Unionized gate valve to isolate system for maintenance
- Accessory base for optional timer and/or chlorinator

### CSA ClearWater II D.E. Deluxe Systems - Supreme 1-Speed Pump

Part No.	Filter	Flow Rate	Pump	HP	Volts	List (US \$)
<b>FDSC04410-25S</b>	FD12	44 GPM	PSPC1100-25	1.0	115	1251.17
<b>FDSC06710-25S</b>	FD18	67 GPM	PSPC1100-25	1.0	115	1409.24

### CSA ClearWater II Cartridge Deluxe Systems - Supreme 1-Speed Pump

Part No.	Filter	Filtration Area	Pump	HP	Volts	List (US \$)
<b>FCSC07510-25S</b>	FC075	75 sq. ft.	PSPC1100-25	1.0	115	1147.01
<b>FCSC10010-25S</b>	FC100	100 sq. ft.	PSPC1100-25	1.0	115	1282.97
<b>FCSC15015-25S</b>	FC150	150 sq. ft.	PSPC1150-25	1.5	115	1472.58
<b>FCSC20015-25S</b>	FC200	200 sq. ft.	PSPC1150-25	1.5	115	1596.22



**DELUXE SYSTEM FEATURES:**

- Large filtration sand filter with durable, high flow laterals
- Top-of-the-Line Supreme High Performance Pump
- Extra large 7" pump trap with clear lid
- Union connection on multi-port for easy installation
- Unionized gate valve to isolate the system for maintenance
- Filter and pump mounting bases and additional accessory base for chlorinator and timer (*sold separately*)
- Fittings package for all connections

**STANDARD SYSTEM FEATURES:**

- Large filtration sand filter with durable, high flow laterals
- Hi-Flo High Performance Pump
- Large 6" pump trap with one-piece clear lid
- Union connection on multi-port for easy installation



**CSA ClearWater Sand Deluxe Systems - Supreme 1-Speed Pump**

Part No.	Filter	Diameter	Pump	HP	Volts	List (US \$)
<b>FSSC01610-25S</b>	FS016	16"	PSPC1100-25	1.0	115	1056.07
<b>FSSC01910-25S</b>	FS019	19"	PSPC1100-25	1.0	115	1118.35
<b>FSSC02215-25S</b>	FS022	22"	PSPC1150-25	1.5	115	1232.73
<b>FSSC02615-25S</b>	FS026	26"	PSPC1150-25	1.5	115	1338.99

**INCLUDES:**

- Filter and multi-port valve
- Filter base
- Filter / Pump Hose with Union Adapters
- Supreme Pump with 25 ft. cord
- Pump base
- Return hose and gate valve
- Accessory base for optional timer and/or chlorinator

**CSA ClearWater Sand Deluxe Systems (without Supreme Pump)**

Part No.	Diameter	List (US \$)
<b>FS016H</b>	16"	512.71
<b>FS019H</b>	19"	558.31
<b>FS022H</b>	22"	641.24
<b>FS026H</b>	26"	746.27

**INCLUDES:**

- Filter / Pump Hose with Union Adapters, Hose fittings and hose clamps
- Deluxe one-piece base system
- Unionized gate valve to isolate system for maintenance
- Accessory base for optional timer and/or chlorinator

**CSA ClearWater Sand Standard Systems - Hi-Flo 1-Speed Pump**

Part No.	Filter	Diameter	Pump	HP	Volts	List (US \$)
<b>520-5400-25S</b>	FS016	16"	PHC1100-25	1.0	115	1015.87
<b>520-5420-25S</b>	FS019	19"	PHC1100-25	1.0	115	1051.71
<b>520-5440-25S</b>	FS022	22"	PHC1150-25	1.5	115	1166.13
<b>520-5460-25S</b>	FS026	26"	PHC1150-25	1.5	115	1261.94

**INCLUDES:**

- Filter
- Filter base
- Filter / Pump Hose with Union Adapters
- Hi-Flo Pump with 25 ft. cord
- Pump base



## CSA / Carefree Sand CSA Systems

### DELUXE SYSTEM FEATURES:

- Large filter with extra sand-holding capacity
- Top-of-the-line Supreme High Performance Pump
- Extra large 7" pump trap with clear lid
- Union connection on multi-port for easy installation
- Unionized gate valve to isolate the system for maintenance
- Filter and pump mounting bases and additional accessory base for chlorinator and timer (*sold separately*)
- Fittings package for all connections

### STANDARD SYSTEM FEATURES:

- Large filter with extra sand-holding capacity
- Hi-Flo High Performance Pump
- Large 6" pump trap with one-piece clear lid
- Standard pump and filter base
- Fittings package for all connections



### INCLUDES:

- Filter and multi-port valve
- Filter base
- Filter / Pump Hose with Union Adapters
- Supreme Pump with 25 ft. cord
- Pump base
- Return hose and gate valve
- Accessory base for optional timer and/or chlorinator

### Carefree Sand CSA Deluxe System with Supreme 1-Speed Pump

Part No.	Filter	Diameter	Pump	HP	Volts	List (US \$)
<b>FSSC016910-25S</b>	FS01619	16"	PSPC1100-25	1.0	115	1135.11
<b>FSSC019910-25S</b>	FS01922	19"	PSPC1100-25	1.0	115	1170.97
<b>FSSC022915-25S</b>	FS02225	22"	PSPC1150-25	1.5	115	1285.38
<b>FSSC026915-25S</b>	FS02629	26"	PSPC1150-25	1.5	115	1391.61

### INCLUDES:

- Filter / Pump Hose with Union Adapters, Hose fittings and hose clamps
- Deluxe one-piece base system
- Unionized gate valve to isolate system for maintenance
- Accessory base for optional timer and/or chlorinator

### Carefree Sand CSA Deluxe System (without Supreme Pump)

Part No.	Filter	Diameter		List (US \$)
<b>FS01619H</b>	FS01619	16"		555.48
<b>FS01922H</b>	FS01922	19"		600.82
<b>FS02225H</b>	FS02225	22"		687.14
<b>FS02629H</b>	FS02629	26"		884.33

### INCLUDES:

- Filter
- Filter base
- Filter / Pump Hose with Union Adapters
- Hi-Flo Pump with 25 ft. cord
- Pump base

### Carefree Sand CSA Standard System with Hi-Flo 1-Speed Pump

Part No.	Filter	Diameter	Pump	HP	Volts	List (US \$)
<b>520-5300-C25S</b>	FS01619	16"	PHC1100-25	1.0	115	993.45
<b>520-5320-C25S</b>	FS01922	19"	PHC1100-25	1.0	115	1004.22
<b>520-5340-C25S</b>	FS02225	22"	PHC1150-25	1.5	115	1143.71
<b>520-5360-C25S</b>	FS02629	26"	PHC1150-25	1.5	115	1167.57