



Lighting / LED Top Side Valves & Air Controls



600-4778L-DSG

NEW

Pin Wheel LED Top Side Valves & Air Controls

Part No.	Description	List (US \$)
600-4808L-DSG	180° Shut Off Valve - ¾" S	28.56
600-4818L-DSG	180° Shut Off Valve - ¾" SB	28.56
600-4798L-DSG	1" Diverter Valve - 1-Port Vertical	26.47
600-4838L-DSG	1" Diverter Valve - 2-Port Vertical	27.40
600-4848L-DSG	1" Diverter Valve - 2-Port Horizontal	27.40
600-4778L-DSG	2" Diverter Valve - 2-Port Vertical	38.49
660-4778L-DSG	1" Air Control	20.67



660-3598L-DSG

NEW

Humpback LED Top Side Valves & Air Controls

Part No.	Description	List (US \$)
600-3708L-DSG	180° Shut Off Valve - ¾" S	28.56
600-3718L-DSG	180° Shut Off Valve - ¾" SB	28.56
600-4438L-DSG	1" Diverter Valve - 1-Port Vertical	26.47
600-4468L-DSG	1" Diverter Valve - 2-Port Vertical	27.40
600-4478L-DSG	1" Diverter Valve - 2-Port Horizontal	27.40
600-4448L-DSG	2" Diverter Valve - 2-Port Vertical	38.49
660-3598L-DSG	1" Air Control	20.67



600-3248L-DSG

NEW

"S" Style LED Top Side Valves & Air Controls

Part No.	Description	List (US \$)
600-3308L-DSG	180° Shut Off Valve - ¾" S	28.56
600-3268L-DSG	180° Shut Off Valve - ¾" SB	28.56
600-3248L-DSG	1" Diverter Valve - 1-Port Vertical	26.47
600-3278L-DSG	1" Diverter Valve - 2-Port Vertical	27.40
600-3328L-DSG	1" Diverter Valve - 2-Port Horizontal	27.40
600-3038L-DSG	2" Diverter Valve - 2-Port Vertical	38.49
660-3608L-DSG	1" Air Control	20.67

NEW

5-Scalloped LED Top Side Valves & Air Controls

Part No.	Description	List (US \$)
600-4368L	1" On/Off Turn Valve - 1-Port Vertical	26.06
600-4378L	1" On/Off Turn Valve - 2-Port Vertical	27.40
600-4388L	1" On/Off Turn Valve - 2-Port Horizontal	27.40



660-3500L



660-3520L




600-3500L



660-3510L


LED / Fiber Optic Star Valves and Air Controls

Part No.	Description	Case Quantity	List (US \$)
660-3500L	1" Top Access Air Control - Star Style	300	23.12
600-3520L	1" On / Off Turn Valve - Single Port - Star Style	50	27.89
600-3500L	1" Top Access Diverter Valve - Star Style	50	27.43
660-3510L	2" Top Access Diverter Valve - Star Style	15	38.45



675-4008L

Pat. #6,450,418 and 6,595,675



210-9200

Pat. #7,818,826

LED / Fiber Optic Water Features


Part No.	Description	Case Quantity	List (US \$)
675-4008L	6" LED Aqua Fall	50	37.99
675-4908L	8" Low Profile LED Aqua Fall	40	71.14
210-9200	Flush Mount LED Water Feature	100	48.66
675-3508L	3 1/2" LED Cascade - (2) 3/4" RB	60	34.86
675-3508LS	3 1/2" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	60	40.48
675-3608L	7" LED Cascade - (2) 3/4" RB	20	39.77
675-3608LS	7" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	46.00
675-3708L	9" LED Cascade - (2) 3/4" RB	20	78.48
675-3708LS	9" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	78.48



633-7078



633-7088



633-7098



630-0008



630-5008



630-K008



660-6300

Waterway offers a wide assortment of LED Aqua Jets with an exclusive, patented LED probe for maximum luminosity. Call for pricing and selection.



LED Lights			
Part No.	Description	Case Quantity	List (US \$)
633-7078	½" Threaded Faceted Light Lens Assembly	500	1.80
633-7088	½" Threaded Hex Style Light Lens Assembly	500	1.80
633-7098	1" Threaded Facet Light Lens Assembly with LED Sleeve	200	3.44
630-0008	Mini 2 ⅛" Spa Light Assembly - Plastic Only	300	9.59
630-0008S	Mini 2 ⅛" Spa Light Assembly - Stainless Steel Escutcheon	120	11.08
630-5008	Standard 3 ½" Spa Light Assembly - Plastic Only	80	15.42
630-K008	5" Jumbo Spa Light Assembly - Plastic Only	40	36.14
660-6300	Accent Sconce Light Assembly (3-12 fibers)	300	19.44




630-0038

**FEATURES:**

- Designed for mounting in a cup holder recess
- Illuminates clear glasses and cups
- Requires only one LED

LED Cup Holder Light Lens

Part No.	Description	Case Quantity	List (US \$)
630-0038	LED Cup Holder Light Lens	20	9.63




660-6401

FEATURES:

- Illuminates spa skirting
- Mounts to outside perimeter of spa cabinet
- Requires only one LED

LED Cabinet Light

Part No.	Description	Case Quantity	List (US \$)
660-6400	LED Cabinet Light	--	7.00



672-0041

FEATURES:


- Used as perimeter lighting up underneath spa shell or kick plate area
- Bends to conform to corners of any radius
- Accepts up to three LED lights

LED Strip Light

Part No.	Description	Case Quantity	List (US \$)
672-0041	LED Strip Light	20	8.76



Lighting / Spa Light Kits



Standard 3 1/2" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-5005	Plastic Only - with Red and Blue Lenses	50	17.63
630-5115	O.E.M. Kit - with 8 ft. Wire Harness - Bulb & 110V/12V - 1-Amp Transformer	40	33.98
630-5105	O.E.M. Kit - with 8 ft. Wire Harness and Bulb	50	22.67
630-5205	O.E.M. Kit - with 8 ft. Wire Harness - Bulb and 2-Pin Connector	50	31.20



Front Access 3 1/2" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-6005	Plastic Only - includes Wrench	50	23.91
630-6115	Kit - includes 8 ft. Wire Harness - Bulb - Wrench - 110V/12V 1-Amp Transformer	40	40.27
630-6105	Kit - includes 8 ft. Wire Harness - Bulb - Wrench	45	28.92
630-6205	Kit - includes 8 ft. Wire Harness - Bulb - Wrench - 2-Pin Connector	40	37.47



Spa Light Power Supply and NEMA Cord

Part No.	Description	Case Quantity	List (US \$)
630-1105	110V/12V without Air Switch	20	63.33
630-1115	110V/12V with Air Switch	20	88.98



Jumbo 5" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-K005	Plastic Only - with Red and Blue Lenses	40	38.41
630-K008S	Plastic Only - Stainless Steel Escutcheon - with Red and Blue Lenses	40	43.59
630-K115	Kit - 8 ft. Wire Harness - 2-Pin Connector - Bulb - 110V/12V 1-Amp Transformer	20	54.95
630-K105	Kit - 8 ft. Wire Harness - Bulb	32	42.78



Pat. Pend.

Spa Light Accessories

Part No.	Description	Case Quantity	List (US \$)
813-4370	Bulb #912	--	2.93
813-4400	1-Amp Transformer - 120V / 12V - 60Hz	40	12.11
813-4500	1-Amp Transformer - 230V / 12V - 50/60Hz	40	17.12
630-0005	Light Lens Kit - 1 Red and 1 Blue Lens	75	7.55
711-6930	Double-Seal Gasket - Mini Spa Light	75	1.42

NEW

FEATURES:

- Allows 1" flexible electrical conduit to be nicely mounted to spa cabinet or doghouse areas
- 1" Socket on both sides
- Mounts like a flush mount bulkhead fitting



210-1861

Electrical Bulkhead Wallfitting

Part No.	Description	Case Quantity	List (US \$)
210-1861	1" Electrical Bulkhead Wallfitting with Cap	100	2.98




Speakers / Spa Speaker Systems

FEATURES:

- Improved premium grade speaker
- LED capable
- Dampening device
- Pop-up design

SPECIFICATIONS:

- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: $110 \text{ Hz} \pm 20\% \text{ Hz}$
- SPL: $70 \text{ dB} \pm 3 \text{ dB ref } 1 \text{ W/1M}$
- Frequency Response: $\sim 20 \text{ KHz}$, max $\pm 10 \text{ dB}$




6" Pop-Up Silo Speaker System

Part No.	Description	List (US \$)
675-0630	6" Pop-Up Dampener Premium Speaker Assembly	161.27
675-0630L	6" LED Pop-Up Dampener Premium Speaker Assembly	169.61

FEATURES:

- Pop-Up design
- 5 1/4" coaxial marine speaker
- 75 Watt RMS - 150 Watt Peak
- Impedance: 4 Ohm
- SPL - 1 Watt/1 Meter - 88db
- Frequency Response: 80 Hz-20KHz
- Unique pattern - low fit



5 1/4" Coaxial Marine Spa Speaker System

Part No.	Description	Case Quantity	List (US \$)
675-0100	5 1/4" Coaxial Marine Spa Speaker System	4	307.09

**FEATURES:**

- New pop-up design
- Round hole pattern for easy assembly
- Three-way speaker delivers low, medium and high range sound
- 340-degree rotational housing
- Waterproof

SPECIFICATIONS:

Dual 2" Drivers: Anti-Magnetic Design

Frequency Response: 185Hz – 20 KHz

Watts RMS: 40W

Watts Peak: 80W

Sensitivity: 84dB 1w/1M $\pm$ 2dB

Resistance: 4 ohm



Spa Speaker System

Part No.	Description	Case Quantity	List (US \$)
676-0300	2" Pop-Up Speaker - Flush Cover	4	149.07
676-0310	2" Pop-Up Speaker - Dome Cover	4	149.07

FEATURES:

- Pop-up design
- Round hole pattern for easy assembly
- 340° rotational housing
- Marine grade waterproof speaker

SPECIFICATIONS:

3.5" coaxial marine speaker

25 watt RMS

75 watt peak

Impedance: 4 ohms $\pm$ 15%SPL 89 dB $\pm$ 3 dB Ref 1 with 0.5 MFrequency response: 20 KHz, Max $\pm$ 10 dB

Pat. #7,814,583



6" Pop-Up Silo Speaker System

Part No.	Description	Case Quantity	List (US \$)
675-0600	6" Pop-Up Silo Speaker Assembly	4	143.34



Speakers / Flush Mount Speakers, Enclosures, MP3 Player Holders

FEATURES:

- Water-resistant, premium-grade speaker
- Unique flush mount design
- No moving parts
- Easy installation
- Dual color schemes
- Private label available

SPECIFICATIONS:

- 3.5"
- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: $110 \text{ Hz} \pm 20\% \text{ Hz}$
- SPL: $70 \text{ dB} \pm 3 \text{ dB ref } 1 \text{ W/1M}$
- Frequency Response: $\sim 20 \text{ KHz, max } \pm 10 \text{ dB}$



675-0450



675-0450L

4.5" Flush Mount Speaker and LED 4.5" Flush Mount Speaker

Part No.	Description	Case Quantity	List (US \$)
675-0460	4.5" Flush Mount Speaker	5	76.40
675-0460L	4.5" LED Flush Mount Speaker	--	86.60

FEATURES:

- Fits both Clarion and Aeware marine stereos



Stereo Enclosures

Part No.	Description	Case Quantity	List (US \$)
672-9001	Stereo Enclosure - Clarion CMD4A	20	16.70
672-9011	Stereo Enclosure - Aeware In-Tune 100	20	16.70
672-9101	Stereo Enclosure - Generic	20	16.70

FEATURES:

- Guillotine cover
- Fits most MP3 players
- Input and output ports for control unit and stereo



MP3 Player Holders

Part No.	Description	Color	Case Quantity	List (US \$)
675-0200	MP3 Player Holder	White	20	32.74
675-0211	MP3 Player Holder	Black	20	36.56
675-0217	MP3 Player Holder	Gray	20	36.56
675-0219-DSG	MP3 Player Holder	Dark Silver Glitter	20	36.56
675-0219-ST5	MP3 Player Holder	Sterling Silver	20	36.56