




Speakers / Spa Speaker Systems

FEATURES:

- Improved premium grade speaker
- LED capable
- Dampening device
- Pop-up design

SPECIFICATIONS:

- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: $110 \text{ Hz} \pm 20\% \text{ Hz}$
- SPL: $70 \text{ dB} \pm 3 \text{ dB ref } 1 \text{ W/1M}$
- Frequency Response: $\sim 20 \text{ KHz}$, max $\pm 10 \text{ dB}$




6" Pop-Up Silo Speaker System

Part No.	Description	List (US \$)
675-0630	6" Pop-Up Dampener Premium Speaker Assembly	161.27
675-0630L	6" LED Pop-Up Dampener Premium Speaker Assembly	169.61

FEATURES:

- Pop-Up design
- 5 1/4" coaxial marine speaker
- 75 Watt RMS - 150 Watt Peak
- Impedance: 4 Ohm
- SPL - 1 Watt/1 Meter - 88db
- Frequency Response: 80 Hz-20KHz
- Unique pattern - low fit



5 1/4" Coaxial Marine Spa Speaker System


Part No.	Description	Case Quantity	List (US \$)
675-0100	5 1/4" Coaxial Marine Spa Speaker System	4	307.09

**FEATURES:**

- New pop-up design
- Round hole pattern for easy assembly
- Three-way speaker delivers low, medium and high range sound
- 340-degree rotational housing
- Waterproof

SPECIFICATIONS:

Dual 2" Drivers: Anti-Magnetic Design
 Frequency Response: 185Hz – 20 KHz
 Watts RMS: 40W
 Watts Peak: 80W
 Sensitivity: 84dB 1w/1M $\pm$ 2dB
 Resistance: 4 ohm



Spa Speaker System


Part No.	Description	Case Quantity	List (US \$)
676-0300	2" Pop-Up Speaker - Flush Cover	4	149.07
676-0310	2" Pop-Up Speaker - Dome Cover	4	149.07

FEATURES:

- Pop-up design
- Round hole pattern for easy assembly
- 340° rotational housing
- Marine grade waterproof speaker

SPECIFICATIONS:

3.5" coaxial marine speaker
 25 watt RMS
 75 watt peak
 Impedance: 4 ohms $\pm$ 15%
 SPL 89 dB $\pm$ 3 dB Ref 1 with 0.5 M
 Frequency response: 20 KHz, Max $\pm$ 10 dB



6" Pop-Up Silo Speaker System

Part No.	Description	Case Quantity	List (US \$)
675-0600	6" Pop-Up Silo Speaker Assembly	4	143.34



Speakers / Flush Mount Speakers, Enclosures, MP3 Player Holders

FEATURES:

- Water-resistant, premium-grade speaker
- Unique flush mount design
- No moving parts
- Easy installation
- Dual color schemes
- Private label available

SPECIFICATIONS:

- 3.5"
- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: $110 \text{ Hz} \pm 20\% \text{ Hz}$
- SPL: $70 \text{ dB} \pm 3 \text{ dB ref } 1 \text{ W/1M}$
- Frequency Response: $\sim 20 \text{ KHz, max } \pm 10 \text{ dB}$



675-0450



675-0450L

4.5" Flush Mount Speaker and LED 4.5" Flush Mount Speaker

Part No.	Description	Case Quantity	List (US \$)
675-0460	4.5" Flush Mount Speaker	5	76.40
675-0460L	4.5" LED Flush Mount Speaker	--	86.60

FEATURES:

- Fits both Clarion and Aeware marine stereos



Stereo Enclosures

Part No.	Description	Case Quantity	List (US \$)
672-9001	Stereo Enclosure - Clarion CMD4A	20	16.70
672-9011	Stereo Enclosure - Aeware In-Tune 100	20	16.70
672-9101	Stereo Enclosure - Generic	20	16.70

FEATURES:

- Guillotine cover
- Fits most MP3 players
- Input and output ports for control unit and stereo



MP3 Player Holders

Part No.	Description	Color	Case Quantity	List (US \$)
675-0200	MP3 Player Holder	White	20	32.74
675-0211	MP3 Player Holder	Black	20	36.56
675-0217	MP3 Player Holder	Gray	20	36.56
675-0219-DSG	MP3 Player Holder	Dark Silver Glitter	20	36.56
675-0219-ST5	MP3 Player Holder	Sterling Silver	20	36.56