




AVAILABLE IN:

- Clear Vinyl: 1/8", 1/4", 3/8", 3/4", and 3/4" x 1 1/16"
- White Vinyl: 3/8", 3/4", and 1" x 1 1/4"
- Shur-Grip: 3/4", 3/4" thin, 1 1/2", and 2"
- Flex: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2" thin, 2 1/2", and 3"

Spa hose part numbers ending in B or PB have a durometer that is designed specifically for Spa application.



Hose and Tubing - Individual Rolls (unwrapped)

Call for pricing.

Part No.	Description	Color	Ft. / Roll
110-0100B	Vinyl - 1/8" x 1/4"	Clear (0), Red (R)	500
110-0110B	Vinyl - 1/4" x 3/8"	Clear (0), Red (4)	600
110-0120B	Vinyl - 3/8" x 9/16"	Clear (0), White (W)	500
110-0140B	Vinyl - 3/4" x 1"	Clear (0), White (W)	150
110-0150B	Vinyl - 3/4" x 1 1/16"	Clear	100
110-016WB	Vinyl - 1" x 1 1/4"	White	100
120-0110B	Flex - 1/2"	White (0), Black (1)	100
120-0120B	Flex - 3/4"	White (0), Black (1)	100
120-0130B	Flex - 1"	White (0), Black (1)	50
120-0180B	Flex - 1 1/4"	White (0), Black (1)	50
120-0140B	Flex - 1 1/2"	White (0), Black (1)	50
125-0110B	Flex - 1 1/2" x 100 ft.	White (0), Black (1)	100
120-0150B	Flex - 2"	White (0), Black (1)	50
125-0120B	Flex - 2" x 100 ft.	White (0), Black (1)	100
120-0250B	Flex - 2" thin	White (0), Black (1)	50
120-0160B	Flex - 2 1/2"	White (0), Black (1), Gray (7)	50
120-0170B	Flex - 3"	White (0), Black (1), Gray (7)	50
130-0110B	Shur-Grip - 3/4"	Clear/White	100
130-0210B	Shur-Grip - 3/4" thin	Clear/White (0), White (W)	100
130-0120B	Shur-Grip - 1 1/2"	Clear/White	50
130-0130B	Shur-Grip - 2"	Clear/White	50


Hose and Tubing - Pallets (unwrapped)

Call for pricing.

Part No.	Description	Color	Ft. / Pallet	Rolls / Pallet
110-0100PB	Vinyl - 1/8" x 1/4"	Clear (0), Red (R)	36,000	72
110-0110PB	Vinyl - 1/4" x 3/8"	Clear (0), Red (4)	33,000	55
110-0120PB	Vinyl - 3/8" x 9/16"	Clear (0), White (W)	20,000	40
110-0140PB	Vinyl - 3/4" x 1"	Clear (0), White (W)	6,000	40
110-0150PB	Vinyl - 3/4" x 1 1/16"	Clear	4,000	40
110-016WPB	Vinyl - 1" x 1 1/4"	White	2,800	28
120-0110PB	Flex - 1/2"	White (0), Black (1)	6,800	68
120-0120PB	Flex - 3/4"	White (0), Black (1)	5,600	56
120-0130PB	Flex - 1"	White (0), Black (1)	2,800	56
120-0180PB	Flex - 1 1/4"	White (0), Black (1)	1,200	24
120-0140PB	Flex - 1 1/2"	White (0), Black (1)	1,200	24
125-0110PB	Flex - 1 1/2" x 100 ft.	White (0), Black (1)	1,200	12
120-0150PB	Flex - 2"	White (0), Black (1)	900	18
125-0120PB	Flex - 2" x 100 ft.	White (0), Black (1)	900	9
120-0250PB	Flex - 2" thin	White (0), Black (1)	900	18
120-0160PB	Flex - 2 1/2"	White (0), Black (1), Gray (7)	800	16
120-0170PB	Flex - 3"	White (0), Black (1), Gray (7)	400	8
130-0110PB	Shur-Grip - 3/4"	Clear/White	5,600	56
130-0210PB	Shur-Grip - 3/4" thin	Clear/White (0), White (W)	5,600	56
130-0120PB	Shur-Grip - 1 1/2"	Clear/White	900	18
130-0130PB	Shur-Grip - 2"	Clear/White	800	16



NEW!



Features:

- Micro sized (Just 1 ¼" in diameter)
- Ultra-easy to install (Just drill hole press in grommet, then jet)
- Triple Purpose Micro Jet/Water Rope Feature/Air Injector
- Micro Fan Feature
- Multiple body options (Including no body option)
- Available with Stainless Steel Escutcheon
- LED versions optional
- Very cost efficient

Designed for both ultra-low cost and ease of assembly, Waterway's new Micro Components offers stimulating performance when used as a jet and an amazing display when used as a water feature.

Micro Components			
Part No.	Description	Case Quantity	List (US \$)
425-4030	3/8" SB Straight Adapter	500	0.96
425-6000	Micro 90° Ell Adapter, 3/8"	--	1.31
425-6018	Micro Angle Adapter, 3/8" w/LED	--	1.72
425-6038	Micro Jet Venturi, Same Side, 3/8" SB w/LED	--	1.55
425-6048	SGMS 1" Micro Water Feature Wye. 30° LED Probe	--	1.72
670-2700	SGMS 1 ¼" Micro Jet/WF/Injector, Plastic, Assy	--	2.58
670-2700S	SGMS 1 ¼" Micro Jet/WF/Injector, Metal, Assy	--	3.94
670-2580	SGMS 1 ¼" Micro Water Feature Fan Spray, Plastic, Assy	--	2.58
670-2580S	SGMS 1 ¼" Micro Water Feature Fan Spray, Metal, Assy	--	4.64



Jets / Cluster Jet Internals



Cluster Jet Internals

Part No.	Description	Case Quantity	List (US \$)
215-9860	Ozone - Smooth	200	2.72
212-9870	Ozone - Stainless Steel	500	6.02
212-8400	Front Access - Pulsator - Smooth	450	4.72
215-9950	Fixed Directional - 5-Scalloped	500	3.33
215-9840	Large Face - Smooth	150	3.33
212-9890S	Non-Adjustable - Large Face - Stainless Steel - Thick	250	6.58
215-9820	Non-Adjustable - Large Face - Textured - Thick	500	3.33
215-9830	Large Face - Textured - 5-Scalloped	500	4.01
215-9960	Fixed Directional - Large Face - 5-Scalloped	500	4.70
212-9960S	Fixed Directional - Large Face - Stainless Steel	250	8.96
212-8810	Directional - Large Face - Smooth	250	4.72
212-8830	Directional - Large Face - 5-Scalloped	250	4.72
215-9900	Extra Large Face - 2 3/8" - Smooth	350	3.80
212-9900S	Extra Large Face - 2 3/8" - Stainless Steel	250	7.55
212-2190	Non-Adjustable Ozone Cluster - Eclipse - Plastic	200	4.71
212-2190S	Non-Adjustable Ozone Cluster - Eclipse - Stainless Steel	200	7.62
212-2890S	Ozone - Orion - Stainless Steel	200	8.53



Jets / Ozone Cluster & Universal Cluster Jet Body



211-0380




212-0690



212-0090



212-0550



212-0560



212-0580

Ozone Cluster Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
211-0380	Straight Body - 1/2" S x 3/8" SMTH BRB Cluster/Ozone Jet Body	250	5.36
212-0090	EII Body - 3/8" RB Air x 3/4" RB Water with Nozzle	200	5.36
212-0540	EII Body - No Air x 3/4" S Water with Nozzle	180	5.36
212-0550	EII Body - 3/8" B Air x 3/4" SB Water with Nozzle	180	5.36
212-0560	EII Body - No Air x 1/2" S Water with Nozzle	200	5.36
212-0580	EII Body - 3/8" RB Air x 1/2" S Water with Nozzle	200	5.36
212-0590	EII Body - 3/8" RB Air x 3/4" S Water with Nozzle	180	5.36
212-0690	EII Body - 3/8" RB Air x 3/4" SB Water with O-ring groove	180	5.36



212-0500



212-4150



239-0749-DSGPS

Universal Cluster Jets

Part No.	Description	Case Quantity	List (US \$)
212-0500	Universal Cluster Jet Body Assembly - 3/4" RB x 90° EII - Flat Gasket	200	5.72
212-0500G	Universal Cluster Jet Body Assembly - 3/4" RB x 90° EII - Grommet Gasket	200	5.72

Euro Blaster Jet Body and Wall Fitting Assembly

212-4150	3/4" RB x 3/8" SB - 1/2" Orifice - 25 GPM @ 15 PSI	200	10.75
-----------------	--	-----	-------

Neck Jet

239-0749-DSGPS	Cluster Storm 100% S/O Dir XL 4 Swirl 2 Tone (THD)	100	9.09
239-0759-DSGS	Cluster Storm 100% S/O Dir 4 Swirl w/Mtl (THD)	200	16.52
239-0771S-DSGPS	Cluster Storm 100% S/O DirRev Swirl w/Mtl (THD)	200	16.52

Cluster Jet Accessories

Part No.	Description	Case Quantity	List (US \$)
711-9870	Cluster/Ozone Flat Gasket	500	0.66
711-9860	Cluster Grommet Gasket	500	0.66
711-4070	Cluster Gasket with O-ring Rib	500	0.66



711-9870



711-9860



Jets / Poly Jets



210-6040



210-8750



210-9790

Standard Poly Jets


Part No.	Description	Case Weight	Case Quantity	List (US \$)
210-6040	Adjustable - Caged Style	11.6 lbs.	75	13.80
210-8750	Monster - Caged Style ($\frac{5}{16}$ " - $\frac{3}{8}$ " - $\frac{7}{16}$ " - $\frac{1}{2}$ " Orifice)	8.39 lbs.	50	13.80
210-9790	Whirlpool - Caged Style ($\frac{3}{4}$ " Orifice)	6.05 lbs.	50	13.80




210-5830



210-5860



210-5870



210-5910



210-5950

Metric
210-5937





210-9500

Poly Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
210-5830	1" S Water x 1" S Air - No Top Plug	40	13.80
210-5860	Tee Body - 1 1/2" S Water x 1" S Air - with Top Plug	30	13.80
210-5870	Ell Body - 3/4" SB Water x 3/8" RB Air	60	13.80
210-5910	Ell Body - 3/4" S Water x 3/8" RB Air	60	13.80
210-5950	Straight Body - 1 1/2" S Water x 1/2" / 1" Spigot Air	60	13.80
210-5937	NEW Metric Jet Body - 50mm Water x 20mm Air	60	13.80
210-9500	32mm Water x 32mm Air	30	13.80

All Poly Jet body assemblies include a body and wall fitting.



Poly Jet Accessories

Part No.	Description	Case Quantity	List (US \$)
711-1730	Grommet Gasket	1400	0.66
711-1750	Standard Gasket (Thin)	500	0.66
711-4750	$\frac{3}{16}$ " Gasket (Thick)	500	0.97
916-1250	Escutcheon - Stainless Steel (<i>Standard Poly Jets only</i>)	3	5.94
218-1770A	Wrench/Test Plug with O-Ring Assembly	150	6.91
805-0132	Wrench O-Ring	25	0.71



Spa Jets / Storm Jet Body Assemblies

NEW!

IMPROVED STORM JET BODIES

- Molded-in Threads
- Molded-in GLO Ports on Mini, Poly & Power

Thread-in Jets



NEW Built-in GLO Ports



Made in the USA!





NEW!
GLO Port Gib
See page 149
for GLO Clip.




Adj. Cluster Storm




218-9460




Adj. Mini Storm



Adj. Poly Storm



Adj. Power Storm



Note: Products shown may be covered under patents US8458825, CA2644557.

In-Ground Portable Thread-In Spa Jet Body Assemblies

FEATURES:

- Designed specifically for in-ground portable spa applications
- Accepts all Mini-Storm and Poly Storm series thread-in jet internals
- Allows for flex or rigid plumbing
- Resists plumbing deterioration in harsh soils
- Resists rodent damage to plumbing
- Made of NSF fitting grade PVC material



228-0380



228-0390



Adjustable Cluster Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-1570G	Body Assembly - 3/4" S x 3/8" RB	100	8.22
228-1550G	Body Assembly - 3/4" RB x 3/8" RB	100	8.22
228-1560G	Body Assembly - 3/4" SB x 3/8" - SB	100	8.22
228-1720G	Body Assembly - 3/4" RB x No Air	100	8.22

Mini-Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0300	Body Assembly - 3/4" RB x 3/8" RB	100	8.67
228-0330	Body Assembly - 3/4" SB x 3/8" - SB	100	8.67
228-0340	Body Assembly - 3/4" SB x 3/8" RB - No Air	100	8.67

Poly Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0410	Body Assembly - 3/4" S x 3/8" SB	70	9.81
228-0400	Body Assembly - 3/4" RB x 3/8" RB	70	9.81
228-0430	Body Assembly - 3/4" SB x 3/8" SB	70	9.82

Power Storm Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0020	Body Assembly - 3/4" S / 1" SPG x 3/8" SB	25	10.73
228-0040	Body Assembly - 3/4" RB x 3/8" RB	25	10.73
228-0010	Body Assembly - 3/4" SB x 3/8" SB	25	10.73

In-Ground Portable Thread-In Spa Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-0380	In-Ground Mini-Storm Jet Body Assembly - 3/4" S x 1/2" S / 3/4" Spigot	--	9.99
228-0390	In-Ground Poly Storm Jet Body Assembly - 3/4" S x 1/2" S / 3/4" Spigot	--	9.99

Note: All part numbers are for the new thread-in style

- To order snap-in bodies; change the part number prefix to 212-xxxx
- To order Glo style bodies: change the last number to 8. ie: 228-2008

Note: Jet Bodies include flat gaskets. Grommet gaskets available upon request. CPVC bodies available upon request.

Note: Products shown may be covered under patents US8458825, CA2644557.



Notes

Notes



Orion Storm Jets

Part No.	Jet Type	Eyeball	Size	Style	Case Qty.	List (US \$)
239-4000S	Adj. Cluster Storm	Directional	2 1/4"	Plastic/Stainless Steel	200	12.47
239-4020S	Adj. Cluster Storm	Rifled	2 1/4"	Plastic/Stainless Steel	200	12.47
239-4030S	Adj. Cluster Storm	Multi-Massage	2 1/4"	Plastic/Stainless Steel	200	12.47
239-4010S	Adj. Cluster Storm	Twin Roto	2 1/4"	Plastic/Stainless Steel	200	14.11
239-4100S	Large Cluster Storm	Directional	3 5/16"	Plastic/Stainless Steel	180	20.10
239-4120S	Large Cluster Storm	Rifled	3 5/16"	Plastic/Stainless Steel	180	20.10
239-4130S	Large Cluster Storm	Multi-Massage	3 5/16"	Plastic/Stainless Steel	180	20.10
239-4110S	Large Cluster Storm	Twin Roto	3 5/16"	Plastic/Stainless Steel	180	24.10
239-4200S	Mini-Storm	Directional	3 5/16"	Plastic/Stainless Steel	150	22.55
239-4250S	Mini-Storm	Multi-Massage	3 5/16"	Plastic/Stainless Steel	150	22.55
239-4210S	Mini-Storm	Roto	3 5/16"	Plastic/Stainless Steel	150	26.50
239-4220S	Mini-Storm	Twin Roto	3 5/16"	Plastic/Stainless Steel	150	26.50
239-4230S	Mini-Storm	Pulse Massage	3 5/16"	Plastic/Stainless Steel	150	22.57
239-4260S	Mini-Storm	Twister	3 5/16"	Plastic/Stainless Steel	150	26.50
239-4240S	Mini-Storm	Rifled	3 5/16"	Plastic/Stainless Steel	150	22.55
239-4900S	Large Poly Storm	Directional	4 3/8"	Plastic/Stainless Steel	70	34.62
239-4940S	Large Poly Storm	Multi-Massage	4 3/8"	Plastic/Stainless Steel	70	34.62
239-4910S	Large Poly Storm	Roto	4 3/8"	Plastic/Stainless Steel	70	38.60
239-4920S	Large Poly Storm	Twin Roto	4 3/8"	Plastic/Stainless Steel	70	38.60
239-4930S	Large Poly Storm	Pulse Massage	4 3/8"	Plastic/Stainless Steel	70	38.60
239-4960S	Large Poly Storm	Twister	4 3/8"	Plastic/Stainless Steel	70	38.60
239-4950S	Large Poly Storm	Rifled	4 3/8"	Plastic/Stainless Steel	70	34.62
239-4400S	Power Storm	Directional	5 1/4"	Plastic/Stainless Steel	40	37.87
239-4450S	Power Storm	Multi-Massage	5 1/4"	Plastic/Stainless Steel	40	37.87
239-4410S	Power Storm	Roto	5 1/4"	Plastic/Stainless Steel	40	44.98
239-4420S	Power Storm	Twin Roto	5 1/4"	Plastic/Stainless Steel	40	44.98
239-4430S	Power Storm	Pulse Massage	5 1/4"	Plastic/Stainless Steel	40	44.98
239-4460S	Power Storm	Twister	5 1/4"	Plastic/Stainless Steel	40	44.98
239-4440S	Power Storm	Rifled	5 1/4"	Plastic/Stainless Steel	40	37.87
239-4700S	Large Power Storm	Directional	6 1/2"	Plastic/Stainless Steel	25	41.28
239-4750S	Large Power Storm	Multi-Massage	6 1/2"	Plastic/Stainless Steel	25	41.28
239-4770S	Large Power Storm	Roto	6 1/2"	Plastic/Stainless Steel	25	48.40
239-4720S	Large Power Storm	Twin Roto	6 1/2"	Plastic/Stainless Steel	25	48.40
239-4730S	Large Power Storm	Pulse Massage	6 1/2"	Plastic/Stainless Steel	25	48.40
239-4760S	Large Power Storm	Twister	6 1/2"	Plastic/Stainless Steel	25	48.40
239-4740S	Large Power Storm	Rifled	6 1/2"	Plastic/Stainless Steel	25	41.28

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX



Spa Jets / Storm Jets - Eclipse

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/8" Diameter

Case Qty: 200 Plastic/box 200 Stainless/box



	Directional	List Price
Plastic	239-0100	4.61
Stainless	239-0100S	12.47



	Rifled	List Price
	239-0110	4.61
	239-0110S	12.47



	Multi-Massage	List Price
	239-0120	4.61
	239-0120S	12.47



	Twin Roto	List Price
	239-0130	6.26
	239-0130S	13.70

Mini – 3-1/16" Diameter

Case Qty: 180 Plastic/box 180 Stainless/box



	Directional	List Price
Plastic	239-0300	11.53
Stainless	239-0300S	22.57



	Rifled	List Price
	239-0310	11.53
	239-0310S	22.57



	Multi-Massage	List Price
	239-0320	11.53
	239-0320S	22.57



	Roto	List Price
	239-0330	11.53
	239-0330S	22.57



	Twin Roto	List Price
Plastic	239-0340	15.47
Stainless	239-0340S	26.50



	Pulse Massage	List Price
	239-0350	15.47
	239-0350S	26.50



	Twister	List Price
	239-0360	15.47
	239-0360S	26.50

LG Poly – 4" Diameter

Case Qty: 80 Plastic/box 70 Stainless/box



	Directional	List Price
Plastic	239-0500	14.09
Stainless	239-0500S	14.50



	Rifled	List Price
	239-0510	14.09
	239-0510S	32.00



	Multi-Massage	List Price
	239-0520	14.09
	239-0520S	32.00



	Roto	List Price
	239-0530	19.13
	239-0530S	35.93

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-0540	19.13
Stainless	239-0540S	35.93



	Pulse Massage	List Price
	239-0550	19.13
	239-0550S	35.93



	Twister	List Price
	239-0560	19.13
	239-0560S	35.93

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX



Thread-in Jet Patent # US8458825 & CA2644557

Power – 5" Diameter

Case Qty: 40



	Directional	List Price
Plastic	239-7770	19.13
Stainless	239-7770S	37.87



	Rifled	List Price
Plastic	239-0620	19.13
Stainless	239-0620S	37.87



	Multi-Massage	List Price
Plastic	239-0630	19.13
Stainless	239-0630S	37.87



	Roto	List Price
Plastic	239-0640	25.04
Stainless	239-0640S	44.98

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-0650	25.04
Stainless	239-0650S	44.98



	Pulse Massage	List Price
Plastic	239-0660	25.04
Stainless	239-0660S	44.98



	Twister	List Price
Plastic	239-0670	25.04
Stainless	239-0670S	44.98


For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX



Spa Jets

Twirl
Steady Stream / Stationary Eyeball



Multi Massage
Multi-Shower



Roto
Adjustable Rotating Stream



Rifled
Enhanced Steady Stream



Twin Roto
Rotating Dual Stream




Twister
Adjustable Rotating Stream



Pulse Massage
Pulsating Stream



Shower
Pressure Ball





Spa Jets / Storm Jets - Reverse Eclipse

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/8" Diameter

Case Qty: 200 Stainless/box



Directional List Price

Plastic / NA
Stainless 239-1700S-DSG 12.47



Rifled List Price

239-1710S-DSG 12.47



Multi-Massage List Price

239-1720S-DSG 12.47



Twin Roto List Price

239-1730S-DSG 14.11

LG Cluster – 3-5/16" Diameter

Case Qty: 180 Stainless/box



Directional List Price

Plastic / NA
Stainless 239-1800S 20.10



Rifled List Price

239-1810S 20.10



Multi-Massage List Price

239-1820S 20.10



Twin Roto List Price

239-1830S 24.12

Mini – 3-1/16" Diameter

Case Qty: 180 Stainless/box



Directional List Price

Plastic / NA
Stainless 239-3100S 22.57



Rifled List Price

239-3110S 22.57



Multi-Massage List Price

239-3120S 22.57



Roto List Price

239-3130S 26.50



Twin Roto List Price

Plastic / NA
Stainless 239-3140S 26.50



Pulse Massage List Price

239-3150S 26.50



Twister List Price

239-3160S 26.50

For GLO style internals on all
Storm Jets use the prefix 230
and the last number as 8.
230-XXX8

For 100% shut-off Cluster &
Mini Jets use the prefix 225.
225-XXXX

LG Poly – 4" Diameter (continued next page)

Case Qty: 70 Stainless/box



Directional List Price

Plastic / NA
Stainless 239-3300S 32.00



Rifled List Price

239-3310S 32.00



Multi-Massage List Price

239-3320S 32.04



Roto List Price

239-3330S 35.93

Spa Jets / Storm Jets - Reverse Eclipse



Thread-in Jet Patent # US8458825 & CA2644557

LG Poly – 4" Diameter *(continued from previous page)*

Case Qty: 70 Stainless/box



Twin Roto List Price



Patent # CA 5,920,025

Pulse Massage List Price



Twister List Price

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

Plastic / NA

Stainless 239-3340S 35.93

239-3350S 35.93

239-3360S 35.93

Power – 5" Diameter

Case Qty: 40 Stainless/box



Directional List Price



Roto List Price




Twin Roto List Price

Plastic / NA

Stainless 239-1900S 37.87

239-1950S 44.98

239-1910S 44.98




Spa Jets



Twirl

Steady Stream /
Stationary
Eyeball

**Multi
Massage**
Multi-
Shower



Roto

Adjustable
Rotating
Stream

Rifled
Enhanced
Steady
Stream



Twin Roto

Rotating
Dual
Stream

Twister
Adjustable
Rotating
Stream



**Pulse
Massage**

Pulsating
Stream

Shower
Pressure
Ball



Spa Jets / Storm Jets - Luxe

Patent # US D700,972 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-3/8" Diameter

Case Qty: Stainless 200/box



	Directional	List Price
Plastic	239-1500	4.61
Stainless	239-1500S	12.47



	Rifled	List Price
	239-1520	4.48
	239-1520S	12.47



	Multi-Massage	List Price
	239-1530	4.35
	239-1530S	12.47



	Twin Roto	List Price
	239-1510	6.26
	239-1510S	14.11

Mini – 3-1/4" Diameter

Case Qty: Stainless 100/box



	Directional	List Price
Plastic	239-2300	10.88
Stainless	239-2300S	22.57



	Rifled	List Price
	239-2350	10.88
	239-2350S	22.57



	Multi-Massage	List Price
	239-2330	10.88
	239-2330S	22.55



	Roto	List Price
	239-2310	14.58
	239-2310S	26.50



	Twin Roto	List Price
Plastic	239-2320	14.58
Stainless	239-2320S	26.50



	Pulse Massage	List Price
	239-2340	14.58
	239-2340S	26.50



	Twister	List Price
	239-2360	14.58
	239-2360S	26.50

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

Poly – 3-3/4" Diameter

Case Qty: Stainless 100/box



	Directional	List Price
Plastic	239-8300	14.31
Stainless	239-8300S	32.00



	Rifled	List Price
	239-8350	14.31
	239-8350S	32.00



	Multi-Massage	List Price
	239-8330	14.31
	239-8330S	32.00



	Roto	List Price
	239-8310	18.03
	239-8310S	35.93

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-8320	18.03
Stainless	239-8320S	35.93



	Pulse Massage	List Price
	239-8340	18.03
	239-8340S	35.93



	Twister	List Price
	239-8360	18.03
	239-8360S	35.93



Thread-in Jet Patent # US8458825 & CA2644557

LG Poly – 4-3/8" Diameter

Case Qty: Stainless 70/box



	Directional	List Price
Plastic	239-8200	14.74
Stainless	239-8200S	34.62



	Rifled	List Price
	239-8230	14.74
	239-8230S	34.62



	Multi-Massage	List Price
	239-8240	14.74
	239-8240S	34.62



	Roto	List Price
	239-8210	18.57
	239-8210S	38.60

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-8220	18.57
Stainless	239-8220S	38.60



	Pulse Massage	List Price
	239-8250	18.57
	239-8250S	38.60



	Twister	List Price
	239-8260	18.57
	239-8260S	38.60

*For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8*

*For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX*

Power – 5-1/4" Diameter

Case Qty: Stainless 40/box



	Directional	List Price
Plastic	239-7710	19.13
Stainless	239-7710S	37.87



	Rifled	List Price
	239-6150	19.13
	239-6150S	37.87



	Multi-Massage	List Price
	239-6140	19.13
	239-6140S	37.87



	Roto	List Price
	239-6110	25.04
	239-6110S	44.98

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-6120	25.04
Stainless	239-6120S	44.98



	Pulse Massage	List Price
	239-6130	25.04
	239-6130S	44.98



	Twister	List Price
	239-6160	25.04
	239-6160S	44.98





	Acupressure	List Price
	239-6740	25.04
	229-6740S	44.98



Twirl
Steady Stream /
Stationary
Eyeball

**Multi
Massage**
Multi-
Shower



Roto
Adjustable
Rotating
Stream

Rifled
Enhanced
Steady
Stream




Twin Roto
Rotating
Dual
Stream

Twister
Adjustable
Rotating
Stream



**Pulse
Massage**
Pulsating
Stream

Shower
Pressure
Ball





Spa Jets / Storm Jets - Swirl

Patent # US D574,501 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



	Directional	List Price
Plastic	229-1670	4.61
Stainless	229-1670S	11.87



	Rifled	List Price
	229-0140	4.61
	229-0140S	11.87



	Multi-Massage	List Price
	229-1790	5.57
	229-1790S	11.87



	Twin Roto	List Price
	229-1780	4.61
	229-1780S	11.87

LG Cluster – 3-1/4" Diameter

Case Qty: 100/box



	Directional	List Price
Plastic	229-0210	5.58
Stainless	229-0210S	22.57



	Rifled	List Price
	229-0220	5.58
	229-0220S	22.57



	Multi-Massage	List Price
	229-0240	5.58
	229-0240S	22.57



	Twin Roto	List Price
	229-0230	7.25
	229-0230S	20.10

Mini – 3-1/4" Diameter

Case Qty: 180/box



	Directional	List Price
Plastic	229-8440	11.53
Stainless	229-8440S	21.76



	Rifled	List Price
	229-0190	11.53
	229-0190S	21.76



	Multi-Massage	List Price
	229-9040	11.53
	229-9040S	21.76



	Roto	List Price
	229-0320	15.47
	229-0320S	25.71



	Twin Roto	List Price
Plastic	229-8450	15.47
Stainless	229-8450S	25.71



	Pulse Massage	List Price
	229-0330	15.47
	229-0330S	25.71



	Twister	List Price
	229-9530	15.47
	229-9530S	25.71

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.

230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.

225-XXXX

Poly – 3-5/8" Diameter (continued next page)

Case Qty: 100/box



	Directional	List Price
Plastic	229-4020	15.18
Stainless	229-4020S	30.98



	Rifled	List Price
	229-1940	15.18
	229-1940S	30.98



	Multi-Massage	List Price
	229-4090	15.18
	229-4090S	30.98



	Roto	List Price
	229-4030	19.13
	229-4030S	34.92



Thread-in Jet Patent # US8458825 & CA2644557

Poly – 3-5/8" Diameter *(continued from previous page)*

Case Qty: 100/box



Twin Roto
Plastic 229-4040
Stainless 229-4040S

List Price
19.13
34.92



Patent # CA 5,920,025

Pulse Massage
229-4050
229-4050S

List Price
19.13
34.92



Twister
229-9630
229-9630S

List Price
19.13
34.92

LG Poly – 4 3/8" Diameter

Case Qty: Plastic 80/box Stainless 70/box



Directional
Plastic 229-0440
Stainless 229-0440S

List Price
15.18
33.61



Rifled
229-0610
229-0610S

List Price
15.18
33.61



Multi-Massage
229-0480
229-0480S

List Price
15.18
33.61



Roto
229-0450
229-0450S

List Price
19.13
37.56

Patent # CA 5,920,025



Twin Roto
Plastic 229-0460
Stainless 229-0460S

List Price
19.13
37.56



Pulse Massage
229-0620
229-0620S

List Price
19.13
37.56



Twister
229-0410
229-0410S

List Price
19.13
37.56

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

Power – 5 1/4" Diameter

Case Qty: 45/box



Directional
Plastic 239-7740
Stainless 239-7740S

List Price
19.13
47.45



Rifled
229-1990
229-1990S

List Price
19.13
36.26



Multi-Massage
229-6170
229-6170S

List Price
19.13
36.26



Roto
229-6380
229-6380S

List Price
25.04
42.18

Patent # CA 5,920,025



Twin Roto
Plastic 229-6360
Stainless 229-6360S

List Price
25.04
42.18



Pulse Massage
229-6350
229-6350S

List Price
25.04
47.45



Twister
229-7680
229-7680S

List Price
25.04
42.18



Acupressure
229-6720
229-6720S

List Price
25.04
42.18



Spa Jets / Storm Jets - Reverse Swirl

Patent # US D574,964 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



Directional List Price

Plastic / NA

Stainless 229-2700S

12.47



Rifled List Price

229-2710S

12.47



Multi-Massage List Price

229-2730S

12.47



Twin Roto List Price

229-2720S

14.11

LG Cluster – 3-5/16" Diameter

Case Qty: 100/box



Directional List Price

Plastic / NA

Stainless 229-2740S

18.45



Rifled List Price

229-2750S

19.02



Multi-Massage List Price

229-2770S

18.45



Twin Roto List Price

229-2760S

20.10

Mini – 3-5/16" Diameter

Case Qty: 150/box



Directional List Price

Plastic / NA

Stainless 229-2400S

21.76



Rifled List Price

229-2410S

22.55



Multi-Massage List Price

229-2480S

21.76



Roto List Price

229-2420S

25.71



Twin Roto List Price

Plastic / NA

Stainless 229-2430S

25.71



Pulse Massage List Price

229-2440S

27.35



Twister List Price

229-2940S

25.71

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.

230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.

225-XXXX

Poly – 3-5/8" Diameter (continued next page)

Case Qty: 100/box



Directional List Price

Plastic / NA

Stainless 229-2800S

32.00



Rifled List Price

229-2810S

30.98



Multi-Massage List Price

229-2880S

30.98



Roto List Price

229-2820S

34.92



Thread-in Jet Patent # US8458825 & CA2644557

Poly – 3-5/8" Diameter *(continued from previous page)*

Case Qty: 100/box



Twin Roto List Price

Plastic / NA
Stainless 229-2830S 35.93



Patent # CA 5,920,025

Pulse Massage List Price

229-2840S 35.93



Twister List Price

229-2950S 34.92

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

LG Poly – 4-3/8" Diameter

Case Qty: 70/box



Directional List Price

Plastic / NA
Stainless 229-2500S 34.62



Rifled List Price

229-2510S 33.61



Multi-Massage List Price

229-2580S 33.61



Roto List Price

229-2520S 38.60



Twin Roto List Price

Plastic / NA
Stainless 229-2530S 37.56



Patent # CA 5,920,025

Pulse Massage List Price

229-2540S 38.60



Twister List Price

229-2960S 37.56

Power – 5-1/4" Diameter

Case Qty: 45/box



Directional List Price

Plastic / NA
Stainless 239-7750S 37.87



Rifled List Price

229-2620S 36.26



Multi-Massage List Price

229-2690S 36.26



Roto List Price

229-2630S 44.98



Twin Roto List Price

Plastic / NA
Stainless 229-2640S 44.98



Patent # CA 5,920,025

Pulse Massage List Price

229-2650S 44.98



Twister List Price

229-2790S 42.18



Accupressure List Price

229-2780S 42.18

Case Qty: 45/box



Spa Jets / Storm Jets - 6 Spoke

Patent # US D574,964 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



	Directional	List Price
Plastic	229-1470	4.61
Stainless	229-1470S	11.87



	Rifled	List Price
	229-0130	4.61
	229-0130S	11.87



	Multi-Massage	List Price
	229-1770	4.61
	229-1770S	11.87



	Twin Roto	List Price
	229-1440	6.14
	229-1440S	13.27

Mini – 3-5/16" Diameter

Case Qty: 180/box



	Directional	List Price
Plastic	229-8630	11.31
Stainless	229-8630S	21.32



	Rifled	List Price
	229-0180	11.31
	229-0180S	37.77



	Multi-Massage	List Price
	229-8700	11.31
	229-8700S	21.76



	Roto	List Price
	229-8640	15.47
	229-8640S	25.71



	Twin Roto	List Price
Plastic	229-8650	15.47
Stainless	229-8650S	25.71



	Pulse Massage	List Price
	229-8660	15.47
	229-8660S	27.35



	Twister	List Price
	229-9520	15.47
	229-9520S	25.71

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

Poly – 3-5/8" Diameter

Case Qty: 100/box



	Directional	List Price
Plastic	229-8590	15.18
Stainless	229-8590S	30.98



	Rifled	List Price
	229-1930	15.18
	229-1930S	30.98



	Multi-Massage	List Price
	229-3240	15.18
	229-3240S	19.52



	Roto	List Price
	229-8570	19.13
	229-8570S	34.92

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	229-8580	19.13
Stainless	229-8580S	34.92



	Pulse Massage	List Price
	229-3200	19.13
	229-3200S	37.56



	Twister	List Price
	229-9620	19.13
	229-9620S	34.92



Thread-in Jet Patent # US8458825 & CA2644557

LG Poly – 4-3/8" Diameter

Case Qty: 45/box



	Directional	List Price
Plastic	239-5000	15.18
Stainless	239-5000S	33.62



	Rifled	List Price
	239-5050	15.18
	239-5050S	33.62



	Multi-Massage	List Price
	239-5040	15.18
	239-5040S	33.62



	Roto	List Price
	239-5010	19.13
	239-5010S	37.57

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	239-5020	19.13
Stainless	239-5020S	37.57



	Pulse Massage	List Price
	239-5030	19.13
	239-5030S	37.57



	Twister	List Price
	239-5060	19.13
	239-5060S	37.57

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

Power – 5-1/4" Diameter

Case Qty: 45/box



	Directional	List Price
Plastic	229-7720	19.13
Stainless	229-7720S	42.18



	Rifled	List Price
	229-1980	19.13
	229-1980S	36.26



	Multi-Massage	List Price
	229-7250	19.13
	229-7250S	36.26



	Roto	List Price
	229-7550	25.04
	229-7550S	42.18

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	229-7560	25.04
Stainless	229-7560S	42.18




	Pulse Massage	List Price
	229-7590	25.04
	229-7590S	47.45



	Twister	List Price
	229-7700	25.04
	229-7700S	33.47

Twirl
Steady Stream /
Stationary
Eyeball



**Multi
Massage**
Multi-
Shower



Roto
Adjustable
Rotating
Stream



Rifled
Enhanced
Steady
Stream



Twin Roto
Rotating
Dual
Stream




Twister
Adjustable
Rotating
Stream



**Pulse
Massage**
Pulsating
Stream



Shower
Pressure
Ball





Spa Jets / Storm Jets - Reverse 6 Spoke (Nova)

Patent # US D574,964 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: 200/box



Directional List Price

Plastic / NA

Stainless 229-9000S 11.87



Rifled List Price

229-9070S 12.47



Multi-Massage List Price

229-9060S 11.87



Twin Roto List Price

229-9010S 13.74

Mini – 3-5/16" Diameter

Case Qty: 150/box



Directional List Price

Plastic / NA

Stainless 229-9100S 21.76



Rifled List Price

229-9180S 21.76



Multi-Massage List Price

229-9140S 22.55



Roto List Price

229-9150S 25.71



Twin Roto List Price

Plastic / NA

Stainless 229-9130S 25.71



Pulse Massage List Price

229-9160S 27.35



Twister List Price

229-9190S 25.71

Poly – 3-5/8" Diameter

Case Qty: 70/box



Directional List Price

Plastic / NA

Stainless 229-9200S 30.98



Rifled List Price

229-9280S 32.00



Multi-Massage List Price

229-9260S 32.00



Roto List Price

229-9210S 34.92



Twin Roto List Price

Plastic / NA

Stainless 229-9220S 35.93



Pulse Massage List Price

229-9230S 37.56



Twister List Price

229-9290S 35.93

Patent # CA 5,920,025

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.

230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.

225-XXXX



Thread-in Jet Patent # US8458825 & CA2644557

LG Poly – 4-3/8" Diameter

Case Qty: 70/box



Directional List Price

Plastic / NA
Stainless 229-9300S 33.61



Rifled List Price

229-9370S 33.62



Multi-Massage List Price

229-9350S 33.61



Roto List Price

229-9310S 37.56



Twin Roto List Price

Plastic / NA
Stainless 229-9330S 37.56



Pulse Massage List Price

229-9640S 40.20



Twister List Price

229-9380S 37.57

Patent # CA 5,920,025

For GLO style internals on all
Storm Jets use the prefix 230
and the last number as 8.
230-XXX8

For 100% shut-off Cluster &
Mini Jets use the prefix 225.
225-XXXX

Power – 5-1/4" Diameter

Case Qty: 45/box



Directional List Price

Plastic / NA
Stainless 239-7730S 42.18



Rifled List Price

229-9480S 36.26



Multi-Massage List Price

229-9400S 36.26



Roto List Price

229-9420S 42.18



Twin Roto List Price

Plastic / NA
Stainless 229-9430S 42.18



Pulse Massage List Price

229-9460S 47.45



Twister List Price

229-9450S 42.18




Acupressure List Price

229-9490S 42.18


Patent # CA 5,920,025

Twirl

Steady Stream /
Stationary
Eyeball



**Multi
Massage**
Multi-
Shower

**Roto**

Adjustable
Rotating
Stream



Rifled
Enhanced
Steady
Stream



Twin Roto
Rotating
Dual
Stream




Twister
Adjustable
Rotating
Stream



**Pulse
Massage**
Pulsating
Stream



Shower
Pressure
Ball





Spa Jets / Storm Jets - Revo

Patent # US D591,863 S

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/8" Diameter

Case Qty: 200/box



	Directional	List Price
Plastic	229-1460	4.61
Stainless	229-1460S	11.87



	Rifled	List Price
	229-0120	4.61
	229-0120S	12.39



	Multi-massage	List Price
	229-9730	4.61
	229-9730S	11.87



	Twin Roto	List Price
	229-1430	6.26
	229-1430S	14.06

Mini – 3-5/16" Diameter

Case Qty: 180/box



	Directional	List Price
Plastic	229-8790	11.53
Stainless	229-8790S	21.76



	Rifled	List Price
	229-0170	11.53
	229-0170S	21.76



	Multi-Massage	List Price
	229-9020	11.53
	229-9020S	21.76



	Roto	List Price
	229-8850	15.47
	229-8850S	25.71



	Twin Roto	List Price
Plastic	229-8860	15.47
Stainless	229-8860S	28.19



	Pulse Massage	List Price
	229-8870	15.47
	229-8870S	27.35



	Twister	List Price
	229-9510	15.47
	229-9510S	25.71

Poly – 3-5/8" Diameter

Case Qty: 100/box



	Directional	List Price
Plastic	229-3250	15.18
Stainless	229-3250S	30.98



	Rifled	List Price
	229-1920	15.18
	229-1920S	30.98



	Multi-Massage	List Price
	229-3620	15.18
	229-3620S	32.11



	Roto	List Price
	229-3260	19.13
	229-3260S	34.92



	Twin Roto	List Price
Plastic	229-3270	19.13
Stainless	229-3270S	34.92



	Pulse Massage	List Price
	229-3280	19.13
	229-3280S	37.56



	Twister	List Price
	229-9610	19.13
	229-9610S	34.92

Patent # CA 5,920,025

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.

230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.

225-XXXX



Thread-in Jet Patent # US8458825 & CA2644557

Power – 5-1/4" Diameter

Case Qty: 45/box



	Directional	List Price
Plastic	239-7760	19.13
Stainless	239-7760S	36.26



	Rifled	List Price
	229-1970	19.13
	229-1970S	36.26



	Multi-Massage	List Price
	229-7090	19.13
	229-7090S	36.26



	Roto	List Price
	229-7140	25.04
	229-7140S	42.19

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	229-7150	25.04
Stainless	229-7150S	42.19



	Pulse Massage	List Price
	229-7160	25.04
	229-7160S	42.19




	Twister	List Price
	229-7690	25.04
	229-7690S	42.19



	Acupressure	List Price
	229-6710	25.04
	229-6710S	42.19

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX





Spa Jets / Storm Jets - Smooth

Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: Plastic 300/box Stainless 200/box



	Directional	List Price
Plastic	239-4300	4.61
Stainless	239-4300S	11.87



	Rifled	List Price
	239-4310	4.61
	239-4310S	11.87



	Multi-massage	List Price
	239-4320	4.61
	239-4320S	11.87



	Twin Roto	List Price
	239-4330	6.26
	239-4330S	13.53

Mini – 3" Diameter

Case Qty: Plastic 200/box Stainless 180/box



	Directional	List Price
Plastic	229-7900	11.53
Stainless	229-7920S	21.76



	Rifled	List Price
	229-0160	11.53
	229-0160S	21.76



	Multi-Massage	List Price
	239-4340	11.53
	239-4340S	21.76



	Roto	List Price
	239-4350	15.47
	239-4350S	25.71



	Twin Roto	List Price
Plastic	229-7940	15.48
Stainless	229-7950S	25.71



	Pulse Massage	List Price
	229-7810	15.02
	229-7800S	27.35

LG Mini – 3-5/16" Diameter

Case Qty: 120/box



	Directional	List Price
Plastic	229-0010	12.18
Stainless	229-0090S	22.40



	Rifled	List Price
	229-0150	12.18
	229-0150S	22.41



	Multi-Massage	List Price
	229-0080	11.53
	229-0080S	22.41



	Roto	List Price
	229-0310	15.48
	229-0310S	26.37



	Twin Roto	List Price
Plastic	229-7840	16.14
Stainless	229-7840S	27.69



	Pulse Massage	List Price
	229-0040	16.14
	229-0040S	28.01



	Twister	List Price
	229-2100	16.14
	229-2100S	26.37

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX



Thread-in Jet Patent # US8458825 & CA2644557

Poly – 3-3/8" Diameter

Case Qty: Plastic 130/box Stainless 100/box



	Directional	List Price
Plastic	229-8040	15.18
Stainless	229-8050S	30.99



	Rifled	List Price
	229-1900	15.18
	229-1900S	30.98



	Multi-Massage	List Price
	229-8280	15.18
	229-8270S	30.98



	Roto	List Price
	229-8000	19.12
	229-8010S	34.92

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	229-8130	19.12
Stainless	229-8120S	34.92



	Pulse Massage	List Price
	229-8020	21.76
	229-8030S	37.57



	Twister	List Price
	229-8230	19.13
	229-8230S	34.91

*For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8*

*For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX*

LG Poly – 4" Diameter

Case Qty: 60/box



	Directional	List Price
Plastic	229-8160	16.53
Stainless	229-8160S	33.61



	Rifled	List Price
	229-9790	16.53
	229-9790S	33.61



	Multi-Massage	List Price
	229-8290	16.53
	229-8290S	33.62



	Roto	List Price
	229-8140	20.48
	229-8140S	37.57

Patent # CA 5,920,025



	Twin Roto	List Price
Plastic	229-8170	20.48
Stainless	229-8170S	37.57



	Pulse Massage	List Price
	229-8150	20.48
	229-8150S	40.20



	Twister	List Price
	229-9600	30.98
	229-9600S	37.56

Power – 5" Diameter (continued next page)

Case Qty: Plastic 50/box Stainless 50/box



	Directional	List Price
Plastic	239-7090	19.13
Stainless	239-7090S	36.26



	Roto	List Price
	229-6630	25.04
	229-7600S	42.18



	Twin Roto	List Price
	229-6610	25.03
	229-7610S	42.18



Patent # CA 5,920,025

	Pulse Massage	List Price
	229-6650	30.31
	229-7740S	47.45



Spa Jets / Storm Jets - Smooth

Thread-in Jet Patent # US8458825 & CA2644557

LG Power – 5-1/2" Diameter *(continued from previous page)*

Case Qty: 35/box



Directional List Price

Plastic / NA
Stainless

229-0900S

37.57



Rifled List Price

229-6850S

37.57



Multi-Massage List Price

229-7330S

37.57



Roto List Price

229-7310S

43.49



Twin Roto List Price

Plastic / NA
Stainless

229-7320S

43.49



Pulse Massage List Price

229-7360S

48.76



Twister List Price

239-0800S

43.49

XL Power – 6-1/2" Diameter

Case Qty: 25/box



Directional List Price

Plastic / NA
Stainless

239-0910S

40.21



Rifled List Price

229-6840S

40.21



Multi-Massage List Price

229-7450S

40.21



Roto List Price

229-7380S

46.12



Twin Roto List Price

Plastic / NA
Stainless

229-7390S

46.12



Pulse Massage List Price

229-7480S

51.40




Twister List Price

239-0830S

46.12


For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX



Twirl
Steady Stream /
Stationary
Eyeball

**Multi
Massage**
Multi-
Shower



Roto
Adjustable
Rotating
Stream

Rifled
Enhanced
Steady
Stream




**Twin
Roto**
Rotating
Dual
Stream

Twister
Adjustable
Rotating
Stream



**Pulse
Massage**
Pulsating
Stream

Shower
Pressure
Ball





Thread-in Jet Patent # US8458825 & CA2644557

Cluster – 2-1/4" Diameter

Case Qty: Plastic 300/box Stainless 200/box



	Directional	List Price
Plastic	229-1540	4.61
Stainless	229-5310S	11.87



	Rifled	List Price
	239-4370	4.61
	239-4370S	11.87



	Multi-Massage	List Price
	229-9720	4.61
	229-9720S	11.87



	Twin Roto	List Price
	229-1590	6.26
	229-5320S	13.03

Mini – 3" Diameter

Case Qty: Plastic 250/box Stainless 180/box



	Directional	List Price
Plastic	229-7920	6.26
Stainless	229-5410S	13.03



	Multi-Massage	List Price
	229-5480	11.53
	229-5480S	21.76



	Twin Roto	List Price
	229-7950	15.47
	229-5430S	25.71



	Roto	List Price
	229-0020	15.47
	229-5420S	25.71



	Pulse Massage	List Price
Plastic	229-0030	17.13
Stainless	229-5440S	27.34

For GLO style internals on all Storm Jets use the prefix 230 and the last number as 8.
230-XXX8

For 100% shut-off Cluster & Mini Jets use the prefix 225.
225-XXXX

LG Poly – 4" Diameter

Case Qty: Plastic 100/box Stainless 45/box



	Directional	List Price
Plastic	229-8160	15.18
Stainless	229-5510S	33.61



	Multi-Massage	List Price
	229-8290	15.18
	229-5580S	33.61



	Twin Roto	List Price
	229-8170	19.13
	229-5530S	37.56



	Roto	List Price
	229-8140	19.13
	229-5520S	37.56

Power – 5" Diameter

Case Qty: Plastic 50/box Stainless 50/box



	Directional	List Price
Plastic	229-7630	19.13
Stainless	229-5610 S	36.26



	Pulse Massage	List Price
	229-7740	30.31
	229-5650S	47.45



	Twin Roto	List Price
	229-7610	25.53
	229-5640S	42.18



	Roto	List Price
	229-7600	25.53
	229-5630S	42.18



Spa Jets / Storm Jet Accessories

Storm Jet Flat Kraton Gaskets

Part No.	Description	List (US \$)
711-6910	Mini-Storm Flat Gasket	0.66
711-4410	Poly-Storm Flat Gasket	0.66
711-6608	Power-Storm Flat Gasket	0.88



711-6910

Storm Jet Flat EPDM Gaskets

Part No.	Description	List (US \$)
806-0010	Cluster Storm EPDM Flat Gasket	0.88
806-0011	Mini Storm EPDM Flat Gasket	1.06
806-0012	Poly Storm EPDM Flat Gasket	1.44
806-0013	Power Storm EPDM Flat Gasket	2.40



806-0011

Storm Jet Grommet Kraton Gaskets

Part No.	Description	List (US \$)
711-5140L	Cluster-Storm Grommet Gasket	0.64
711-6900	Mini-Storm Grommet Gasket	0.66
711-4400	Poly-Storm Grommet Gasket	0.66
711-6500	Power-Storm Grommet Gasket	0.88



711-6900

Storm Jet Grommet EPDM 55 Shore Gaskets

Part No.	Description	List (US \$)
806-0018	Cluster Storm 55 Shore EPDM Grommet Gasket	1.01
806-0021	Mini Storm 55 Shore EPDM Grommet Gasket	1.27
806-0022	Poly Storm 55 Shore EPDM Grommet Gasket	1.60
806-0023	Power Storm 55 Shore EPDM Grommet Gasket	2.93




806-0021

Storm Jet Grommet Silicone 45 Shore Gaskets

Part No.	Description	List (US \$)
806-0060	Cluster Storm Silicone 45 Shore Grommet Gasket	1.01
806-0061	Mini Storm Silicone 45 Shore Grommet Gasket	0.97
806-0062	Poly Storm Silicone 45 Shore Grommet Gasket	1.60
806-0063	Power Storm Silicone 45 Shore Grommet Gasket	2.93



806-0061



Storm Jet Self-Alignment Rings

Part No.	Description	Case Quantity	List (US \$)
218-5150	Cluster-Storm Self-Alignment Ring	500	0.82
718-6960	Mini-Storm Self-Alignment Ring	700	1.04
218-4010	Poly-Storm Self-Alignment Ring - Improved Design	500	1.06
218-6680	Power-Storm Self-Alignment Ring - Regular	160	2.96
218-6680T	Power-Storm Self-Alignment Ring - Thin	160	2.96

Storm Jet Nozzle Reducer

Part No.	Description	Case Quantity	List (US \$)
217-0047	Mini-Storm Jet Nozzle Reducer - 1/4" Orifice	12	0.42
217-0057	Poly-Storm Jet Nozzle Reducer - 1/4" Orifice	12	0.42
218-9460	GLO LED Clip for Cluster Storm Body	—	0.42

NEW!



Pre-2018

218-9128



Storm Jet Glo Components

Part No.	Description	Case Quantity	List (US \$)
218-9118	Glo Tube, Smooth Barb	--	0.32
218-9128	Glo Tube, 3/8" -16 (Sloan Style)	--	0.32
218-9138	Glo Tube, 1/8" MPT (J-Style)	--	0.32
218-9148	Glo Clip, Smooth Barb (Mini / Poly only)	--	0.59
218-9158	Glo Clip 3/8" -16 MPT (Sloan Style) (Mini / Poly only)	--	0.59
218-9168	Glo Clip 1/8" MPT (J-Style) (Mini / Poly only)	--	0.59
218-9428	Glo Saddle, Smooth Barb	--	0.42
218-9438	Glo Saddle, (Sloan Style)	--	0.42
218-9448	Glo Saddle, (J Style)	--	0.42



Storm Hand-Held Jet

Part No.	Description	Case Quantity	List (US \$)
229-3357	Poly-Storm Thread-In Hand-Held Jet - 5-Scallop	1	120.33
229-7757	Power-Storm Thread-In Hand-Held Jet - 5-Scallop	12	140.37



Spa Jets / Whirlpool Jets

5 Scallop



	Whirlpool	List Price
Adjustable	229-5710S	50.52
Non-Adj.	229-5800S	44.65

6 Spoke



	Whirlpool	List Price
	229-2090S	50.52
	229-2000S	44.65

Reverse 6 Spoke



	Whirlpool	List Price
	239-5080S	56.38
	239-5090S	50.50

Eclipse



	Whirlpool	List Price
Adjustable	239-0150S	56.38
Non-Adj.	239-1750S	50.50

Reverse Eclipse



	Whirlpool	List Price
	239-1740S	56.38
	239-1750S	50.50

Luxe



	Whirlpool	List Price
	239-0020S	56.38
	239-0010S	50.50

Swirl



	Whirlpool	List Price
Adjustable	229-3020S	49.06
Non-Adj.	229-3040S	43.35

Reverse Swirl



	Whirlpool	List Price
	229-2900S	54.73
	229-2910S	49.03

Revo



	Whirlpool	List Price
	229-3050S	49.06
	229-3060S	43.35

Smooth



	Whirlpool	List Price
Adjustable	229-2060S	49.06
Non-Adj.	229-2030S	43.35




Continued next page.



Whirlpool Jets - Specifications

FEATURES:

- Adjustable flow control
- Large 1 1/2" socket intake
- Available in smooth face and 5-Scallop escutcheons
- Four water nozzle sizes to choose from: 1/2" - 5/8" - 3/4" and 1" (see flow chart)
- Self-alignment ring available for use without silicone (optional)
- Universal on/off control (on = counter clockwise / off = clockwise)
- Available as Glo Jets



Whirlpool Thread-In Jet Body Assemblies

Part No.	Description	Case Quantity	List (US \$)
228-2000	Thread-In Body - with Flat Gasket - 1 1/2" S x 1/2" S	25	16.83
228-2000G	Thread-In Body - with Grommet Gasket - 1 1/2" S x 1/2" S	25	16.83
228-2010	Thread-In Body - with Flat Gasket - 1" S x 1/2" S	25	16.83
228-2010G	Thread-In Body - with Grommet Gasket - 1" S x 1/2" S	25	16.83
228-2130	Thread-In Same Side Body - with Flat Gasket - 1 1/2" S x 1/2" S	25	16.83
228-2130G	Thread-In Same Side Body - with Grommet Gasket - 1 1/2" S x 1/2" S	25	16.83

Note: For Glo Whirlpool Jet bodies, change the last number to 8. ie: 228-2008

Whirlpool Thread-In Jet Internals

Part No.	Description	Case Quantity	List (US \$)
229-2020	Thread-In Non-Adjustable - 5-Scallop	45	28.33
229-2030	Thread-In Non-Adjustable - Smooth	45	28.33
229-2030S	Thread-In Non-Adjustable - Stainless Steel	45	43.35
229-2050	Thread-In Adjustable - 5-Scallop	45	34.05
229-2060	Thread-In Adjustable - Smooth	45	34.05
229-2060S	Thread-In Adjustable - Stainless Steel	45	49.06

Note: For Glo Whirlpool Internals, change the part number prefix to 230-xxxx.

Whirlpool Accessories

Part No.	Description	Case Quantity	List (US \$)
223-0010	Air Check Valve Adapter - 3/8" SB x 1/2" Spigot	600	2.49






Spa Jets / Master Massage Jets

FEATURES:


- Extra large 7 1/2" construction
- Available with adjustable flow control
- Easy through-wall installation
- 3/4" nozzle = 75 GPM flow
- Two ball bearings for added jet life
- 1 1/2" S x 1 1/2" S plumbing

For GLO style internals on all Storm Jets use the prefix 235 and the last number as 8.
236-XXX8

**236-7180S /
236-8290S**



**236-7170S /
236-8280S**



**236-7158S /
236-8168S**



**236-9541S /
236-9551S**



**236-7130S /
236-8270S**



Master Massage Jets


Part No.	Description	Style	Case Quantity	List (US \$)
236-8290S	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	6-Spoke - Stainless Steel	10	104.13
236-7180S	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	6-Spoke - Stainless Steel	10	127.11
236-8280S	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Revo - Stainless Steel	10	106.21
236-7170S	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Revo - Stainless Steel	10	127.11
236-8270S	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Swirl - Stainless Steel	10	104.13
236-7130S	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Swirl - Stainless Steel	10	127.11
236-9540S	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Nova - Stainless Steel	10	100.15
236-9550S	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Nova - Stainless Steel	10	100.15
236-8160	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	5-Scallop	10	99.04
236-7150	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	5-Scallop	10	90.91
236-8160S	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Smooth - Stainless Steel	10	99.04
236-7150S	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Smooth - Stainless Steel	10	122.17
236-4400S	Non-Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Orion - Stainless Steel	10	106.97
236-4410S	Adjustable Jet Assembly – 1 1/2" S x 1 1/2" S	Orion - Stainless Steel	10	129.99

Note: For Glo Massage Jet, change the part number prefix to 235-xxxx.




FEATURES:

- Works as a valve to divert water to one or two locations
- Works as a high volume whirlpool jet
- Comes with a built in check valve
- Plumbing size is 1 1/2" S x 2" Spigot for all water ports and 3/4 RB air port




210-4390S

218-4360




210-4391



NEW HOLE SAW SIZE - 3.25"

Turbo Jet Performance



Turbo Jet			
Part No.	Description	Case Quantity	List (US \$)
210-4390	1 1/2" S x 2" Spigot Water x 3/4" RB Air - 5 1/4" Flange Diameter	20	80.67
210-4390S	1 1/2" S x 2" Spigot Water x 3/4" RB Air - 5 1/4" Flange Diameter - Stainless Steel	20	95.16
218-4360	Turbo Jet Wrench	--	4.49



Spa Jets / **OVO Swim Jet**

FEATURES:

- Extra wide 6 1/4" oval escutcheon
- Oval shaped eyeball
- More than 175 GPM flow
- 2" Plumbing for high volume output
- Available as LED Glo Jet

SPECIFICATIONS:

0.925" = 100 GPM

1.5" = 175 GPM



Hole saw size = 4 3/4"



210-7918 S



210-7901 S




Swim Jets - Ovo Ell Style


Part No.	Jet Type	Style	Case Qty.	List (US \$)
210-7900	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice	Plastic	6	62.12
210-7900S	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice w/Metal	Stainless Steel	6	99.39
210-7908	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice	Plastic	6	70.39
210-7908S	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, .925" Orifice w/ Metal	Stainless Steel	6	107.66
210-7910	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice	Plastic	6	62.12
210-7910S	Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice with Metal	Stainless Steel	6	99.39
210-7918	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice	Plastic	6	70.39
210-7918S	Glo Ovo Swim Jet, 2"S X 1/2" S Ell Body Assy, 1.5" Orifice with Metal	Stainless Steel	6	107.66



NEW!



POWER STREAM JET FLOW CURVE



FEATURES:

- Through-wall jet installation
- 2" S input for optimum performance
- 1" and 1 3/8" equivalent nozzle sizes
- Nozzles can easily be exchanged
- Sixteen Entraining ports for improved performance
- Four Glo ports for LED lighting
- **Made in America**




Power Stream Swim Jet

Part No.	Description	Case Quantity	List (US \$)
210-0828S	Power Stream Swim Jet 1 3/8" Nozzle with Clear/Metal	8	99.40
210-0838S	Power Stream Swim Jet 1" Nozzle with Clear/Metal	8	99.40
210-0848S	Power Stream Swim Jet 1 3/8" & 1" Nozzle with Clear/Metal (For Sampling)	8	110.02
672-9540	Distributor Manifold 2.5" Slip X (3) 2" Slips	25	18.04
672-8050	Wye Manifold 2.5" Slip X 2.5" Slip X 2.5" Slip	20	12.48



Spa Jets / Swim Jets



Old Faithful Jets

Part No.	Description	Case Quantity	List (US \$)
210-7430	Elb Body - 2" S Water x 1/2" S Air - 0.925" Orifice - 90 GPM - 5-Scallop	6	47.33
210-7440	Elb Body - 2" S Water x 1/2" S Air - 1 1/2" Orifice - 175 GPM - 5-Scallop	6	47.33
210-7270S	Elb Body - 2" S Water x 1/2" S Air - 0.925" Orifice - 90 GPM - Stainless Steel	6	82.12
210-7260S	Elb Body - 2" S Water x 1/2" S Air - 1 1/2" Orifice - 175 GPM - Stainless Steel	6	82.12
210-3910	Straight Body - 2" S Water x 1/2" S Air - 0.925" Orifice - 90 GPM - 5-Scallop	6	47.33
210-3920	Straight Body - 2" S Water x 1/2" S Air - 1 1/2" Orifice - 175 GPM - 5-Scallop	6	47.33
210-3910S	Straight Body - 2" S Water x 1/2" S Air - 0.925" Orifice - 90 GPM - Stainless Steel	6	82.12
210-3920S	Straight Body - 2" S Water x 1/2" S Air - 1 1/2" Orifice - 175 GPM - Stainless Steel	6	82.12
210-7300	1/2" S Air x 2" S Water - .925" Orifice - 90 GPM	6	47.33
210-7310	1/2" S Air x 2" S Water - 1 1/2" Orifice - 175 GPM	6	47.33

See page 266 for Swim Spa configuration diagrams.

Old Faithful Jet Accessories

Part No.	Description	Case Quantity	List (US \$)
217-7300	1" Nozzle	1	6.38
217-7320	1 1/2" Nozzle	1	6.38
711-7300	Gasket	1	5.41
218-1570A	Old Faithful Wrench w/ O-ring	45	19.91



NEW!

TRI-SEAL





Waterway proudly announces the release of our new Rip Current Swim Jet. This jet has all the great features and performance of its predecessor "the River Jet", but has been redesigned to allow for easier installation. Simply drill a single 5 3/4" hole in the spa wall and you're ready to install.

Features:

- Super easy installation
- No routing required
- Available with Stainless Steel escutcheon
- Supports six LED lights
- Same performance as the River Jet
- Eyeball turrets up/down 20%
- Made in America!

Specifications:

- Up to 1,000 GPM at 13 PSI
- 8" Wide Eyeball
- XL 2 1/2" S Water X 3/4" SB Air
- Hole saw size: 5 3/4" Dia.



Rip Current Swim Jet			
Part No.	Description	Case Quantity	List (US \$)
210-5160S	Rip Current Swim Jet, Metal	--	554.58
210-5168	Rip Current Swim Jet	--	496.05





Spa Jets / River Jets

FEATURES:

- 8" wide eyeball
- Eyeball turrets up / down 20%
- Vent Enhancement System
- XL 2 ½" S intake
- Up to 1000 GPM input at 13 PSI




210-5100S



River Jets			
Part No.	Description	Case Quantity	List (US \$)
210-5100	2 ½" S x 1" Spigot	1	415.69
210-5100S	2 ½" S x 1" Spigot - Stainless Steel	1	493.90
210-5100SL	LED River Jet Assy, 2 ½" S x 1" S - Metal	1	537.43

See page 266 for Swim Spa configuration diagrams.



Top-Flo Air Injectors

Part No.	Description	Color	Case Quantity	List (US \$)
670-2300	3/8" SB Ell Body Assembly	White	100	8.05
670-2350	3/8" SB Ell Body Assembly	Stainless Steel	100	11.54
670-2310	1/2" S Ell Body Assembly	White	100	8.05
670-2360	1/2" S Ell Body Assembly	Stainless Steel	100	11.54
670-2600	3/8" SB Multi-Body Assembly	White	200	6.84
670-2330	1" Spigot Straight Body Assembly	White	50	8.05
670-2380	1" Spigot Straight Body Assembly	Stainless Steel	100	11.54
670-2290	3/8" SB Straight Body Assembly	White	150	7.61
670-2390	3/8" SB Straight Body Assembly	Stainless Steel	150	10.67
670-2500	Ozone Air Injector – 3/8" Barb Body	White	150	8.05
670-2408L	3/8" SB Glo Injector Ell Body Assembly	Clear	150	9.33



Lo-Pro Air Injectors

Part No.	Description	Case Quantity	List (US \$)
670-2190	1" Spigot x 3/4" - Adapter Style - Stainless Steel	75	11.54
670-2200	3/8" SB - Ell Body	150	8.05
670-2210	3/8" SB - Ell Body - Stainless Steel	150	11.54
711-0020	Grommet Gasket - Low-Pro Air Injector	150	0.64
711-1350	Flat Gasket - Low-Pro Air Injector	150	0.66



FEATURES:

- High performance motor runs cooler and quieter
- High impact resistant construction
- Has been tested, certified and listed by UL to requirements of both UL and CSA standards



Stealth II Blower Assemblies				
Part No.	Description	Amps	Case Quantity	List (US \$)
700-3011-000	1.0 HP - 110 V - 1 ½" S / 2" Spigot	6.7	6	236.63
700-3151-000	1.5 HP - 110 V - 1 ½" S / 2" Spigot	7.6	6	269.05
700-3102-000	1.0 HP - 220 V - 1 ½" S / 2" Spigot	4.0	6	254.00
700-3152-000	1.5 HP - 220 V - 1 ½" S / 2" Spigot	4.2	6	276.65
700-3201-000	2.0 HP - 110 V - 1 ½" S / 2" Spigot	8.8	6	340.34
700-3202-000	2.0 HP - 230 V - 1 ½" S / 2" Spigot	5.8	6	312.75

See Blower Sizing on page 260 to calculate your required blower size.
Listed price is without cord. Please call Waterway for part number and pricing with cord.



Low Profile Drain Assemblies

Part No.	Description	Case Quantity	List (US \$)
640-0400	¾" Socket / 1" Spigot	100	9.79
640-0420	Shur-Grip - ¾" SB	100	9.79
640-0401S	¾" Socket - Stainless Steel Cover	100	18.25
640-0430	Large Face - ½" S	100	13.72
711-0080	Grommet Gasket	1000	0.64



90° Ell Lo-Pro Spa Floor Drains

Part No.	Description	Case Quantity	List (US \$)
640-4340	¾" S Floor Drain	40	24.17
640-4400	1" S Floor Drain	40	24.17
640-4440	¾" SB Floor Drain	40	24.17



WARNING

Read and follow all instructions in the Owner's Manual for all equipment.
Failure to follow instructions can cause injury and/or death.



All Waterway Drains, Grates and Suctions are Listed and Certified and Tested in strict accordance to the requirements of ASME A112.19.8-2007 and ASME A112.19.8a-2008 (as defined in CPSC letter dated April 8, 2011). Compliant to the latest Consumer Safety Product Commission Requirements (CPSC).





640-3250 VP

FEATURES:

- New Hi-Flo rating of 128 GPM (without vacuum break)
- For portable spas
- Available in 1 1/2" S sizes

SPECIFICATIONS:

- Total Open Area: 4.01 sq. in.
- Floor Flow Rate: N/A
- Wall Flow Rate: 128 GPM



SPC-2 VP - 3.5" Hi-Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-325x VP	Hi-Flo Suction Assembly - 1 1/2" Hex (without Vacuum Break)	80	20.93
640-328x VP	Hi-Flo Suction Assembly - 1 1/2" 90° Ell (without Vacuum Break)	80	25.75
640-348x VP	Hi-Flo Suction Assembly - 1 1/2" 90° Ell (with 642-4120 VAC Vacuum Break)	80	25.75



Spa Drains & Suctions / 3.5" Ultra Hi-Flo Suctions



Patent
Pending



VGB
2008



640-3497 VP

SPECIFICATIONS:

- Total Open Area: 6.24 sq. in.
- Floor Flow Rate: N/A
- Wall Flow Rate: 160 GPM
- For portable spas



3.5" Ultra Hi-Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-349x VP	3.5" Ultra Hi-Flo Suction - Tall Assembly	50	20.93



Replace the final x in the part number with the color of your choice (see page 4 for colors).

Spa Drains & Suctions / 5" Designer Pro Series and Super Hi-Flo Suctions



Patent # US D629,875 S

VGB
2008



FEATURES:

- Flow Rate of 252 GPM (portable spas only)
- Available in 2" and 2 1/2" S sizes
- Two tone color for additional color coordination
- Available in Stainless Steel / color of your choice

5" Designer Pro Series Suctions

Part No.	Description	Case Quantity	List (US \$)
640-520x V	5" Designer Pro Series Suction - 2" S - Two Tone	35	32.82
640-525x V	5" Designer Pro Series Suction - 2 1/2" S - Two Tone	35	32.82
640-530x V	5" Designer Pro Series Suction - 2" S - Two Tone Stainless Steel	35	46.45
640-535x V	5" Designer Pro Series Suction - 2 1/2" S - Two Tone Stainless Steel	35	46.45

Replace the final x in the part number with the color of your choice (see page 4 for colors).





640-3797 V

VGB
2008



SPECIFICATIONS:

- Total Open Area: 9.02 sq. in.



FEATURES:

- New Super Hi-Flo Rating of 251 GPM (portable spas only)
- Available in 2" and 2 1/2" S sizes
- 2 1/2" can be used with fittings (on next page)


SPC-3 VP - 5" Super Hi-Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-378x V	5" Super Hi-Flo Suction Assembly - 2" S	35	29.07
640-379x V	5" Super Hi-Flo Suction Assembly - 2 1/2" S	35	29.07
640-3570S V	5" Super Hi-Flo Suction Assembly - 2" S - Stainless Steel	35	42.69
640-3580S V	5" Super Hi-Flo Suction Assembly - 2 1/2" S - Stainless Steel	35	42.69

Replace the final x in the part number with the color of your choice (see page 4 for colors).





Spa Drains & Suctions / 5" Ultra Flo Suctions for Portable Spas



Patent
Pending
640-3937 V



VGB
2008



FEATURES:

- Ultra Flo Rating of 264 GPM (portable spas only)
- Available in 2" and 2 ½" S sizes
- 2 ½" can be used with fittings (below)

SPECIFICATIONS:

- Total Open Area: 11.87 sq. in.

5" Ultra Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
640-394x VP	5" Ultra Flo Suction Assembly - 2" S	35	29.41
640-393x VP	5" Ultra Flo Suction Assembly - 2 ½" S	35	29.41

Replace the final x in the part number with the color of your choice (see page 4 for colors)



642-3680



642-3700



642-3610

Non-Vacuum Break Fittings for 2 ½" S Ultra Flo Suctions

Part No.	Description	Case Quantity	List (US \$)
642-3680	2 ½" x 2" S Straight Adapter	80	7.64
642-3700	2 ½" x 2" S 90° Ell Adapter	55	8.48
642-3610	2 ½" S 90° Ell Adapter	70	6.72
642-3730	2" S 90° Threaded Ell Adapter	35	7.64
642-3750	2" Threaded Straight Adapter	50	7.64



Waterway's new toggle air control allows the user to simply toggle the air on or off without having to grab a knob or turn a lever. Makes air adjustments easy!

FEATURES:

- Ergonomically designed
- Two Body sizes available: 2 ¼" short and 3" tall
- Blower assist tee available for tall control
- Top accessible for easy cleaning
- Two body styles to choose from: short and extra short
- Available in a variety of colors



650-1010


650-2010

Toggle Air Controls

Part No.	Description	Case Quantity	List (US \$)
650-2010	Toggle On/Off Air Control Textured (Short)	100	20.15
650-1010	Toggle On/Off Air Control Textured (Long)	100	21.76

FEATURES:

- Low-Profile design
- Compression molded silicone umbrella valve
- Two handle styles to choose from: standard and stainless steel
- Two body styles to choose from: short and extra short
- Available in a variety of colors



660-4400S

660-4400

660-4410S

660-4410

660-4449-DSG

660-4459DSG-PS

TruSeal Air Controls

Part No.	Description	Case Quantity	List (US \$)
660-4400	Short Body - 2 ½"	150	16.35
660-4400S	Short Body - 2 ½" - Stainless Steel	150	19.07
660-4410	Extra Short Body - 2"	200	16.35
660-4410S	Extra Short Body - 2" - Stainless Steel	200	19.07
660-4450	Extra Short Body - 2" - "S" Style	200	16.35
660-4440	Low Profile - 1" - 6-Spoke Style	30	16.35



Air Controls / Top-Access Air Controls & Accessories



660-3570



660-3560



660-3510



660-3608 L



660-3580



660-5510



660-3599-D5GS



660-6011



660-3910

Top-Access Air Controls

Part No.	Description	Case Quantity	List (US \$)
660-3570	1" Top-Access Air Control - Notched Style	100	21.93
660-3560	1" Top-Access Air Control - Scalloped Style	100	21.93
660-3510	1" Top-Access Air Control - 6-Spoke Style	100	21.93
660-3520	1" Top-Access Air Control - 6-Spoke Style - Two-Tone	100	23.14
660-3530	1" Top-Access Air Control - Revo Style - Two-Tone	100	23.14
660-3600	1" Top-Access Air Control - "S" Style - Two-Tone	100	23.14
660-3580	1" Top-Access Air Control - 5-Scalloped Style - Textured	150	22.59
660-6011	1" Top-Access Air Control - Revo Style	--	21.28
660-5510	1" Top-Access Air Control - Eclipse Style - Two Tone	100	24.90
660-3590	1" Top-Access Air Control - Humpback Style	--	23.14
660-3500	1" Top-Access Air Control - Star Style	--	23.14
660-3910	1" Top-Access Air Control - Luxe Style	100	23.14


Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



413-4180



916-0030



730-1000



711-0010


Air Control Options

Part No.	Description	Case Quantity	List (US \$)
413-4180	Blower Assist Tee - F.A.S. 1" S	200	5.80
413-4200	Blower Assist Tee - F.A.S. ½" S	100	5.80
916-3001	Escutcheon - Polished Chrome (fits 660-3000)	--	18.11
916-0030	Trim Ring - Stainless Steel	--	2.21
730-1000	Spacer and Gasket Assembly	500	1.38
711-0010	Gasket	1000	0.66



Top Side Valves / Orion / Luxe / Eclipse Valves

Orion Diverter Valve with Positive Seal



601-7721-8 detail
Positive Seal

Positive Seal Diverter Valves

Part No.	Description	Style	Case Qty.	List (US \$)
601-7701-8	1" Top Access Positive Seal Horiz Valve	Orion	90	30.69
601-7711-8	3/4" SB Positive Seal Diverter On/Off Valve	Orion	90	30.69
601-7721-8	1" Top Access Positive Seal Diverter Valve	Orion	90	30.69
601-7731-8	3/4" SB Flo-Thru On/Off Valve	Orion	90	30.69

Elegant Top Side Controls to Match Our Luxe Series Jets

Luxe Top Side Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3960*	1" Diverter Valve	Luxe	90	28.62
600-3910*	2" Top Access Diverter Valve	Luxe	10	41.44

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



Top Side Valves

Exquisite Top Sides Now Available to Match Our New Eclipse Series Jets

Eclipse Top Side Valves

Part No.	Description	Style	List (US \$)
600-551x*	2" Top Access Diverter Valve Assy, Texture, 2-Tone	Eclipse	44.06
600-552x*	1" Top Access Diverter Valve Assy, Texture, 2-Tone	Eclipse	25.58

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



*To change 1" diverter valves to positive seal valves, use the prefix in the part number. (see above for sample).



SGMS Top Side Controls Mounting System

NEW!

Waterway's new SGMS (Sure-Grip Mounting System) allows for an improved method of installing top side controls without the need to use silicone, alignment rings, nuts or having to spot face the back wall surface.



FEATURES:

- Easier/Faster to install
- No need for Silicone, alignment rings or nut
- No spot facing
- LED Optional
- High Quality NSF Certified Materials
- Fittings built to exceed ASTM Standards
- Fittings are Sch. 40 or better
- RoHS Compliant



Eclipse SGMS Top Side Controls

Part No.	Description	Case Quantity	List (US\$)
668-5518L-DSG	SGMS Air Control Assy. Eclipse - DSG/Clear	100	32.59
608-5508L-DSG	SGMS 100% Shut-Off Valve Assy. Eclipse - DSG/Clear	90	44.06
608-5518L-DSG	SGMS 2" Top Access Div. Valve Assy. Eclipse - DSG/Clear	15	56.89

Note: Part numbers shown above are for top side controls made in DSG/Glo. All parts are available in multiple color combinations and Glo or Non Glo versions.

Luxe SGMS Top Side Controls

Part No.	Description	Case Quantity	List (US\$)
668-3918L-DSG	SGMS Air Control Assy. Luxe - DSG/Clear	100	32.59
608-3928L-DSG	SGMS 100% Shut-Off Valve Assy. Luxe - DSG/Clear	90	44.06
608-3918L-DSG	SGMS 2" Top Access Div. Valve Assy. Luxe - DSG/Clear	15	56.89

Note: Part numbers shown above are for top side controls made in DSG/Glo. All parts are available in multiple color combinations and Glo or Non Glo versions.


Orion SGMS Top Side Controls

Part No.	Description	Case Quantity	List (US\$)
668-7608L-DSG	SGMS Air Control Assy. Orion - DSG/Clear	100	32.59
608-3668L-DSG	SGMS 100% Shut-Off Valve Assy., Orion - DSG/Clear	90	44.06
608-7608L-DSG	SGMS 2" Top Access Dive. Valve Assy. Orion - DSG/Clear	15	56.89

Note: Part numbers shown above are for top side controls made in DSG/Glo. All parts are available in multiple color combinations and Glo or Non Glo versions.



Top Side Valves / 5-Scallop Valves



FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: 3/4" Socket or 3/4" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4700	3/4" S x 3/4" S	5-Scallop	90	30.69
600-4710	Shur-Grip - 3/4" SB x 3/4" SB	5-Scallop	90	30.69

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4360*	1" Vertical - Single Port	5-Scallop	100	28.93
600-4370*	1" Vertical - Dual Port	5-Scallop	90	30.68
600-4380*	1" Horizontal - Dual Port	5-Scallop	100	30.68
600-4600*	1 1/2" Vertical - Single Port	5-Scallop	40	36.23
602-4440*	Sleeve (low volume applications only)	--	40	1.07

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4220*	1" Vertical - 1-Port	5-Scallop	90	28.53
600-4210*	1" Vertical - 2-Port	5-Scallop	90	28.53
600-4230*	1" Horizontal - 2-Port	5-Scallop	90	28.53
600-3020*	2" Horizontal - 2-Port	5-Scallop	15	40.21
600-3040*	2" Vertical - 2-Port	5-Scallop	15	40.21

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves. *To change 1" diverter valves to positive seal valves, use the prefix in the part number. (see page 167 for sample).



FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: 3/4" Socket or 3/4" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4720	3/4" S x 3/4" S	6-Spoke	90	30.69
600-4730	Shur-Grip – 3/4" SB x 3/4" SB	6-Spoke	90	30.69
600-3190	3/4" S x 3/4" S	6-Spoke - Two Tone	90	32.15
600-3210	Shur-Grip – 3/4" SB x 3/4" SB	6-Spoke - Two Tone	90	32.15

Note: Contact your Sales Representative to order Glo style Top Side Valves



600-4721
Pat. #D,597,863 S

600-4731
Pat. #D,597,863 S

FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



602-4440



600-4401
Pat. #D,597,863 S

600-4411
Pat. #D,597,863 S

On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4400*	1" Vertical - Single Port	6-Spoke	100	28.93
600-4410*	1" Vertical - Dual Port	6-Spoke	90	31.74
600-4420*	1" Horizontal - Dual Port	6-Spoke	100	30.68
600-3180*	1" Vertical - Dual Port	6-Spoke - Two Tone	90	30.15
602-4440*	Sleeve (low volume applications only)	--	40	1.07

Note: Contact your Sales Representative to order Glo style Top Side Valves



600-4421
Pat. #D,597,863 S

FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



600-3611
Pat. #D,597,863 S

600-3601
Pat. #D,597,863 S

600-3621
Pat. #D,597,863 S

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3610*	1" Vertical - 1-Port	6-Spoke	70	28.26
600-3600*	1" Vertical - 2-Port	6-Spoke	70	28.26
600-3620*	1" Horizontal - 2-Port	6-Spoke	70	29.60
600-3220*	2" Horizontal - 2-Port	6-Spoke	15	40.21
600-3230*	2" Vertical - 2-Port	6-Spoke	15	40.21
600-3150*	1" Vertical - 1-Port	6-Spoke - Two Tone	90	29.49
600-3160*	1" Vertical - 2-Port	6-Spoke - Two Tone	90	29.49
600-3170*	1" Horizontal - 2-Port	6-Spoke - Two Tone	90	29.49
600-3140*	2" Vertical - 2-Port	6-Spoke - Two Tone	15	42.67



600-3221
Pat. #D,597,863 S

600-3231
Pat. #D,597,863 S

Note: Contact your Sales Representative to order Glo style Top Side Valves. *To change 1" diverter valves to positive seal valves, use the prefix in the part number. (see page 167 for sample).



Top Side Valves / Notched Valves



600-4787



600-4757



FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4750	Shur-Grip - ¾" SB x ¾" SB	Notched	100	30.69
600-4780	¾" S x ¾" S	Notched	100	30.69

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-4207



600-4347



600-4337

FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors



600-3017



600-3067

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-4200	1" Vertical - 1-Port	Notched	90	28.53
600-4340	1" Vertical - 2-Port	Notched	90	28.53
600-4330	1" Horizontal - 2-Port	Notched	90	28.53
600-3010	2" Horizontal - 2-Port	Notched	15	40.21
600-3060	2" Vertical - 2-Port	Notched	15	40.21

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3280	¾" S x ¾" S	Revo - Two Tone	90	32.15
600-3250	Shur-Grip – ¾" SB x ¾" SB	Revo - Two Tone	90	32.15

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-3259DSG-1
Pat. #D,597,863 S

FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



602-4440

On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3290	1" Vertical - Dual Port	Revo - Two Tone	90	30.15
602-4440	Sleeve (low volume applications only)	--	40	1.07

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-3299DSG-7
Pat. #D,597,863 S

FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3630	1" Vertical - 1-Port	Revo - Two Tone	90	29.49
600-3330	1" Vertical - 2-Port	Revo - Two Tone	90	29.49
600-3340	1" Horizontal - 2-Port	Revo - Two Tone	90	29.49
600-3110	2" Vertical - 2-Port	Revo - Two Tone	15	42.67

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



600-3639DSG-1
Pat. #D,597,863 S



600-3339DSG-1
Pat. #D,597,863 S



600-3349DSG-1
Pat. #D,597,863 S



600-3119DSG-1
Pat. #D,597,863 S



Top Side Valves / "S" Style Valves


FEATURES:

- Shuts off 100% with a 180° turn
- Available in two body sizes: ¾" Socket or ¾" Shur-Grip
- Used for waterfalls, water features or neck jets
- Available in multiple colors

Deluxe 180° Shut Off Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3300	¾" S x ¾" S	"S" Style - Two Tone	90	32.15
600-3260	Shur-Grip - ¾" SB x ¾" SB	"S" Style - Two Tone	90	32.15

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- 100% shut off
- Three different body styles to choose from
- Horizontal model is submersible
- Top access for easy servicing
- Works great for waterfalls and neck jets
- Sleeve allows for on/off adjustments with fewer turns



On / Off Turn Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3310	1" Vertical - Dual Port	"S" Style - Two Tone	90	30.15
602-4440	Sleeve (low volume applications only)	--	40	1.07

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves



FEATURES:

- Diverts water to one or two ports
- Top access for easy service
- 2" model wall fittings are sealed with o-rings
- 1" models available with one or two ports
- Available in multiple colors

Top Access Diverter Valves

Part No.	Description	Style	Case Quantity	List (US \$)
600-3240	1" Vertical - 1-Port	"S" Style - Two Tone	90	29.49
600-3270	1" Vertical - 2-Port	"S" Style - Two Tone	90	29.49
600-3320	1" Horizontal - 2-Port	"S" Style - Two Tone	90	29.49
600-3030	2" Vertical - 2-Port	"S" Style - Two Tone	15	42.67

Note: Contact your Sales Representative to order Aura or Glo style Top Side Valves






FEATURES:

- Restricts the amount of flow through On/Off Valves to any water feature
- Break off any one of the four different nozzle sizes for desired water flow

$\frac{3}{16}$ " – 4 GPM $\frac{1}{4}$ " – 7 GPM
 $\frac{5}{16}$ " – 10 GPM $\frac{3}{8}$ " – 15 GPM



Water Restrictor Washer Tree

Part No.	Description	Case Quantity	List (US \$)
218-9230	Water Restrictor Washer Tree	90	1.57



711-4600




711-4310



711-3050

Valve Gaskets

Part No.	Description	Case Quantity	List (US \$)
711-4310	1" Flat Gasket	100	0.52
711-4600	1 1/2" Gasket	100	0.74
711-3050	2" Gasket	100	0.88



212-1800

Air Bleed Assembly

Part No.	Description	Case Quantity	List (US \$)
212-1800	$\frac{3}{8}$ " Barb	75	14.83




Notes

[illegible]

Notes



NEW!





Pivot Falls can be made in multiple sizes from 6" to 24" and can pivot up or down providing optional flow patterns. Strategically placed LED's can light the Pivot Falls in a brilliant array of colors.



FEATURES:

- Pivots Up/Down for optional flow patterns
- Available in 6", 12", 18" and 24" lengths*
- Replaceable center body
- Clear LED body optional



Pivot Falls			
Part No.	Description	Color	List (US\$)
675-3800	Pivot Falls - 24" - ¾" Socket	White	206.00
675-3800L	Pivot Falls - 24" - ¾" Socket	Clear/XX	240.33

**Contact your Sales Representative to order 6", 12" or 18" Pivot Falls*



Water Features / Aqua Falls


6" AQUA FALL

FEATURES:

- New 304 Stainless Steel escutcheon
- Simple design - less parts
- ¾" S intake
- 3-12 GPM



675-4000S



8" LOW PROFILE AQUA FALL


FEATURES:

- Simple design - less parts
- Low body profile
- 1" S intake
- 4-15 GPM

Pat. #6,450,418



675-4900



Aqua Falls

Part No.	Description	Case Quantity	List (US\$)
675-4900	8" Low Profile Aqua Fall	40	81.74
675-4900S	8" Low Profile Aqua Fall - Stainless Steel Blade	40	94.77
675-4000	6" Aqua Fall	50	40.90
675-4000S	6" Aqua Fall - Stainless Steel Blade	50	54.32

Note: See page 183 for LED Aqua Falls.



FEATURES:

- Adjustable Flo Control
- Single ¾" SB Plumbing
- 316 Stainless Steel Escutcheon
- LED compatible
- NOW available in Colored Plastic!

Patent No. US6450418



675-3519DSG

675-3518LS

3 ½" Adjustable Cascade

Part No.	Description	Case Quantity	List (US\$)
675-3510	3 ½" Adjustable Cascade w/plastic blade	40	45.62
675-3518LS	3 ½" LED Adjustable Cascade w/metal blade	40	64.59

Patent No. US6450418

FEATURES:

- Adjustable Flo Control
- Single ¾" SB Plumbing
- 316 Stainless Steel Escutcheon
- LED compatible
- NOW available in Colored Plastic!



675-3618LS

675-3619DSG

7" Adjustable Cascade

Part No.	Description	Case Quantity	List (US\$)
675-3610	7" Adjustable Cascade w/plastic blade	15	62.66
675-3618LS	7" LED Adjustable Cascade w/metal blade	15	73.80




Water Features / Waterway Cascades


FEATURES:

- Extremely easy to install
- Built-in diffuser
- Easily serviceable

Pat. #6,450,418



hole saw size: (2) x 7/8" diameter



Part No.	"A" Dimension	"B" Dimension
675-3500	3.5"	4.31"
675-3600	7"	8"



675-3500



675-35575



675-36675

Waterway Cascades

Part No.	Description	Case Quantity	List (US \$)
675-3500	3 1/2" Cascade - (2) 3/4" RB	20	37.42
675-3500S	3 1/2" Cascade - (2) 3/4" RB - Stainless Steel Blade	20	44.50
675-3508L	3 1/2" LED Cascade - (2) 3/4" RB	60	45.96
675-3508LS	3 1/2" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	60	53.36
675-3550	3 1/2" Cascade - (2) 3/4" RB - with Manifold	--	41.73
675-3550S	3 1/2" Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	--	48.82
675-3558L	3 1/2" LED Cascade - (2) 3/4" RB - with Manifold	25	44.60
675-3558LS	3 1/2" LED Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	25	50.37
675-3600	7" Cascade - (2) 3/4" RB	20	40.92
675-3600S	7" Cascade - (2) 3/4" RB - Stainless Steel Blade	80	48.88
675-3608L	7" LED Cascade - (2) 3/4" RB	20	50.89
675-3608LS	7" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	58.85
675-3660	7" Cascade - (2) 3/4" RB - with Manifold	--	46.66
675-3660S	7" Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	--	54.62
675-3668L	7" LED Cascade - (2) 3/4" RB - with Manifold	20	56.64
675-3668LS	7" LED Cascade - (2) 3/4" RB - Stainless Steel Blade - with Manifold	20	64.61
675-3708L	9" LED Cascade - (2) 3/4" RB	20	103.42
675-3708LS	9" LED Cascade - (2) 3/4" RB - Stainless Steel Blade	20	103.42




Spillover WATERFALL

12"
675-5330

18"
675-5300

FEATURES:

- Utilizes built-in spa reservoir for water housing
- Sleek, simplistic design
- Adjustable flow control
- Available with glamorous LED feature
- Now top accessible



Patent #US9,027,848

12" and 18" Spillover Waterfall

Part No.	Description	Case Quantity	List (US\$)
675-5330	Adjustable 12" Spillover Waterfall	1	97.58
675-5330L	Adjustable 12" LED Spillover Waterfall	1	115.15
675-5300	Adjustable 18" Spillover Waterfall	1	119.41
675-5300L	Adjustable 18" LED Spillover Waterfall	1	136.50
675-5280	Non Adjustable 18" Spillover Waterfall	1	101.44
675-5280L	Non Adjustable 18" LED Spillover Waterfall	1	118.52
TW027	12" Spillover Waterfall Negative Mold Insert	1	117.09
TW025	18" Spillover Waterfall Negative Mold Insert	1	156.13



675-4008L

Pat. #6,450,418 and 6,595,675



210-9288S

210-9278S

210-9318S

210-9980

210-9980S

210-9200
Pat. #7,818,826

LED Water Features

Part No.	Description	Case Quantity	List (US \$)
675-4008L	6" LED Aqua Fall	50	50.07
675-4908L	8" Low Profile LED Aqua Fall	40	93.74
210-9200	Flush Mount LED Water Feature	100	64.14
210-9318S	Standard Rope Water Feature, ¾ SB	100	38.38
210-9278S	Fountain Water Feature, ¾ SB	100	38.38
210-9288S	Slotted Water Feature, ¾ SB	100	38.38
210-9308S	Standard Rope Water Feature, ¾ RB	100	38.38
210-9258S	Fountain Water Feature, ¾ RB	100	38.38
210-9268S	Slotted Water Feature, ¾ RB	100	38.38
210-9980S	Flush Mount Water Feature - Eclipse - Metal	100	37.27




Water Features / Pop-Ups

FEATURES:

- Pops up when pressurized
- Drops down when depressurized
- Solid $\frac{7}{16}$ " rod shaped water stream, projects at 45° angle
- Available in several body styles and colors
- Maximum flow 4.76 GPM @ 3 PSI = 48" cascade

Patent # 8,011,604

**WATER
FEATURE**
popUps



Pop-Up Water Features			
Part No.	Description	Case Quantity	List (US\$)
675-0707	Standard - $\frac{3}{4}$ " RB	50	45.62
675-0710	Standard - $\frac{3}{4}$ " SB	50	45.62
675-0720	Standard - $\frac{3}{4}$ " S	50	45.62
675-0730	Standard - $\frac{1}{2}$ " S	50	45.62
675-0800	Top-Access - $\frac{3}{4}$ " RB	50	45.62
675-0817	Top-Access - $\frac{3}{4}$ " SB	50	45.62
675-0820	Top-Access - $\frac{3}{4}$ " S	50	45.62
675-0830	Top-Access - $\frac{1}{2}$ " S	50	45.62
675-0791L	LED Pop-Up Water Feature - $\frac{3}{4}$ " RB	50	53.81
675-0908L	LED Pop-Up Water Feature - $\frac{3}{4}$ " RB	50	53.81
675-0918L	LED Pop-Up Water Feature - $\frac{3}{4}$ " SB	50	53.81
675-0928L	LED Pop-Up Water Feature - $\frac{3}{4}$ " S	50	53.81
675-0938L	LED Pop-Up Water Feature - $\frac{1}{2}$ " S	50	53.81



Water Features / Pop-Ups & Cup Holder Water Feature

FEATURES:

- Pops up when pressurized
- Drops down when depressurized
- Solid $\frac{7}{16}$ " rod shaped water stream, projects at 45° angle
- Available in several body styles and colors
- Maximum flow 4.76 GPM @ 3 PSI = 48" cascade


675-2000
US Pat. 8214 935



Pop-Up Water Features

Part No.	Description	Case Quantity	List (US\$)
675-2000	LED Pop-Up 180° Dome Feature	32	52.37
675-2000S	LED Pop-Up 180° Dome Feature - Stainless Steel Cap	32	57.36

The "All in One" Water Feature that provides a beautiful and functional setting for all of your favorite beverages!



675-2058LS



FEATURES:

- Cup Holder and Water Feature in one
- Fits most cups, cans and bottles
- Easy to install
- Accepts most LED points of light

NEW!

Cup Holder Water Feature

Part No.	Description	Case Quantity	List (US\$)
675-2050	Cup Holder Water Feature	--	43.78
675-2058LS	LED Cup Holder Water Feature, Stainless Steel	--	51.50



Pin Lights

NEW!

Installation is as easy as it gets! Just drill the hole, press in the SGMS grommet into place, then press in one of the different spot light lenses. No need for silicone, threading on a nut or spot facing.

**FEATURES:**

- Ultra-easy to install
- Multiple lenses to choose from
- Light is diffused evenly
- Accepts most LED lights

SPECIFICATIONS:

- Silicone & EPDM Grommets
- Clear Polyester Lens
- 5/8" Hole Saw Size
W Drill (0.386") for acrylic/fiberglass
- 3/4" Hole Saw Size
0.386" Decco Drill from Phillips Carbide
for acrylic/fiberglass
- 1" Hole Saw Size
43/64" for acrylic/fiberglass



Pin Lights

Part No.	Description	Case Quantity	List (US\$)
633-8028	5/8" SGMS LED Spot Light (Ripple) Assy	2,500	3.43
633-8018	5/8" SGMS LED Spot Light (Pinwheel) Assy	2,500	3.43
633-8008	5/8" SGMS LED Spot Light (Sunburst) Assy	2,500	3.43
633-5008	3/4" SGMS LED Spot Light (Petal) Assy	2,500	3.77
633-3038	1" SGMS LED Spot Light (Ripple) Assy	2,500	4.12
633-3018	1" SGMS LED Spot Light (Pinwheel) Assy	2,500	4.12
633-3028	1" SGMS LED Spot Light (Sunburst) Assy	2,500	4.12
633-3008	1" SGMS LED Spot Light (Faceted) Assy	2,500	4.12



633-7078



633-7088



633-7068



630-0008



630-5008



630-K008



630-K008S



630-0068S



630-6058S

LED Lights

Part No.	Description	Case Quantity	List (US \$)
633-7078	1/2" Threaded Faceted Light Lens Assembly	500	2.30
633-7088	1/2" Threaded Hex Style Light Lens Assembly	500	2.30
633-7068	1" Threaded Facet Light Lens Assembly with LED Sleeve	200	4.40
630-0068	Mini 2 1/8" Spa Light Assembly for Single LED	300	12.29
630-0068S	Mini 2 1/8" Spa Light Assembly for Single LED Stainless Steel	300	14.16
630-0008	Mini 2 1/8" Spa Light Assembly - Plastic Only	300	12.29
630-0008S	Mini 2 1/8" Spa Light Assembly - Stainless Steel Escutcheon	120	14.16
630-5008	Standard 3 1/2" Spa Light Assembly - Plastic Only	70	19.73
630-K008	5" Jumbo Spa Light Assembly - Plastic Only	40	46.22
630-K008S	5" Jumbo Spa Light Assy - Plastic Only - No Lenses - MTL Esc.	12	55.78
630-6058S	XL Jumbo Spa Light 7.5" with Stainless Steel Escutcheon	--	83.73



NEW!






Waterway's new 4 1/4" SGMS LED Cup Holder provides a vivid array of illuminated tranquility, lighting any evening with a mood of pure relaxation.

Features:

- Large 4 1/4" diameter to allow for larger cups and added illuminated brilliance
- Installs easily via Waterway's patented SGMS LED grommet system
- Uses up to four LED lights for varying degrees of brightness

Specifications:

- Made of UV resistant Polyester Material
- Silicone Grommet System
- 4 1/4" Outside diameter
- 3 3/4" Hole saw size



SGMS 4 1/4" LED Cup Holder			
Part No.	Description	Case Quantity	List (US \$)
630-0148	SGMS 4 1/4" Cup Holder Assembly, Crystal Style - Clear	--	15.02
630-0158	SGMS 4 1/4" Cup Holder Assembly, Ripple Syle - Clear	--	15.02




NEW!

FEATURES:

- Elegant Sconce Light
- Illuminates spa skirting
- Conforms to corners as small as 1 ½" radius
- Works with most single LED points of light
- Made in America!

Specifications:

- UV Resistant Polyester Lens
- 316 Stainless Steel Escutcheon
- 5/8" Hole Saw



633-6818

LED Hourglass Sconce Light

Part No.	Description	Case Quantity	List (US \$)
633-6818	LED Hourglass Sconce Light SS	--	7.08

NEW!

Features:


- Elegant Circular Sconce Light
- Illuminates spa skirting
- SGMS Mounting
- Works with most single LED points of light
- Made in America!

Specifications:

- UV Resistant Polyester Lens
- 316 Stainless Steel Escutcheon
- 43/64" Hole Saw Size



633-68585



Waterway's new Button Sconce Light allows for easy Sure Grip Mounting System (SGMS) installation on the side of most spas. Its streamlined, low profile design prevents the damage that is common in bulkier sconce lights while providing an elegant touch to the spa exterior.

Sure-Seal
COLLECTION

SGMS Button Sconce Light

Part No.	Description	Case Quantity	List (US \$)
633-68585	1 ½" SGMS Button Sconce Light, 316 SS	--	8.45

**FEATURES:**

- Designed for mounting in a cup holder recess
- Illuminates clear glasses and cups
- Requires only one LED

**630-0038**

LED Cup Holder Light Lens

Part No.	Description	Case Quantity	List (US \$)
630-0038	LED Cup Holder Light Lens	20	12.34

**660-6300****FEATURES:**

- Illuminates spa skirting
- Mounts to outside perimeter of spa cabinet
- Requires only one LED


**630-6400**

LED Cabinet Light

Part No.	Description	Case Quantity	List (US \$)
630-6300	1/2" Threaded Faceted Light Lens Assembly	500	2.30
630-6400	LED Cabinet Light	200	8.96

FEATURES:

- Used as perimeter lighting up underneath spa shell or kick plate area
- Bends to conform to corners of any radius
- Accepts up to three LED lights

**672-0041**

LED Strip Light

Part No.	Description	Case Quantity	List (US \$)
672-0041	LED Strip Light	20	11.21



Standard 3 1/2" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-5005	Plastic Only - with Red and Blue Lenses	50	22.57
630-5115	O.E.M. Kit - with 8 ft. Wire Harness - Bulb & 110V/12V - 1-Amp Transformer	40	43.47
630-5105	O.E.M. Kit - with 8 ft. Wire Harness and Bulb	50	29.01
630-5205	O.E.M. Kit - with 8 ft. Wire Harness - Bulb and 2-Pin Connector	50	39.91



Front Access 3 1/2" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-6005	Plastic Only - includes Wrench	50	30.60
630-6115	Kit - includes 8 ft. Wire Harness - Bulb - Wrench - 110V/12V 1-Amp Transformer	40	51.53
630-6105	Kit - includes 8 ft. Wire Harness - Bulb - Wrench	45	37.00
630-6205	Kit - includes 8 ft. Wire Harness - Bulb - Wrench - 2-Pin Connector	40	47.94



Spa Light Power Supply and NEMA Cord

Part No.	Description	Case Quantity	List (US \$)
630-1105	110V/12V without Air Switch	20	78.54
630-1115	110V/12V with Air Switch	20	113.85



Lighting / 5" Jumbo Spa Lights and Spa Light Accessories



Jumbo 5" O.E.M. Spa Light Kits

Part No.	Description	Case Quantity	List (US \$)
630-K005	Plastic Only - with Red and Blue Lenses	40	49.14
630-K008S	Plastic Only - Stainless Steel Escutcheon - with Red and Blue Lenses	40	55.78
630-K115	Kit - 8 ft. Wire Harness - 2-Pin Connector - Bulb - 110V/12V 1-Amp Transformer	20	70.32
630-K105	Kit - 8 ft. Wire Harness - Bulb	32	54.72



Spa Light Accessories

Part No.	Description	Case Quantity	List (US \$)
813-4370	Bulb #912	--	3.76
813-4400	1-Amp Transformer - 120V / 12V - 60Hz	40	15.50
813-4500	1-Amp Transformer - 230V / 12V - 50/60Hz	40	21.90
630-0005	Light Lens Kit - 1 Red and 1 Blue Lens	75	9.66

FEATURES:

- Allows 1" flexible electrical conduit to be nicely mounted to spa cabinet or doghouse areas
- 1" Socket on both sides
- Mounts like a flush mount bulkhead fitting



Electrical Bulkhead Wallfitting

Part No.	Description	Case Quantity	List (US \$)
210-1861	1" Electrical Bulkhead Wallfitting with Cap	100	5.51



NEW!

NEO TP500

SPA CONTROL TOUCHSCREEN



NEO 2100
Spa Control



NEO TP500 TouchScreen

FEATURES:

- Android Based Control Panel
- 5.0" TouchScreen
- Capacitive Touch Technology
- Easy to read and scroll icons
- Easy menu navigation
- Ultra bright for daylight use
- Organized device functions and App displays
- Full internet access
 - Streaming videos
 - Search engines

CONTAINS:

- Built-in WiFi
- Optional Bluetooth (when installed in control unit)

NEO TP500 TouchScreen

Part No.	Description	List (US \$)
777-WW06000	NEO TP500 Touch Panel	991.94



Spa Control System / NEO 2100 Spa Control

The standard in Spa Control performance.

NEO 2100 SPA CONTROL SYSTEM

One innovative system that offers
64 different configurations!



UL certified for the US & Canada
CE compliant for Europe

- External equipment and topside panel connections
- Modular equipment expansion
- Toggle terminal connection
- Electronic Thermal Sensing (ETS) system
- Equipment converts 220V to 120V
- Converts from 60 Hz to 50 Hz
- Wi-Fi & Bluetooth option
- Topside features a 1.8" color LCD display
- Panel back light with white LED
- Easy menu navigation
- Multiple languages (English, French, Spanish, German, Norwegian, Italian)
- Real-time clock
- AUX panel ready
- Accepts NEO 2100, NEO 1100 or NEO 1000 topside panels
- Accepts NEO TP500 TouchScreen



NEO 2100 Spa Control with Panel

Part No.	Description	List (US \$)
777-WW99001	NEO 2100 Control Kit, 2-2 Spd Pumps, Blwr, 03, AV 4.0Kw Htr. W/ NEO 1100 Panel	1,246.29
777-WW99002	NEO 2100 Control Kit, 2-2 Spd Pumps, Blwr, 03, AV 5.5Kw Htr. W/ NEO 1100 Panel	1,246.29
777-WW99003	NEO 2100 Control Kit, 2-2 Spd Pumps, Blwr, 03, AV 4.0Kw Htr. W/ NEO 2100 Panel	1,268.59
777-WW99004	NEO 2100 Control Kit, 2-2 Spd Pumps, Blwr, 03, AV 5.5Kw Htr. W/ NEO 2100 Panel	1,268.59

NEO 2100 Spa Control with Retro Kit & Panel

777-WW99050	NEO 2100 Control Kit w/Retro Kit*— 2-2 Spd Pumps, Blwr, 03, AV 4.0 kW Htr. w/NEO 1100 Panel	1,385.28
777-WW99051	NEO 2100 Control Kit w/Retro Kit*— 2-2 Spd Pumps, Blwr, 03, AV 5.5 kW Htr. w/NEO 1100 Panel	1,385.28
777-WW99052	NEO 2100 Control Kit w/Retro Kit*— 2-2 Spd Jet, Blwr, 03, 4.0 kW Htr. w/NEO 2100 Panel	1,407.58
777-WW99053	NEO 2100 Control Kit w/Retro Kit*— 2-2 Spd Jet, Blwr, 03, 5.5 kW Htr. w/NEO 2100 Panel	1,407.58

*includes 780-8020 Retro Kit (Adapter Plate, Light Lead, 2-2 Spd & 1-1 Spd 4 Ft. 4 Pin Amp Cords)

Accessories / Replacements

775-0501	Daughter Board 1 (DB-1) (allows for up to 2 add'l 1 Spd Pumps or 1 add'l 2 Spd Pump)	156.13
775-0502	Daughter Board 2 (DB-2) (allows for up to 4 add'l 1 Spd Pumps or 2 add'l 2 Spd Pumps)	253.71
780-8020	NEO 2100 Retro Kit – Adapter Plate, Light Lead, 2-2 Spd & 1-1 Spd 4 Pin Amp Cords	138.99
775-0504	Wi-Fi Kit Assembly	454.74
775-0503	Bluetooth Kit Assy (Includes screw & stand-off)	265.27
777-WW02007	AUX 1000 Panel (4 buttons, Light, Aux, Jet1, Jet2)	127.51

Accessory Breakdown for 780-8020

633-1000	Light Lead W/ 2-Pin Connector	13.53
741-CGGG-45X	Power Cord, 4 Ft. 4 Pin-Amp, 2 Speed	31.22
741-CGGZ-44X	Power Cord, 4 Ft. 4 Pin-Amp, 1 Speed	29.28
885-8020	Adapter Plate – Spa Pack NEO 2100	36.10



Value Spa Control for less complex systems.

NEO 1500

SPA CONTROL SYSTEM

*Available with
multiple configurations!*

- More than 64 different configurations
- Electronic Thermal Sensing (ETS) system
- 240V – 120V convertible
- Available in 50 Hz or 60 Hz
- Topside features a 1.8" color LCD display
- Panel back light with white LED
- Accepts dedicated 230V without Neutral
- Wi-Fi option
- Bluetooth option
- Easy menu navigation
- Multiple languages (English, French, Spanish, German, Norwegian, Italian)
- Optional Daughter Board (DB1)
- Accepts NEO 2100, NEO 1100 or NEO 1000 topside panels
- Accepts NEO TP500 TouchScreen

UL US CE
UL certified for the US & Canada
CE compliant for Europe



NEO 1500 Spa Control

Part No.	Description	List (US \$)
777-WW99013	NEO 1500 Control Kit, 1-2 Spd Pump1, 1-1 Spd Pump 2 or Blwr, 03, AV, 3.0 kW Htr, w/NEO 1000 Panel	1,168.21
777-WW99014	NEO 1500 Control Kit, 1-2 Spd Pump1, 1-1 Spd Pump 2 or Blwr, 03, AV, 4.0 kW Htr, w/NEO 1000 Panel	1,168.21
777-WW99015	NEO 1500 Control Kit, 1-2 Spd Pump1, 1-1 Spd Pump 2 or Blwr, 03, AV, 5.5 kW Htr, w/NEO 1000 Panel	1,168.21
777-WW99010	NEO 1500 Control Kit, 1-2 Spd Pump1, 1-1 Spd Pump 2 or Blwr, 03, AV, 3.0 kW Htr, w/NEO 1100 Panel	1,168.21
777-WW99011	NEO 1500 Control Kit, 1-2 Spd Pump1, 1-1 Spd Pump 2 or Blwr, 03, AV, 4.0 kW Htr, w/NEO 1100 Panel	1,168.21
777-WW99012	NEO 1500 Control Kit, 1-2 Spd Pump1, 1-1 Spd Pump 2 or Blwr, 03, AV, 5.5 kW Htr, w/NEO 1100 Panel	1,168.21
775-0501	Daughter Board (DB1) (allows for up to 2 additional 1 Spd Pumps or 1 add'l 2 Spd Pump	156.13
775-0503	Bluetooth Kit Assy (Includes screw & stand-off)	265.27
775-0504	Wi-Fi Kit Assembly (No added mothely fees.)	454.74



Spa Control System / NEO 1200 Spa Control

The standard in Spa Control performance.

NEO 1200

SPA CONTROL SYSTEM






Compact design for **easy installation**
in tight locations.

- Plug and Play
- Electronic Thermal Sensing (ETS) system
- Available in 120V / 60 Hz or 220V / 50 Hz
- Bluetooth ready
- Topside features a 1.8" color LCD display
- Panel back light with white LED
- Bluetooth option
- Easy menu navigation
- Multiple languages (English, French, Spanish, German, Norwegian, Italian)
- Small Compact Housing
- Optional 15 Ft 15 Amp GFCI power cords (60 Hz only)
- Accepts NEO 1100 or NEO 1000 topside panels



UL **US** **CE**
UL certified for the US & Canada
CE compliant for Europe

NEO 1200 Spa Control		
Part No.	Description	List (US \$)
777-WW99022	NEO 1200 Control Kit, 1-2 Spd Pump, O3, Lt, 1 kW Htr, w/NEO 1000 Panel	1,090.15
777-WW99023	NEO 1200 Control Kit, 1-2 Spd Pump, O3, Lt, 1 kW Htr, w/NEO 1000 Panel & 120V 15' at 15A GFCI Pwr Cord	1,187.12
777-WW99020	NEO 1200 Control Kit, 1-2 Spd Pump, O3, Lt, 1 kW Htr, w/NEO 1100 Panel	1,090.15
777-WW99021	NEO 1200 Control Kit, 1-2 Spd Pump, O3, Lt, 1 kW Htr, w/NEO 1100 Panel & 120V 15' at 15A GFCI Pwr Cord	1,187.12
775-0503	Bluetooth Kit Assy (Includes screw & stand-off)	265.27





FEATURES:

- Latest speaker design with Titanium tweeter
- LED capable
- Dampening device
- Pop-up design

Standard Features:

- Dampened speaker lift
- Front and back LED ports
- 30% more compact than previous models

Options:


- Multiple lighting options
- Front ambient light
- Lit logo (call for details)
- Lit ring with Glo Tubes (requires rotation ring and nut)

SPECIFICATIONS:

- 15 W RMS / 30 W Peak
- Impedance: $4 \Omega \pm 15\% \Omega$
- Resonant Frequency: 110 Hz $\pm 20\%$ Hz
- SPL: 70 dB ± 3 dB ref 1 W/1M
- Frequency Response: ~20 KHz, max ± 10 dB

Magna Tune

Compact Design
30% shorter than previous model



675-2010L

Magna Tune 6" Pop-Up Silo Speaker System

Part No.	Description	List (US \$)
675-2020L	Magna Tune pop-up speaker (Non-rotational) LED	206.79

Note: For metal grill add "s" to the part number suffix.

Mounting Specifications


	Non-Rotational Cap
Hole size	4 3/4"
Closed height	3 1/8"
Flange OD	5 5/8"

Speaker depth from flange: 9 3/4"


640-6607


Strip Skimmer

Part No.	Description	Case Quantity	List (US \$)
640-6600	Adjustable Strip Skimmer with Lint Basket - 1" S Ell	20	57.80



FEATURES:

- Floating guillotine-style weir
- Easy through-wall installation (requires only one round hole to mount)
- 15 sq. ft.
- Easily accessible basket
- Skim Filter has easily accessible cartridge



For replacement parts, see page 327.

Deluxe Strip Skimmer and Strip Skim Filter


Part No.	Description	Case Quantity	List (US \$)
510-6900	Deluxe Strip Skimmer - 1 1/2" S	50	91.69
510-6910	Deluxe Strip Skim Filter - 1 1/2" S, 15 sq. ft.	50	103.24




Spa Skimmers and Filters / Front Access Skim Filters



510-1500



510-1600




INCLUDES:

- 10 sq. ft. Cartridge
- EZ Flow Basket
- Flow Control Diverter Plate
- Trim Plate - White
- Mounting Gasket



510-1650T



INCLUDES:

- 10 sq. ft. Cartridges (2)
- EZ Flow Basket
- Flow Control Diverter Plate
- Trim Plate - White
- Mounting Gasket

For replacement parts, see page 339.

Front Access Skimmers and Skim Filters

Part No.	Description	Case Quantity	List (US \$)
510-1500	Square Spa Skimmer – 1 ½" S / 2" Spigot - Flow Control with Trim Plate	4	99.86
510-1600	Square Spa Skim Filter – 1 ½" / 2" Spigot - 10 sq. ft.	4	154.57
510-1650T	Square Spa Skim Filter – 1 ½" / 2" Spigot - 20 sq. ft.	2	197.52




FEATURES:

- 50 sq. ft. Cartridges (2) (100 sq. ft. total)
- 2" Spigot Output Ports (2)
- Extra Large 5 1/2" x 14" Weir Area
- Extra Large 8" x 14" Basket
- Easy Access to Basket and Cartridges
- Easy Through-Wall Installation



510-6620



Hole Size 8.75" x 15.5"

FEATURES:

- 50 sq. ft. Cartridge
- 2" Spigot Output Port
- Easy access to basket and cartridges
- Easy Through-Wall Installation



510-9020



672-5090


Front Access Skim Filters			
Part No.	Description	Case Quantity	List (US \$)
510-9020	50 sq. ft. Front Access Skim Filter - Single Port - Oval Style	2	276.02
510-6620	100 sq. ft. Front Access Skim Filter - Dual Port - Oval Style	2	364.48
672-5090	100 sq. ft. Skim Filter Manifold Tee with Plug	20	26.00



Spa Skimmers and Filters / 100 sq. ft. Roadster Skim Filter

FEATURES:

- New Roadster grill design
- 50 sq. ft. Cartridges (2) (100 sq. ft. total)
- 2" Spigot Output Ports (2)
- Extra Large 5 1/2" x 14" Weir Area
- Extra Large 8" x 14" Basket
- Easy Access to Basket and Cartridges
- Easy Through-Wall Installation



510-6689DSG-PS


100 sq. ft. Front Access Roadster Skim Filter

Part No.	Description	Case Quantity	List (US \$)
510-6680	100 sq. ft. Front Access Roadster Skim Filter	--	379.83



FEATURES:

- Cage-style tower eliminates unwanted vortexing
- Safety orientated
- Easily accessible basket for effortless cleaning
- Available in several different filter sizes
- 2" Socket IN/OUT plumbing
- Built in Check Valve
- Hole Saw Size: Ø 6.88"
- Custom logo plate available for volume orders



510-4600

For replacement parts, see page 326.

Teleweir Skim Filters

Part No.	Description	"A" Dimension	Case Quantity	List (US \$)
510-4630	25 sq. ft. Teleweir Skim Filter	20.25"	20	247.71
510-4620	35 sq. ft. Teleweir Skim Filter	16.00"	20	260.08
510-4600	50 sq. ft. Teleweir Skim Filter	20.25"	20	264.55
510-4680	50 sq. ft. Teleweir Skim Filter - Low Volume	20.25"	20	264.55

FEATURES:

- Extra-large housing designed especially for Swim Spas
- Cage-style tower eliminates unwanted vortexing
- Safety orientated
- Easily accessible basket for effortless cleaning
- Hi capacity 2 ½" Socket IN/OUT Plumbing
- Built in check valve
- Hole saw size is 8.5"
- Custom logo plates available for volume orders



Mega Teleweir Skim Filters


Part No.	Description	"A" Dimension	List (US \$)
510-4570	75 sq. ft. Mega Teleweir Skim Filter	21.75"	310.58



Spa Skimmers and Filters / Dyna-Flo Top-Mount Skim Filters

FEATURES:

- Improved exclusive vent system for added safety
- Exclusive bayonet lock retains the basket and weir
- PVC upper threaded, middle and bottom body components are compatible with PVC glues and most silicones
- New compact sizes
- Traditional 4-scallop escutcheons to match the decor of the spa
- Telescoping weir has 6" of travel
- Built-in restriction valve for improved filtration with low volume
- Two basket sizes
- Dyna-Flo replacement parts fit all existing Dyna-Flo Top-Mount Filters
- Retrofits Dynamic Series Rainbow Skim Filters



DYNA-FLO PLUS



Low Volume
8 GPM Minimum



Hi Volume
15 GPM Minimum

LOW PROFILE DYNA-FLO



Low Volume
8 GPM Minimum



Hi Volume
15 GPM Minimum

For replacement parts, see page 330.

Dyna-Flo Top-Mount Skim Filters


Part No.	Size	Description	Height	List (US \$)
510-4520	2" Socket - 25 sq. ft.	Dyna-Flo Plus - Low Volume - 8 GPM Minimum	21 1/8"	258.63
510-4550	2" Socket - 50 sq. ft.	Dyna-Flo Plus - Low Volume - 8 GPM Minimum	21 1/8"	275.43
510-9520	2" Socket - 25 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	21 1/8"	258.63
510-9540	2" Socket - 40 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	17 1/4"	266.80
510-9550	2" Socket - 50 sq. ft.	Dyna-Flo Plus - Hi Volume - 15 GPM Minimum	21 1/8"	279.14
510-3520	2" Socket - 25 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	19 5/8"	247.71
510-3540	2" Socket - 40 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	15 3/4"	255.88
510-3550	2" Socket - 50 sq. ft.	Low Profile Dyna-Flo - Low Volume - 8 GPM Minimum	19 5/8"	264.55
510-6520	2" Socket - 25 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	19 5/8"	247.71
510-6540	2" Socket - 40 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	15 3/4"	255.88
510-6550	2" Socket - 50 sq. ft.	Low Profile Dyna-Flo - Hi Volume - 15 GPM Minimum	19 5/8"	264.55

For textured High-Volume Lock-Ring, add "T" to the end of the part number.



FEATURES:

- Extra-large 10" diameter body for improved filtration
- Extra-large 6 1/2" diameter cartridge for larger cartridge sizes
- Exclusive "Vent System" for added safety
- PVC upper, middle and bottom sections are compatible with PVC glues and most silicones
- Available in 50, 75 and 100 sq. ft.
- Adjustable restrictor valve for variable flow control
- Extra-large basket
- Removable bypass valve for easy servicing
- Optional chemical feeder
- Available in 2" or 2 1/2" Socket In/Out



For replacement parts, see page 331.

Dyna-Flo XL Skim Filters

Part No.	Socket Size	Filter Size	Filter Length	List (US \$)
512-0270	2"	75 sq. ft.	21 3/4"	362.09
512-0210	2"	100 sq. ft.	26 1/4"	388.00
512-2550	2 1/2"	50 sq. ft.	21 3/4"	343.93
512-2570	2 1/2"	75 sq. ft.	21 3/4"	362.09
512-2510	2 1/2"	100 sq. ft.	26 1/4"	388.00

FEATURES:

- Skims water without the use of a weir
- No moving parts
- Uses the same size hole pattern as our standard Dyna-Flo
- Allows for a larger variance of water levels




514-6589-DSG

With turbine and weir



514-6550



For replacement parts, see page 332.

Ultra Skim Filter

Part No.	Description	Filter Size	Filter Length	List (US \$)
514-6550	Ultra Skim Filter XL 2" 50 sq ft	50 sq. ft.	19 5/8"	285.49
514-6580	Ultra Skim Filter XL 2" 50 sq ft w/Turbine and Weir	50 sq. ft.	19 5/8"	303.54



Spa Skimmers and Filters / Top-Load Filters

5.5" FILTER FEATURES:

- Top Load Filter
- 20 sq. ft. 2 7/8" X 19.5" Cartridge
- 1" Socket IN/OUT
- 1" Check Valve
- PVC Construction




510-3600



500-2500

For replacement parts, see page 328.



Custom sizes available.
Please contact your Waterway sales representative.

5.5" Top-Load Filters


Part No.	Description	List (US \$)
510-3600	1" - 20 sq. ft. Cartridge with Bypass Valve	196.69

7.5" Top-Load Filters

Part No.	Description	List (US \$)
500-2500	1 1/2" - 25 sq. ft. Cartridge with Plug	157.62
500-2510	1 1/2" - 25 sq. ft. Cartridge with Bypass Valve	185.75
500-2540	1 1/2" - 25 sq. ft. Cartridge with Plug and 10-Tablet Brominator	216.90
500-2550	1 1/2" - 25 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	216.90
500-5000	1 1/2" - 50 sq. ft. Cartridge with Plug	215.22
500-5010	1 1/2" - 50 sq. ft. Cartridge with Bypass Valve	215.22
500-5050	1 1/2" - 50 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	245.82
500-6010	1 1/2" - without Cartridge - with Bypass Valve	175.94
500-6050	1 1/2" - without Cartridge - with Bypass Valve and 10-Tablet Brominator	206.54
502-2500	2" - 25 sq. ft. Cartridge with Plug	199.25
502-2510	2" - 25 sq. ft. Cartridge with Bypass Valve	199.25
502-2530	2" - 25 sq. ft. Cartridge with Bypass Valve and Flow Restriction Tube	212.98
502-2550	2" - 25 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	216.90
502-5000	2" - 50 sq. ft. Cartridge with Plug	215.22
502-5010	2" - 50 sq. ft. Cartridge with Bypass Valve	215.22
502-5030	2" - 50 sq. ft. Cartridge with Bypass Valve and Flow Restriction Tube	229.05
502-5050	2" - 50 sq. ft. Cartridge with Bypass Valve and 10-Tablet Brominator	245.82



Spa Skimmers and Filters / Top-Load Extended Filters



500-7500

7.5" Top-Load Extended Filters, 1 ½


Part No.	Description	List (US \$)
500-7500	75 sq. ft. Cartridge with Plug	257.63
500-7510	75 sq. ft. Cartridge with Bypass Valve	257.63
500-7550	75 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	288.21
500-9900	100 sq. ft. Cartridge with Plug	270.51
500-9910	100 sq. ft. Cartridge with Bypass Valve	270.51
500-9950	100 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	313.97

7.5" Top-Load Extended Filters, 2

Part No.	Description	List (US \$)
502-7500	75 sq. ft. Cartridge with Plug	257.61
502-7510	75 sq. ft. Cartridge with Bypass Valve	257.61
502-7550	75 sq. ft. Cartridge with Bypass Valve and 10 Tablet Brominator	288.24
502-9900	100 sq. ft. Cartridge with Plug	270.51
502-9910	100 sq. ft. Cartridge with Bypass Valve	270.51



Spa Skimmers and Filters / Filter Accessories



FEATURES:

- Contains 10 Bromine
- Clear Container
- Bromine Adjustable Knob

Filter Accessories

Part No.	Description	Case Quantity	List (US \$)
500-1021	Filter Niche with 2-Cup Holder Lid and Screws - Black	6	35.75
400-9140	Cartridge Mounting Assembly - 1 1/2" NPT - with Grate	150	9.39
212-1810	Thru Wall Fitting Assembly - 1/2" S x 1/2" S	150	13.80
400-9030	Cartridge Mounting Assembly with Grate - 2" S x 1 1/2" Acme	50	16.82
212-1820	Bulkhead Wall Fitting Assembly - 3/4" RB	150	13.80
400-9220	Vent Wall Fitting Assembly with Grate (<i>color matching available</i>)	48	8.61
500-1098	10-Tablet Brominator Assembly	70	30.60
640-3170	Suction Wall Fitting Assembly with Bypass Valve	40	19.33
400-9120	Cartridge Mounting Assembly - 1 1/2" NPT	75	8.61
400-9130	Cartridge Mounting Assembly - 2" NPT	50	16.82
670-2000	Water Nozzle Wall Fitting Assembly	200	7.76
640-4220	Lo-Pro 3/4" SB 90° Return Fitting Assembly	40	22.01
640-4240	Lo-Pro 3/4" S 90° Return Fitting Assembly	40	22.01
640-4230	Lo-Pro 1" S 90° Return Fitting Assembly	40	22.01
400-9150	Return Wall Fitting Assembly - 1 1/2" FPT x 1 1/2" S	50	10.73
212-1831	Swirl Style Bulkhead Fitting - 3/4" RB	150	13.80



Skim Filter Gaskets

Part No.	Description	Case Quantity	List (US \$)
711-8010	Grommet Gasket	--	5.26

Spa Mounting Plate

Part No.	Description	Case Quantity	List (US \$)
550-1600	Spa Skimmer Mounting Plate with Screws	50	16.06

Filter Extensions

Part No.	Description	Case Quantity	List (US \$)
519-2041	Filter Extension - Cover	1	12.05
519-2031	Filter Extension - Body	1	18.96



550-6109



680-2001



550-7767



550-6119



550-5617



550-0127

Weirs

Part No.	Description	Case Quantity	List (US \$)
680-2000	Custom Weir Assembly - 13 1/8" H x 23 1/4" W (customized logo & color with quantity order)	25	193.21
550-7760	Skimmer Frame & Weir Assembly with Waterfall	--	193.69
550-5610	Curved Weir Frame Assembly - 13" H x 20 3/4" W	--	73.35
550-0120	Tiered Weir Frame Assembly	--	98.57
550-6100	Weir Frame Assembly - 13 5/8" H x 13 7/16" W S-10 style	--	85.11
550-6110	Weir Frame 21 1/8" W x 13 1/2" S-10 style	--	100.46




Weir Accessories

Part No.	Description	List (US \$)
550-0411	Weir Mounting Brackets	11.50



Spa Skimmers and Filters / Skimmer and Skim Filter Options



Replacement Cartridges for In-Line and Top-Load Filters				
Part No.	Description	Dimensions	Case Quantity	List (US \$)
817-3640	Cartridge - 20 sq. ft.	3" OD x 19.5" L Cartridge	--	39.20
817-2500	Cartridge - 25 sq. ft.	4 15/16" OD x 13 5/16" L	--	59.64
817-5000	Cartridge - 50 sq. ft.	4 15/16" OD x 13 5/16" L	16	85.76
817-7500	Cartridge - 75 sq. ft.	4 15/16" OD x 23 5/8" L	--	118.13
817-1000	Cartridge - 100 sq. ft.	4 15/16" OD x 23 5/8" L	--	129.63



Skim Filter Replacement Cartridge

Skim Filter Replacement Cartridges					
Part No.	Size	Dimensions	Top Load	Front Access	List (US \$)
817-0010	10 sq. ft.	4 1/4" outer diameter x 4" L		x	37.51
817-3501	35 sq. ft.	4 15/16" outer diameter x 9 1/4" L (1 piece)		x	56.60
817-3510	35 sq. ft.	4 15/16" outer diameter x 4 5/8" L (2 pieces)		x	75.60
817-5010	50 sq. ft.	4 15/16" outer diameter x 6 5/8" L (2 pieces)		x	87.95
817-0050	50 sq. ft.	6" outer diameter x 8 1/4" L		x	85.29
817-0011	50 sq. ft.	6" outer diameter x 8 1/4" L (2 pieces upper)		x	85.29
817-0012	50 sq. ft.	6" outer diameter x 8 1/4" L (2 pieces lower)		x	85.29
817-2500	25 sq. ft.	5" outer diameter x 13 1/4" L	x		59.64
817-5000	50 sq. ft.	5" outer diameter x 13 1/4" L (1 piece)	x		85.76
817-0014	50 sq. ft.	5 5/16" outer diameter x 10 1/8" L	x		94.15
817-0015	75 sq. ft.	5 5/16" outer diameter x 14 13/16" L	x		117.82
817-7500	75 sq. ft.	5" outer diameter x 23 5/8" L (2 pieces)	x		118.13
817-0016	100 sq. ft.	5 5/16" outer diameter x 17 13/16" L	x		137.33
817-1000	100 sq. ft.	5" outer diameter x 23 5/8" L	x		129.63






POWER Defender **VIPER** VARIABLE SPEED PUMP

Introducing... The Better Swim Spa Solution!

FEATURES:

- Built-in programmable variable speed drive, allows for 1-100% flow control
- Proven Viper wet end
- Larger wet end (8.0") and intake plumbing (2 – 2.5") for higher pressures and more flow
- Preprogrammed flow rate and workout sequences
- Silicone carbide seals, Viton bellows, 316SS casing



Power Defender Viper Variable Speed

Part No.	Description	HP	Volts	Total Amps	Hz	Weight (lbs.)	List (US \$)
PD-250VV	Power Defender Viper	5	230	13.5	50/60	50	1,486.11

Call for available cords and plugs.



Spa Pumps / Power Defender Executive 4 HP

POWER Defender TVST 
TRUE VARIABLE SPEED THERAPY


Power Defender Executive 4 HP VARIABLE SPEED PUMP

*Introducing the only
4 HP True Variable Speed
pump in the Portable
Spa Industry.*



FEATURES:

- Built-in programmable variable speed drive, allows for 1-100% flow control
- Proven Executive and EX2 wet ends
- Preprogrammed wave/pulse sequences
- Silicone carbide seals, Viton bellows, 316SS casing
- Totally enclosed motor construction
- High performance at lower speeds
- Must be used with NEO 1500 or NEO 2100 Spa Controllers

*Waterway's TVST (True Variable Speed Therapy) systems have
18 pre-programmed wave/pulse sequences to provide ultimate
massage therapy not seen on other variable speed systems!*



TVST Massage Options



Power Defender Executive 4 HP

Part No.	Description	HP	Volts	Total Amps	Hz	Weight (lbs.)	List (US \$)
PD-240VSE	Power Defender Executive	4	230	13.5	50/60	50	1,477.09

Call for available cords and plugs.




**POWER
Defender**

Power Defender EX2
VARIABLE SPEED PUMP





FEATURES:


- Built-in programmable variable speed drive, allows for 1-100% flow control
- Proven Executive and EX2 wet ends
- Preprogrammed wave/pulse sequences
- Silicone carbide seals, Viton bellows, 316SS casing
- Totally enclosed motor construction
- High performance at lower speeds
- Must be used with NEO 1500 or NEO 2100 Spa Controllers



Waterway's TVST (True Variable Speed Therapy) systems have 18 pre-programmed wave/pulse sequences to provide ultimate massage therapy not seen on other variable speed systems!



**TVST Massage
Options**



Power Defender EX2							
Part No.	Description	HP	Volts	Total Amps	Hz	Weight (lbs.)	List (US \$)
PD-215VSX	Power Defender EX2	1.5	230	10.0	50/60	50	1,325.59

Call for available cords and plugs.



Spa Pumps / Power Defender 2 Pole / 6 Pole



**POWER
Defender**

Power Defender 2 POLE / 6 POLE PUMP

*Advanced 2-pole / 6-pole technology
at a cost effective price!*

FEATURES:

- Built specifically for the demanding portable spa low energy requirements
- 3 HP, 4 HP and 4.5 HP platforms
- Approximately 1 amp at low speed
- Proven Executive wet end
- Reduced standby power consumption that complies with CEC and APSP-14 requirements
- Silicone carbide seals, Viton bellows, 316SS casing
- High performance at lower speeds



Power Defender 2 Pole / 6 Pole Pumps

Part No.	Description	HP	Volts	Total Amps	Hz	Weight (lbs.)	List (US \$)
PD-230E	Power Defender Executive 2-Pole/6-Pole	3	230	1.0 A/8.6	60	34	834.51
PD-240E	Power Defender Executive 2-Pole/6-Pole	4	230	1.0 A/12	60	44	923.07
PD-245E	Power Defender Executive 2-Pole/6-Pole	4.5	230	1.3 A/14	60	46	1,009.26

Call for available cords and plugs.






**POWER
Defender**

Power Defender **EX2** 2 SPEED PUMP

*Better performance with
outstanding durability.*

FEATURES:

- High performance two speed pump design
- 1.5 Horsepower Special (1.0 True Break HP), 9.5 Amps, 115 VAC
- Proven EX2 wet end
- Silicone carbide seals, Viton bellows, 316SS casing
- Direct replacement for Aqua-Flo XP2 pumps



Power Defender EX2 2 Speed

Part No.	Description	HP	Volts	Total Amps	Hz	Weight (lbs.)	List (US \$)
PD-110X	Power Defender EX2 2-Speed	1.5 HP SPL	115	9.5/3.2	60	26	541.06

Call for available cords and plugs.



Spa Pumps / Viper - 56-Frame

FEATURES:

- Viper wet end designed specifically for 56-frame motors
- Two double shielded ball bearings with moisture resistant grease for quieter operation and longer life
- Two speed motors have four sets of insulated windings for high performance
- 56-frame motor for added strength, cooler operating temperature and longer motor life
- Large 2 1/2" intake for improved flow performance and reduced noise
- Large 8" diameter wet end for increased volume capacity
- Split capacitor, (start and run) for less energy consumption
- Thermally protected to extend life expectancy of motor
- Highly versatile wet end can be rotated every 90°
- Silicone carbide seals, Viton bellows, 316SS casing




Call for available cords and plugs.



For 2-speed models only

For replacement parts, see page 297.

Viper Performance Chart



2-Speed Viper 56-Frame Pumps

Part No.	Description	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3721221-1V	2 1/2" Intake - 2 1/2" Discharge	3	230	10	3.5	60	11"	37	854.18
3721621-1V	2 1/2" Intake - 2 1/2" Discharge	4	230	12	4.4	60	11"	44	917.02
3722021-1V	2 1/2" Intake - 2 1/2" Discharge	5	230	16.4	4.8	60	11"	47	946.69

1-Speed Viper 56-Frame Pumps

Part No.	Description	HP	Volts	Amps	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3711621-1V	2 1/2" Intake - 2 1/2" Discharge	4	230	12	60	11"	41	798.61
3712021-1V	2 1/2" Intake - 2 1/2" Discharge	5	230	16.4	60	11"	--	798.61

Note: OV for bulk orders.

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.



EXECUTIVE WET END FEATURES:

- High performance Executive wet end specifically designed for 56-frame motors
- Large 2" intake for improved flow performance and noise reduction
- Large 6" diameter wet end for higher head pressure
- Highly versatile wet end can be rotated every 90°

VIPER WET END FEATURES:

- Ultra high performance Viper wet end specifically designed for 56-frame motors
- Extra large 2 ½" intake for improved flow performance and noise reduction
- Large 8" diameter wet end to move higher volumes of water at lower pressures
- Highly versatile wet end can be rotated every 90°

MOTOR FEATURES:


- Water repellent Italian made motor
- 56-frame motor for added strength, cooler operating temperature and longer motor life
- Two double shielded ball bearings with moisture resistant grease for quieter operation and longer life
- Two-speed motors have four sets of insulated windings for high performance
- Split capacitor, (start and run) for less energy consumption
- Thermally protected to extend life expectancy of motor
- IPX5 construction

PUMP FEATURES:


- TUV listed
- TUV J and J mini plug (*optional*)
- Silicone carbide seals, Viton bellows, 316SS casing



PRESSURE VERSUS FLOW RATE



PRESSURE VERSUS FLOW RATE - VIPER EURO PERFORMANCE CHART



Executive Euro 50 Hz Pumps

Part No.	Description	HP	Speed	Hz	Volts	Amps	List (US \$)
3R10850-0D	Executive Euro Pump	2 HP	1-Speed	50	230	8.7	677.75
3R11250-0D	Executive Euro Pump	3 HP	1-Speed	50	230	12.7	725.09
3R20850-0D	Executive Euro Pump	2 HP	2-Speed	50	230	9.3/1.8	792.33
3R21050-0D	Executive Euro Pump	2 ½ HP	2-Speed	50	230	10.3/1.8	941.94

Viper Euro 50 Hz Pumps

Part No.	Description	HP	Speed	Hz	Volts	Amps	List (US \$)
3R11250-0V	Viper Euro Pump	3 HP	1-Speed	50	230	12.3/12.8	747.30
3R21050-0V	Viper Euro Pump	2 ½ HP	2-Speed	50	230	11.4	964.22

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.




Spa Pumps / Executive - 56-Frame

FEATURES:




- Executive wet end designed specifically for 56-frame motors
- Two double shielded ball bearings with moisture resistant grease for quieter operation and longer life
- Two speed motors have four sets of insulated windings for high performance
- 56-frame motor for added strength, cooler operating temperature and longer motor life
- Large 2 1/2" intake for improved flow performance and reduced noise
- Large 6 1/2" diameter wet end for higher head pressure
- Split capacitor, (start and run) for less energy consumption
- Thermally protected to extend life expectancy of motor
- Highly versatile wet end can be rotated every 90°
- Silicone carbide seals, Viton bellows, 316SS casing

Call for available cords and plugs.



For replacement parts, see page 295.

PRESSURE VERSUS FLOW RATE



2-Speed Executive 56-Frame Pumps

Part No.	Description	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3720821-1D	2" Intake - 2" Discharge	2	230	8.0	3.0	60	8.875"	34	708.45
3720821-13	2 1/2" Intake - 2" Discharge	2	230	8.0	3.0	60	8.875"	34	708.45
3721221-1D	2" Intake - 2" Discharge	3	230	10.0	3.4	60	9.875"	37	756.98
3721221-13	2 1/2" Intake - 2" Discharge	3	230	10.0	3.4	60	9.875"	37	756.97
3721621-1D	2" Intake - 2" Discharge	4	230	12.0	4.4	60	10.375"	44	825.32
3721621-13	2 1/2" Intake - 2" Discharge	4	230	12.0	4.4	60	10.375"	44	825.32
3722021-1D	2" Intake - 2" Discharge	5	230	16.4	4.8	60	10.375"	47	937.20
3722021-13	2 1/2" Intake - 2" Discharge	5	230	16.4	4.8	60	10.375"	46	937.20

1-Speed Executive 56-Frame Pumps

Part No.	Description	HP	Volts	Amps	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3710821-1D	2" Intake - 2" Discharge	2	230	8.0	60	8.875"	34	708.45
3710821-13	2 1/2" Intake - 2" Discharge	2	230	8.0	60	8.875"	34	708.45
3711221-1D	2" Intake - 2" Discharge	3	230	10.0	60	9.875"	34	756.98
3711221-13	2 1/2" Intake - 2" Discharge	3	230	10.0	60	9.875"	34	756.98
3711621-1D	2" Intake - 2" Discharge	4	230	12.0	60	10.375"	41	785.27
3711621-13	2 1/2" Intake - 2" Discharge	4	230	12.0	60	10.375"	40	808.23
3712021-1D	2" Intake - 2" Discharge	5	230	16.4	60	10.375"	45	808.23
3712021-13	2 1/2" Intake - 2" Discharge	5	230	16.4	60	10.375"	45	818.87


Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.





FEATURES:

- Executive wet end designed specifically for 48-frame motors
- Large 2 1/2" intake for improved flow performance and reduced noise
- Large 6 1/2" diameter wet end for higher head pressure
- Thermally protected to extend life expectancy of motor
- Highly versatile wet end can be rotated every 90°
- Silicone carbide seals, Viton bellows, 316SS casing

Call for available cords and plugs.



PRESSURE VERSUS FLOW RATE



2-Speed Executive 48-Frame Pumps

Part No.	Description	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3420410-1A	2" Intake - 2" Discharge	1.0	115	11.0	2.9	60	9.73"	27	609.09
3420410-13	2 1/2" Intake - 2" Discharge	1.0	115	11.0	2.9	60	9.73"	27	609.09
3420610-1A	2" Intake - 2" Discharge	1.5	115	16.4	4.4	60	10.48"	30	665.10
3420610-13	2 1/2" Intake - 2" Discharge	1.5	115	16.4	4.4	60	10.48"	30	665.10
3420620-1A	2" Intake - 2" Discharge	1.5	230	8.0	2.6	60	10.45"	30	665.10
3420620-13	2 1/2" Intake - 2" Discharge	1.5	230	8.0	2.6	60	10.45"	30	665.10
3420820-1A	2" Intake - 2" Discharge	2.0	230	10.5	2.6	60	11.0"	33	704.73
3420820-13	2 1/2" Intake - 2" Discharge	2.0	230	10.5	2.6	60	11.0"	33	704.73
3421221-1A	2" Intake - 2" Discharge	3.0	230	8.5	2.8	60	11.0"	36	729.26
3421221-13	2 1/2" Intake - 2" Discharge	3.0	230	8.5	2.8	60	11.0"	36	729.26
3421821-1A	2" Intake - 2" Discharge	4.5	230	12.0	3.5	60	11.98"	37	822.14
3421821-13	2 1/2" Intake - 2" Discharge	4.5	230	12.0	3.5	60	11.98"	36	822.14

1-Speed Executive 48-Frame Pumps

Part No.	Description	HP	Volts	Amps	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3410410-1A	2" Intake - 2" Discharge	1.0	115	12	60	9.23"	22	527.02
3410610-1A	2" Intake - 2" Discharge	1.5	115	17	60	9.78"	26	566.34
3410830-1A	2" Intake - 2" Discharge	2.0	115/230	20/10	60	10.98"	33	648.56
3410830-13	2 1/2" Intake - 2" Discharge	2.0	115/230	20/10	60	10.98"	33	648.56
3411621-1A	2" Intake - 2" Discharge	4.0	230	12	60	11.18"	36	761.83
3411621-13	2 1/2" Intake - 2" Discharge	4.0	230	12	60	11.18"	36	761.83

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.



Spa Pumps / EX 2

FEATURES:


- True continuous rated horsepower of 1.5, 2.0, 2.5 and 3.0 HP
- 48-Frame or 56-Frame, Single or Dual Speed (energy saving)
- Use more jets per pump
- Same physical size as Aqua-Flo XP2, XP2e (fits within the same volume envelope)
- Can be used as substitute or retrofit to Aqua-Flo model XP2 or XP2e pumps and similar pumps and wet ends offered by other domestic and foreign suppliers
- Made in USA from highest quality materials with UL and CUL certifications
- CE and TUV certification on export pumps to ensure product performance for you and your customers
- Silicone carbide seals, Viton bellows, 316SS casing
- Equipped with high performance electrical motors, custom designed for Spa applications



For replacement parts, see page 296.

Call for available cords and plugs.

EX2 Performance Chart



2-Speed EX 2 48-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps High Speed	Amps Low Speed	Hz	Weight (lbs.)	List (US \$)
3420610-1U	2" Intake - 2" Discharge	1.5	115	13.5	4.7	60	--	665.10
3420820-1U	2" Intake - 2" Discharge	2	230	10.5	2.6	60	33	704.73
3421021-1U	2" Intake - 2" Discharge	2	230	9.0	2.8	60	31	646.95
3421221-1U	2" Intake - 2" Discharge	2	230	8.5	2.8	60	34	729.26
3421020-1U	2" Intake - 2" Discharge	2.5	230	11.0	3.3	60	36	756.02
3421821-1U	2" Intake - 2" Discharge	3	230	12.0	3.5	60	37	822.14

1-Speed EX 2 48-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps	Hz	Weight (lbs.)	List (US \$)
3410610-1U	2" Intake - 2" Discharge	1.5	115	17.0	60	27	566.34
3411020-1U	2" Intake - 2" Discharge	2.5	230	10.0	60	34	758.87
3411621-1U	2" Intake - 2" Discharge	3.0	230	12.0	60	35	761.83

2-Speed EX 2 56-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps High Speed	Amps Low Speed	Hz	Weight (lbs.)	List (US \$)
3720821-1W	2" Intake - 2" Discharge	2	230	8.0	3.0	60	34	708.45
3721621-1W	2" Intake - 2" Discharge	3.0	230	12.0	4.4	60	47	825.24
3M21621-1W	2" Intake - 2" Discharge	3.0	230	12.0	4.4	60	44	825.24

1-Speed EX 2 56-Frame Pumps

Part No.	Description	HP - Full	Volts	Amps	Hz	Weight (lbs.)	List (US \$)
3711621-1W	2" Intake - 2" Discharge	3.0	230	12.0	60	41	792.97

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.





Spa Pumps / Hi-Flo II Side Discharge - 48-Frame

FEATURES:

- High volume side discharge performance
- 60% higher performing than our center discharge pumps
- 2" intake and discharge
- Wet end can be rotated for easy installation
- Available in 1 to 4 HP, 1 or 2 speed
- Large 6 1/2" diameter wet end for higher head pressure
- Silicone carbide seals, Viton bellows, 316SS casing




For replacement parts, see page 301.



Hi-Flo II

Hi-Flo II Performance Curves



2-Speed Hi-Flo II Side Discharge 48-Frame Pumps

Part No.	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	List (US \$)
3420410-10	1.0	115	11.0	2.9	60	14.73"	609.09
3420610-10	1.5	115	16.4	4.4	60	15.48"	665.10
3420620-10	1.5	230	8.0	2.6	60	15.48"	665.10
3420820-10	2.0	230	8.4	3.6	60	16.00"	704.73

1-Speed Hi-Flo II Side Discharge 48-Frame Pumps

Part No.	HP	Volts	Amps	Hz	Dimension "A"	List (US \$)
3410410-10	1.0	115	12.0	60	14.23"	527.02
3410612-10	1.5	115	17.0	60	14.78"	527.02
3410830-10	2.0	115/230	20-10	60	14.98"	648.56

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.



Spa Pumps / Spa Flo II - 48-Frame



FEATURES:

- 48-frame proven design
- Designed for direct replacement in most spas
- Silicone carbide seals, Viton bellows, 316SS casing
- 1 1/2" Intake and Discharge



For replacement parts, see page 299.

PRESSURE VERSUS FLOW RATE



2-Speed Spa Flo II 48-Frame Pumps

Part No.	HP	Volts	Hz	Case Quantity	List (US \$)
3420410-S0Z	1	115	60	1	609.09
3420610-S0Z	1 1/2	115	60	1	665.10
3420820-S0Z	2	230	60	1	704.73

Sold without cords. Please call for available cords.

1-Speed Spa Flo II 48-Frame Pumps

Part No.	HP	Volts	Hz	Case Quantity	List (US \$)
3410410-S0Z	1	115	60	1	526.38
3410610-S0Z	1 1/2	115	60	--	566.34
3410830-S0Z	2	115 / 230	60	1	648.56

Sold without cords. Please call for available cords.

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.






FEATURES:

- Reliable center discharge performance
- 1 1/2" intake and discharge
- Wet end can be rotated for easy installation
- Available in 3/4 to 2 HP, 1 or 2 speed
- Silicone carbide seals, Viton bellows, 316SS casing



For replacement parts, see page 292.

Center Discharge e-Series Pumps



2-Speed Center Discharge Spa Pumps

Part No.	HP	Volts	Amps High Speed	Amps Low Speed	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3420310-15	3/4	115	8.8	2.6	60	15.00"	25	581.87
3420410-15	1.0	115	11.0	2.9	60	15.00"	26	609.09
3420610-15	1.5	115	16.4	4.4	60	15.75"	29	665.10
3420620-15	1.5	230	8.0	2.6	60	15.73"	29	665.10
3420820-15	2.0	230	10.5	2.6	60	16.28"	32	704.73

1-Speed Center Discharge Spa Pumps

Part No.	HP	Volts	Amps	Hz	Dimension "A"	Weight (lbs.)	List (US \$)
3410310-15	3/4	115	9.8	60	14.00"	19	503.81
3410410-15	1.0	115	12.0	60	14.50"	21	526.38
3410610-15	1.5	115	17.0	60	15.05"	26	566.34
3410830-15	2.0	115/230	20-10	60	16.26"	33	648.56

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.



Spa Pumps / Iron Might




FEATURES:

- 24-hour circulation
- 48-frame proven design
- Side discharge for optimum flow
- Multiple union assemblies available
- Delivers 40 GPM
- $\frac{1}{15}$ HP
- Only 1.3 Amps
- Silicone carbide seals, Viton bellows, 316SS casing
- 1 $\frac{1}{2}$ " Intake and Discharge

**NOW in
50/60 Hz!**



PRESSURE VS FLOW RATE



Iron Might 1-Speed 48-Frame Circulating Pumps

Part No.	Volts	Hz	Case Quantity	Weight (lbs.)	List (US \$)
3J10070-0E	230	50/60	1	--	503.81
3410030-1E	115	60	1	14	526.38

Leaf Trap *(sold separately)*

Part No.	Description	Case Quantity	Weight (lbs.)	List (US \$)
310-5400	Leaf Trap – 1 $\frac{1}{2}$ " Union x 1 $\frac{1}{2}$ " FPT	4	13	95.75



Pond Pump - Iron Might with Trap

Part No.	Description	Weight (lbs.)	List (US \$)
3410030-1E77	$\frac{1}{15}$ HP - 115V - 6 ft. NEMA Cord	19	511.97

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.






FEATURES:

- High volume side discharge performance
- 60% higher performing than our center discharge pumps
- Side discharge for optimum flow
- 1" union or 1" barb
- Wet end can be rotated for easy installation
- 1/16 HP
- Large 6 1/2" diameter wet end for higher head pressure



PRESSURE VERSUS FLOW RATE



Tiny Might Circulating Pumps

Part No.	Description	HP	Volts	Amps	Hz	Weight (lbs.)	List (US \$)
3312610-14	1" Union x 1" Union	1/16	115	0.8	60	7	376.74
3312620-14	1" Union x 1" Union	1/16	230	0.4	50/60	7	376.74
3312610-19	1" Barb x 1" Barb	1/16	115	0.8	60	7	376.74
3312620-19	1" Barb x 1" Barb	1/16	230	0.4	50/60	7	376.74

Pumps and replacement motors that are single speed and one (1) total HP or greater cannot be sold, offered for sale, or installed in a residential pool for filtration use in California, Title 20 CCR sections 1601-1609.



Spa Pumps / Wet Ends

**pre-2012
PARTS**



310-0700

Spa Flo Wet Ends

Part No.	Rating	Case Quantity	List (US \$)
310-0700	1 HP	1	112.29
310-0800	1 ½ HP	15	112.29
310-0810	2 HP	12	112.29

Silicone carbide seals,
Viton bellows,
316SS casing



310-0140

2 ½" Viper Wet Ends

Part No.	Motor	Rating	Case Quantity	List (US \$)
310-0140	56-Frame	4 HP	8	134.89

EX2 Wet Ends

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-2450	48-Frame	1 ½ HP	8	134.89
310-2460	48-Frame	2 HP	8	134.89
310-2480	48-Frame	3 HP	8	134.89

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-2360	56-Frame	1 ½ HP	8	134.89
310-2370	56-Frame	2 HP	8	134.89
310-2380	56-Frame	3 HP	8	134.89
310-2390	56-Frame	2 ½ HP	8	134.89



310-2360

2" Executive Wet Ends

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1870	48-Frame	1 HP	8	134.89
310-1880	48-Frame	1 ½ HP	8	134.89
310-1890	48-Frame	2 HP	8	134.89
310-1900	48-Frame	3 HP	8	134.89
310-1910	48-Frame	4 HP	8	134.89
310-1920	48-Frame	4 ½ HP	8	134.89
310-1930	48-Frame	5 HP	8	134.89

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1710	56-Frame	1 HP	8	134.89
310-1720	56-Frame	2 HP	8	134.89
310-1730	56-Frame	3 HP	8	134.89
310-1740	56-Frame	4 HP	8	134.89
310-1750	56-Frame	5 HP	8	134.89



310-1870

2 ½" Executive Wet Ends

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1800	48-Frame	1 HP	8	134.89
310-1810	48-Frame	1 ½ HP	8	134.89
310-1820	48-Frame	2 HP	8	134.89
310-1840	48-Frame	3 HP	8	134.89
310-1860	48-Frame	4 HP	8	134.89
310-1850	48-Frame	4 ½ HP	8	134.89
310-1830	48-Frame	5 HP	8	134.89

Part No.	Motor	Rating	Case Qty.	List (US \$)
310-1460	56-Frame	1 HP	8	134.89
310-1480	56-Frame	2 HP	8	134.89
310-1500	56-Frame	3 HP	8	134.89
310-1440	56-Frame	4 HP	8	134.89
310-1510	56-Frame	5 HP	8	134.89



310-1800

2" Hi-Flo Side Discharge Wet Ends

Part No.	Rating	Case Qty.	List (US \$)
310-1130SD	1 HP	12	134.89
310-1140SD	1 ½ HP	12	134.89
310-1141SD	2 HP	12	134.89
310-1150SD	3 HP	12	134.89
310-1160SD	4 HP	12	134.89



310-1130SD

E-Series Center Discharge Wet Ends

Part No.	Rating	Case Qty.	List (US \$)
310-8200	½ HP	12	134.89
310-8210	¾ HP	12	134.89
310-8220	1 HP	12	134.89
310-8230	1.5 HP	12	134.89
310-8240	2 HP	12	134.89



310-8210

Note: E-Series Center Discharge Wet Ends are the same size as the Standard Series Center Discharge Wet Ends. See Page 292 Series Center Discharge.



310-7700SD

Silicone carbide seals,
Viton bellows,
316SS casing

2" Hi-Flo II Side Discharge Wet Ends

Part No.	Rating	Case Qty.	List (US \$)
310-7700SD	½ HP	12	134.89
310-7710SD	¾ HP	12	134.89
310-7720SD	1 HP	12	134.89
310-7730SD	1 ½ HP	12	134.89
310-7740SD	2 HP	12	134.89



310-7800

Spa Flo II Wet End

Part No.	Rating	Case Qty.	List (US \$)
310-7800	½ HP	12	112.29
310-7810	¾ HP	12	112.29
310-7820	1 HP	12	112.29
310-7830	1 ½ HP	12	134.89
310-7840	2 HP	12	134.89



310-7820

Iron Might II Circulating Wet Ends

Part No.	Rating	Case Qty.	List (US \$)
310-7820	1/8 HP	12	112.29



Spa Pumps / Equipment Bases



672-1000



672-1010




672-1060

Equipment Bases

Part No.	Description	Case Quantity	List (US \$)
672-1000	1" x 15 1/4" x 26 1/4"	100	45.08
672-1010	1" x 14 1/2" x 15"	200	37.00
672-1060	1" x 8 1/2" x 15 1/2"	16	17.74



672-1030



672-7250



672-1320



672-1160



672-1100




672-1020



319-0019

Motor Bases


Part No.	Description	Case Quantity	List (US \$)
672-1030	1/2" Thick Base	170	11.26
672-7250	Metal Pump Base Assembly - 7 1/2" x 5 5/16"	25	16.63
672-1320	Rubber EMG Euro Motor Base (sold as a pair)	80	4.92
672-1100	3/4" Thick Base with Tabs - PVC Flex	100	17.55
672-1020	3/4" Thick Base	170	14.48
672-1080	3/4" Thick Base - PVC Flex	50	14.48
319-0019	Self-Aligning Rubber Motor Base	100	6.57
672-1160	Universal Floating 9" x 9" Pump Base Assembly	25	16.63



Anti-Vibration Pads
(sold separately only
for Waterway pumps)

Pump Base Foot Pads

Part No.	Description	Case Quantity	List (US \$)
672-1170	Anti-Vibration Pads	144	1.17



Slice Valves

Part No.	Description	Case Quantity	List (US \$)
880-1500	1 1/2" Slice Valve - 2" SPG / 1 1/2" S x 1 1/2" Spigot	30	19.34
880-1510	1 1/2" Slice Valve - 1 1/2" Spigot x 1 1/2" Spigot	30	19.34
880-1530	1 1/2" MIP Slice Valve - 1 1/2" Hose	30	21.75
880-2020	2" Slice Valve - 2" S x 2" S	48	24.17
880-2010	2" Slice Valve - 2" Spigot x 2" Spigot	48	24.17
880-2000	2" Slice Valve - 2" Spigot x 2" S	48	24.17
880-2500	2 1/2" Slice Valve - 2 1/2" S x 2 1/2" Spigot	24	37.35
880-2520	2 1/2" Slice Valve - 2 1/2" S x 2 1/2" S	24	37.35
880-1599	Clip for 1 1/2" Slice Valve	--	1.12
880-2099	Clip for 2" Slice Valve	--	1.30
880-2599	Clip for 2 1/2" Slice Valve	--	1.36

FEATURES:

- Adjustable flow control
- Easy to adjust in tight places
- Requires less overhead space to turn on/off compared to slice valve
- 100% shut off
- No metal parts in contact with the water for a non-corrosive gate valve
- Waterway manufactures all TruSeal Gate Valves in the U.S.A.



Gate Valves

Part No.	Description	Color	Case Quantity	List (US \$)
600-2370	Gate Valve - 2" S x 2" S	Clear	20	33.45
600-2380	Gate Valve - 2" S x 2" Spigot	Clear	20	33.45
600-2300	Gate Valve - 2 1/2" S x 2 1/2" Spigot	Clear	15	35.08



Valves / Check Valves and U-Bends




600-8140




550-6800



600-2900



670-1100



600-4000



670-2270

Check Valves

Part No.	Description	Case Quantity	List (US \$)
600-8140	Air Check Valve - 1/4 lb. Spring - 1 1/2" S x 1 1/2" S	50	20.72
600-8160	Air Check Valve - 1/4 lb. Spring - 2" Spigot x 2" Spigot	50	21.76
600-8150	Water Bypass Valve - 8 lb. Spring - 1 1/2" S x 1 1/2" S (standard color is black)	50	28.73
550-6810	Flapper Check Valve Body - 1.25 - 2 lbs. Spring - 2" S x 2" S	72	14.88
550-6800	Flapper Check Valve Body - 2.5 - 8 lbs. Spring - 2" S x 2" S	72	14.88
600-4000	Flapper Check Valve - Tee - 1" S x 1" S (standard color is white)	80	17.80
600-5000	Check Valve Assembly - Tee - 1" S x 1" S	140	10.43
600-2900	1 1/2" Blower Check Valve Assy	45	7.85
670-1100	1" Check Valve with Flapper Assembly	--	5.54
670-2270	1/2" S NEOPERL Check Valve with Cap/Foam	125	9.51
670-2220	1/2" S Tee NEOPERL Check Valve with Cap/Foam	150	10.03

NEW!



429-4000



400-4130



U-Bends

Part No.	Description	Case Quantity	List (US \$)
429-4000	U-Bend - 1 1/2" S x 1 1/2" S	50	7.81
429-4030	U-Bend - 2" S x 2" S	40	11.61
400-4130	2" Sweep Vent Grate Assembly	12	12.12



1" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-1940	1" Union Nut with 3/4" RB Tailpiece and O-Ring	25	4.46
400-1990	1" S Union Nut with 1" Slip Tailpiece and O-Ring	200	4.46




1 1/2" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-4060	1 1/2" Union Nut with 1 1/2" S Tailpiece and O-Ring	200	5.36
400-5640	1 1/2" Union Nut with 1 1/2" S Tailpiece with Gasket	200	5.69
400-2020	1 1/2" Union Nut with 1 1/2" Spigot / 1" S Tailpiece and O-Ring	200	6.91
400-2010	1 1/2" Union Nut with 50mm S Tailpiece and O-Ring	35	6.91
400-4230	1 1/2" Union Nut with 1 1/2" FPT Tailpiece and O-Ring	200	10.05
400-4510	1 1/2" Union Nut with 1 1/2" FPT Tailpiece and O-Ring with Gasket	200	10.36
400-4240	1 1/2" Union Nut with 1 1/2" Spigot Tailpiece and O-Ring	50	8.37
400-9280	1 1/2" Union Nut with 1 1/2" / 1 1/4" Hose Adapter and O-Ring	25	5.62



Unions / Pump Union Assemblies



2" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-5570	2" Union Nut with 2" S Tailpiece and O-Ring	70	8.05
400-5670	2" Union Nut with 2" S Tailpiece and O-Ring with Gasket	70	8.37
400-9240	2" Union Nut with 1 1/2" Hose Adapter and O-Ring	30	11.59
400-5800	2" Union Nut with 2" S Sweep Ell - 90° Tailpiece	40	10.43
400-5660	2" Union Nut with 1 1/2" FPT Nut Tailpiece and O-Ring	72	14.48
400-4300	2" Union Nut with 2" Spigot 45° Tailpiece and O-Ring	70	8.91
400-9230	2" Union Nut with 2" Spigot / 1 1/2" S Tailpiece and O-Ring	40	8.05
400-5680	2" Union Nut with 2" Spigot / 1 1/2" S Tailpiece and O-Ring with Gasket	140	8.37










2 1/2" Pump Union Assemblies

Part No.	Description	Case Quantity	List (US \$)
400-5990	2 1/2" Union Nut with 2" S Tailpiece and O-Ring	50	11.35
400-6010	2 1/2" Union Nut with 2 1/2" S Tailpiece and O-Ring	36	11.35
400-6021B	2 1/2" Union Nut x 2 1/2" S - Black (2 included with SVL56 pump)	72	12.74
400-5971B	2 1/2" Union Nut x 2" S - Black (2 included with SVL56 pump)	72	12.74

Swivel Union Assembly

Part No.	Description	Case Weight	Case Quantity	List (US \$)
400-4481-CPVC	Swivel Union Assembly - 2" S x 2" Spigot	34.56 lbs.	45	29.42




Union Assemblies

Part No.	Description	Part A	Part B	Part C	Part D	Case Quantity	List (US \$)
400-2000	Union Assembly - 1" S x 1" S	415-2000	417-2010	417-2020	805-0123	60	8.61
400-4000	Union Assembly #1 - 1 1/2" S x 1 1/2" S	415-4000	417-4010	417-4000	805-0226	100	8.61
400-4020	Union Assembly #3 - 1 1/2" S x 1 1/2" Spigot	415-4000	417-4030	417-4000	805-0226	25	12.06
400-4030	Union Assembly - 1 1/2" MPT x 1 1/2" S	415-4000	417-4060	417-4000	805-0226	25	12.06
400-5530	Union Assembly - 2" Spigot / 1 1/2" S x 1 1/2" S	415-4000	417-4000	417-5080	805-0226	40	12.06
400-5050	Union Assembly #13 - 2" S x 2" S	415-5000	417-5040	417-5120	805-0229	25	12.10
400-6000	Union Assembly - 2 1/2" S x 2 1/2" S	415-6000	417-6010	417-6000	805-0232	36	13.80

Standard color is white. All fittings meet or exceed A.S.T.M. Schedule 40 standards.




Unions / 1 1/2" Union Components



1 1/2" Union Components

Part No.	Description	Case Quantity	List (US \$)
415-4000	1 1/2" Union Nut	250	2.64
417-4070	1 1/2" Flange x 1 1/2" FPT Tailpiece	100	2.64
417-4000	1 1/2" Flange x 1 1/2" S Tailpiece	300	2.94
417-5500	1 1/2" Flange x 50mm S Tailpiece	100	2.64
417-2000	1 1/2" Flange x 1 1/2" Spigot / 1" S Tailpiece	50	6.31
417-4100	1 1/2" Flange x 1 1/2" Spigot	75	5.07
417-4030	1 1/2" Buttress Thread x 1 1/2" Spigot Tailpiece	230	2.64
417-4060	1 1/2" Buttress Thread x 1 1/2" MPT Tailpiece	230	2.75
417-4080	1 1/2" Flange x 1 1/2" S Tailpiece - Short	150	2.38
417-6040	1 1/2" Flange x 1 1/2" / 1 1/4" Hose Adapter Fitting	75	2.30
417-4010	1 1/2" Buttress Thread x 1 1/2" S Tailpiece	250	2.95
417-6020	1 1/2" Flange x 1 1/2" S Hose Adapter Fitting	50	2.86
417-5080	1 1/2" Buttress Thread x 1 1/2" S x 2" Spigot Tailpiece	75	3.44
417-4110	1 1/2" Buttress x 1 1/2" S - Short	150	4.61
711-4000	1 1/2" Union Gasket	500	0.66
805-0226	O-Ring - 1 1/2" Tailpiece	100	0.64

Unions / 2" & 2 ½" Union Components



805-0145



805-0232

2" and 2 ½" Union Components

Part No.	Description	Case Quantity	List (US \$)
415-5000	2" Union Nut	180	4.01
417-5120	2" Flange x 2" S Tailpiece	50	4.18
417-5020	2" Flange x 2" Spigot / 1 ½" S Tailpiece	100	4.66
417-5130	2" Flange x 1 ½" FPT Nut Tailpiece	140	3.66
417-6050	2" Flange x 1 ½" / 1 ¼" Hose Adapter Fitting	200	3.86
417-6030	2" Flange x 1 ½" Hose Adapter Fitting	25	3.54
417-5260	2" Buttress Thread x 2" Spigot / 1 ½" S Tailpiece	160	4.65
417-4220	2" Flange x 2" MPT	50	8.17
417-5090	2" Flange Thread x 1 ½" MPT Tailpiece	25	4.66
417-5040	2" Buttress Thread x 2" S Tailpiece	150	3.24
805-0145	O-Ring – 2" Heater Tailpiece	100	0.64
805-0229	2" Pump Union (thick) O-ring	100	0.75
711-4010	2" Flat Union Gasket	500	1.42
711-4020	2" x ¼" Thick Union Gasket	500	1.39
711-4030	2" Ribbed O-ring Union Gasket	500	0.83
415-6000	2 ½" Union Nut	50	7.77
417-6000	2 ½" Flange x 2 ½" Socket	50	4.96
417-5970	2 ½" Flange x 2" Socket	50	4.66
417-6010	2 ½" Buttress Thread x 2 ½" Socket	100	5.35
805-0232	O-Ring – 2 ½" Heater Tailpiece	100	1.38




Unions / Heater Union Components



1 1/2" Heater Union Nuts

Part No.	Description	Case Quantity	List (US \$)
400-5461	1 1/2" Heater Split Nut - Long Assembly - with Screws	50	5.61
400-5491	1 1/2" Heater Split Nut - with Screws	100	3.45
415-4021	1 1/2" Heater Split Nut - without Screws	100	2.21



1 1/2" Heater Union Tailpieces


Part No.	Description	Case Quantity	List (US \$)
417-4090	1 1/2" Buttress Thread x 1 1/2" S Tailpiece	100	1.93
417-4050	1 1/2" Buttress Thread x 1 1/2" Spigot Tailpiece	75	1.93



805-0224



711-4000



711-4050

1 1/2" Heater Union O-Ring Gaskets

Part No.	Description	Case Quantity	List (US \$)
805-0224	O-Ring - 1 1/2" Heater Tailpiece	100	0.64
711-4000	Gasket - 1 1/2" Heater Tailpiece	500	0.66
711-4050	O-Ring Gasket - 1 1/2" Heater Tailpiece	500	0.73





2" Heater Union Nuts

Part No.	Description	Case Quantity	List (US \$)
400-5161	2" Heater Split Nut - with Screws	150	3.13
415-5161	2" Heater Split Nut - without Screws	150	2.81



2" and 2 1/2" Heater Union Tailpieces

Part No.	Description	Case Quantity	List (US \$)
417-2090	2" Buttress Thread x 1 1/2" S Tailpiece	50	2.59
417-5050	2" Buttress Thread x 2" S Tailpiece	150	2.59
417-5060	2" Buttress Thread x 2" Spigot Tailpiece	45	2.59
417-5160	2" Buttress Thread x 2" Spigot / 1 1/2" S Tailpiece	160	5.46
417-5140	2" Buttress Thread x 2" MPT Tailpiece	45	3.86
413-2160	Heater Flow Switch Tee - 2" Buttress Thread x 2" Spigot x 1/2" FPT	25	14.48
417-5180	2" Buttress Thread x 3/4" S / 1" Spigot	100	2.94
417-5980	2 1/2" Heater Buttress Tailpiece	25	5.35



2" and 2 1/2" Heater Union O-Rings and Gaskets

Part No.	Description	Case Quantity	List (US \$)
711-4020	1/4" Thick Gasket - 2" Heater Tailpiece	500	1.39
711-4010	Gasket - 2" Heater Tailpiece	500	1.42
805-0229	O-Ring - 2" Heater	100	0.75
711-4030	2" Heater Tailpiece Gasket - with O-Ring Rib	500	0.84
711-6020	2 1/2" Heater Union Gasket	500	0.64



Ells, Tees, & Wyes / Sweep Ells



411-9100



411-9110



411-9120



411-9130



411-9140



411-9150



411-9160




411-9210



411-9200

Sweep Ells

Part No.	Description	NSF Approved	Case Weight	Case Quantity	List (US \$)
411-9100	1 1/2" Spigot x 1 1/2" S	x	7.19 lbs.	25	4.89
411-9110	1 1/2" S x 1 1/2" S	x	7.29 lbs.	25	4.89
411-9120	2" Spigot x 2" S	x	24.31 lbs.	60	5.50
411-9130	2" S x 2" S	x	24.13 lbs.	60	5.50
411-9140	2 1/2" Spigot x 2 1/2" S	x	20.92 lbs.	30	7.81
411-9150	2 1/2" S x 2 1/2" S	x	21.30 lbs.	30	7.81
411-9160	2" Spigot 90° x 2 1/2" S	x	21.67 lbs.	35	11.72
411-9200	3" S x 3" S	x	21.67 lbs.	15	11.72
411-9210	3" S x 3" Spigot	x	25.68 lbs.	20	11.48




45° and 90° Ells

Part No.	Description	NSF Approved	Case Quantity	List (US \$)
411-2020	45° Street Ell – 1" S x 1" Spigot	x	50	4.15
411-4040	45° Street Ell – 1 1/2" S x 1 1/2" Spigot		140	5.53
411-5030	45° Street Ell – 2" S x 2" Spigot		90	6.91
411-2010	45° Ell – 1" S x 1" S	x	150	4.06
411-2200	45° Ell – 2" Spigot x 2" Spigot	x	80	7.28
411-2000	90° Street Ell – 1" S x 1" Spigot	x	50	2.84
411-4000	90° Street Ell – 1 1/2" S x 1 1/2" Spigot		130	4.81
411-5080	90° Street Ell – 2" S x 2" Spigot		60	6.17
411-4010	90° Ell – 1 1/2" S x 1 1/2" S	x	50	3.11
411-5040	90° Street Ell – 2" S x 2" Spigot x 1/2" FPT Left Side Outlet	x	60	12.05
411-5050	90° Street Ell – 2" S x 2" Spigot x 3/8" FPT Left Side Outlet		25	12.05
411-5550	90° Ell – 1 1/2" Spigot x 1 1/2" Spigot	x	50	4.81
411-2100	90° Ell – 2" Spigot x 2" Spigot	x	60	6.91
411-4050	90° Ell – 1 1/2" S x 1 1/2" Spigot x 1" S Side Outlet	x	25	6.91
411-5060	90° Street Ell – 1 1/2" S x 1 1/2" Spigot x 1/8" FPT Side Outlet	x	50	8.63
411-4080	90° Street Ell – 1 1/2" S x 1 1/2" Spigot x 1/2" S Outlet	x	50	6.72
411-9170	Ell – 2" S x 2" S x 3/4" SB		50	10.29
411-9180	Ell – 2 1/2" S x 2 1/2" S x 3/4" SB		30	13.18



Ells, Tees, & Wyes / Tees



Tees				
Part No.	Description	NSF Approved	Case Quantity	List (US \$)
413-2000	1" S x 1" S x 1 1/2" Spigot	x	50	5.17
413-2030	1" S x 1" S x 1 1/2" S	x	75	5.17
413-2060	Low Profile - 1" S x 1" S x 1 1/2" Spigot	x	50	5.88
413-2080	1" S x 1" S x 1" Spigot	x	100	2.80
413-5030	2" S x 1 1/2" S x 1" S	x	70	8.70
413-2140	2" S x 2" Spigot x 1/2" FPT		75	9.31
413-2180	2" Spigot x 2" S x 3/8" Air Bleed		75	9.03
413-2130	2" S x 2" Spigot x 3/4" FPT		75	9.31
413-2210	2" Spigot x 2" Spigot x 2" Spigot		40	8.67
413-1980	Reducer - 1/2" S x 1 1/2" S x 1" S		100	2.80
413-3010	Reducer - 1" S x 1" S x 1" Spigot / 3/4" S		50	3.28
413-4000	1 1/2" S x 1 1/2" S x 1 1/2" Spigot	x	90	7.13
413-2150	2" Spigot x 2" S x 1/2" S		75	6.94
413-2120	2" Spigot x 2" Spigot x 1" S	x	90	8.11
413-2090	1 1/4" S x 1 1/4" S x 1 1/2" Spigot		100	6.91




**GREAT FOR
SWIM SPAS**



Sanitary Tee			
Part No.	Description	Case Quantity	List (US \$)
413-2320	2 1/2" x 2 1/2" x 2 1/2"	15	21.22



Cross Tee				
Part No.	Description	NSF Approved	Case Quantity	List (US \$)
413-1770	Cross Tee - 1 1/2" S x 3/4" S x 3/4" S x 3/4" S	x	50	10.46



Tee Assemblies			
Part No.	Description	Case Quantity	List (US \$)
400-4100	Tee Assembly with Relief Plug 1 1/2" S x 1 1/2" Spigot x 3/8" FPT	100	10.85
400-4260	Tee Assembly with Relief Plug 2" Spigot x 2" S x 3/8" FPT with O-Ring	70	11.27



Ells, Tees, & Wyes / Wyes and Manifold Wyes




Wyes				
Part No.	Description	NSF Approved	Case Quantity	List (US \$)
413-1810	120° Wye - 3/4" S x 3/4" S x 3/4" S	x	50	6.91
413-4160	120° Wye - 1" S x 1" S x 1" S		100	6.91
413-4100	120° Wye - 1 1/2" S x 1 1/2" S x 1 1/2" S		70	10.39
413-5080	120° Wye - 2" S x 2" S x 2" S		50	14.48
413-5040	120° Wye - 2" S x 1 1/2" S x 1 1/2" S	x	50	14.48
413-4130	120° Wye - 1 1/2" S x 1" S x 1" S	x	140	9.31
413-1820	22 1/2° Wye - 3/4" S x 3/4" S x 3/4" S	x	50	6.46
413-2020	22 1/2° Wye - 1" S x 1" S x 1" S		120	6.91
413-4140	22 1/2° Wye - 1 1/2" S x 1" S x 1" S		90	7.87







FEATURES:

- Improves performance
- Saves plumbing cost
- Makes plumbing easier
- Available in two different sizes
- Made of fitting grade type 1 PVC
- Made in the USA



Manifold Wyes			
Part No.	Description	Case Quantity	List (US \$)
672-8010	3/4" S x 1/2" S x 1/2" S	220	4.61
672-8020	1" S x 3/4" S x 3/4" S	180	4.61
672-8040	1 1/2" S x 1 1/2" S x 1 1/2" S	50	10.51
672-8000	2" S x 2" S x 2" S	40	14.45
672-8050	2 1/2" S x 2 1/2" S x 2 1/2" S	20	12.48
672-9540	(1) 2 1/2" S x (3) 2" S Distributor Manifold	25	18.04






½" Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-7900	2" S x 2" S x (2) ½" S Ports	45	5.38
672-4250	2" Spigot x 2" S x (4) ½" S Ports	50	5.85
672-4570	1" S x (4) ½" S Ports	90	5.20
672-4580	1 ½" S x (4) ½" S Ports	75	5.20
672-4430	2" S x 2" S x (4) ½" S Ports	40	5.85
672-4380	1" S x (5) ½" S Ports	60	8.30
672-4120	1 ½" S x (6) ½" S Ports	45	13.40
672-4130	2" S x (6) ½" S Ports	90	13.40
672-4110	2" S x 2" S x (6) ½" S Ports	35	8.66
672-4630	1 ½" Spigot x 1 ½" S x (10) ½" S Ports with Plugs (4)	30	24.93



Spa Manifolds / ¾" Manifolds




¾" Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-4280	1 ½" S x (2) ¾" S Ports	80	4.58
672-7910	2" S x 2" S x (2) ¾" S Ports	45	5.38
672-4190	1 ½" Spigot x 1 ½" S x (4) ¾" S Ports	60	5.53
672-4200	2" S x 2" Spigot x (4) ¾" S Ports	40	5.85
672-4670	1 ½" S x (4) ¾" S Ports	45	5.85
672-4180	1 ½" S x 1 ½" S x (4) ¾" S Ports	60	5.53
672-4210	2" S x 2" S x (4) ¾" S Ports	40	5.85
672-4400	2" S x (5) ¾" S Ports	50	12.93
672-4260	2" S x (6) ¾" S Ports	50	13.40
672-4270	2" S x 2" S x (6) ¾" S Ports	30	8.66
672-4640	1 ½" Spigot x 1 ½" S x (8) ¾" S Ports with Plugs (4)	20	14.11






Spa Manifolds / 1" Manifolds and 2-4-6 Air Manifold Systems



1" Manifolds			
Part No.	Description	Case Quantity	List (US \$)
672-4620	1 1/2" S x (4) 1" S Ports	25	10.39
672-4390	2" S x (5) 1" S Ports	45	12.93

FEATURES:


- Can be cut into multiple manifolds (2, 4, or 6 ports)
- Utilizes 3/4" and 3/8" clear vinyl tubing (less expensive than flex pipe)
- Allows for cleaner, easier plumbing
- Manifold comes complete with 1 plug



2-4-6 Air Manifold Systems			
Part No.	Description	Case Quantity	List (US \$)
672-6970	2-4-6 Manifold - (6) 3/4" SB x (6) 3/8" SB Ports	150	9.68
672-7190	2-4-6 Manifold - (6) 3/4" RB x (6) 3/8" SB Ports	50	8.66



Spa Manifolds / 3/8" Barb Manifolds & Pancake Manifolds










3/8" Barb Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-4010	1" Spigot x (2) 3/8" Barbs	250	2.94
672-4020	1" S x (2) 3/8" Barbs	200	2.94
672-4030	1" Spigot x (4) 3/8" Barbs	300	3.23
672-4040	1" S x (4) 3/8" Barbs	250	3.23
672-4070	(4) 3/8" RB	500	2.96
672-4610	1 1/2" Spigot Blind x (4) 3/8" SB	150	4.92
672-4100	1" Spigot x (5) 3/8" Barbs	160	3.23
672-0550	(2) 1/2" S x (3) 3/8" SB	150	4.55
672-4700	1" Spigot x 1" Spigot x (6) 3/8" Barbs with Plugs (3)	50	7.87
672-4690	1/2" S x 1/2" S x (6) 3/8" Barbs with Plugs (2)	50	7.87
672-5060	1" S x 1" S x (6) 3/8" Barbs Assembly	100	6.13
672-4370	1" S x 1" Spigot x 1" S x (8) 3/8" Barbs with Plugs (4)	50	5.38



Pancake Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-5900	Air Manifold Assembly, 1" Spg Ell x (6) 3/8" SB	100	6.13
672-5910	Air Manifold Assembly, 1" Spg Ell x (8) 3/8" SB	100	6.13
672-5920	Air Manifold Assembly, 1" Spg Ell x (10) 3/8" SB	100	6.13
672-5930	Air Manifold Assembly, 1" Spg Ell x (12) 3/8" SB	35	6.13
672-5800	Air Manifold Assembly, 1" Spg Straight x (6) 3/8" SB	100	6.13
672-5810	Air Manifold Assembly, 1" Spg Straight x (8) 3/8" SB	180	6.13
672-5820	Air Manifold Assembly, 1" Spg Straight x (10) 3/8" SB	160	6.13
672-5830	Air Manifold Assembly, 1" Spg Straight x (12) 3/8" SB	160	6.13
672-5060	Air Manifold Assembly, 1" S x 1" S x (6) 3/8" SB	100	6.13
672-5070	Air Manifold Assembly, 1" S x 1" S x (8) 3/8" SB	100	6.13
672-5080	Air Manifold Assembly, 1" S x 1" S x (10) 3/8" SB	100	6.13
672-5960	Air Manifold Assembly, 1" S x 1" S x (12) 3/8" SB	25	6.13






3/8" Barb Manifolds

Part No.	Description	Case Quantity	List (US \$)
672-0400	1" S x 1" Spigot x (4) 3/8" RB Barbs	50	5.20
672-3900	1" S x 1" Spigot x (6) 3/8" RB Barbs	50	5.20
425-4000	1 1/2" Spigot x 1 1/2" S x (6) 3/8" RB Barbs	75	12.05
672-4340	1" S x 1" Spigot x (8) 3/8" RB Barbs	50	5.20
672-5070	1" S x 1" S x (8) 3/8" Barbs Assembly	100	6.13
672-4660	1 1/2" Spigot x 1 1/2" S x (10) 3/8" Barbs with Plugs (4)	25	16.10
672-5080	1" S x 1" S x (10) 3/8" Barbs Assembly	100	6.13
672-0410	1" S x 1" Spigot x (12) 3/8" RB Barbs	100	6.81
672-0420	1 1/2" S x 1 1/2" Spigot x (16) 3/8" SB Barbs	35	11.44



Spa Manifolds / 3/8" Barb Adapters




413-1201



3/8" Barb Adapters


Part No.	Description	Case Quantity	List (US \$)
425-4020	Reducer - 3/8" RB x 1/4" RB	3000	1.19
413-4350	Tee - 1" S x 1" S x 3/8" RB	100	2.90
419-1000	Coupler - 3/8" RB x 3/8" RB	500	2.07
425-4040	90° Ell - 1" S x 3/8" RB	150	2.90
425-0210	1/2" Spigot x 3/8" RB	500	1.93
425-5010	1" Spigot x 3/8" RB	300	2.80
672-4350	3/8" B x 1/4" MPT	500	3.64
413-1201	3/8" B x 1/4" N.P.S.M.	500	3.44
413-1900	Tee - 3/8" B x 3/8" B x 3/8" B	500	1.82
425-1080	3/4" Spigot x 3/8" SB	750	2.20
672-1440	9/16" Triple "C" Tubing Holder	300	4.48
672-1450	9/16" x 3/4" Stacked Tubing Clip	100	0.68
672-1430	1 1/2" Manifold "C" Holder	100	1.17
413-1940	3/8" SB Wye	500	1.82
715-1261	3/8" SB x 1/4" MPT Barb Adapter	100	3.54
421-1030	1/2" Socket x 3/8" SB Adapter	270 per bag	1.93



672-6970



672-4410



672-4490




672-4150



672-4140



672-4960




672-5200



672-4680




672-4910




672-7920



672-4940



672-7930











The Shur-Grip Plumbing System was specifically developed for the OEM Spa Manufacturing Industry. Shur-Grip components improve the glue joint characteristics yet maintain the quality of the flex hose at an affordable price. Look for the Shur-Grip symbol on compatible jet bodies and other speciality fittings.

ShurGrip Manifolds




Part No.	Description	Case Quantity	List (US \$)
672-6970	(6) 3/4" SB x (6) 3/8" SB with Plug	50	9.68
672-4410	1" S x (4) 3/4" SB - Cluster Cap	50	9.09
672-4770	1 1/2" S x (4) 3/4" SB - Cluster Cap	100	9.09
672-4490	1 1/2" S x 1 1/2" S x (2) 3/4" SB	80	8.42
672-4150	1 1/2" S x 1 1/2" Spigot x (4) 3/4" SB	60	5.53
672-4140	1 1/2" S x 1 1/2" S x (4) 3/4" SB	60	5.53
672-4960	1 1/2" S x Dead End x (4) 3/4" SB	75	5.53
672-5200	1 1/2" S x 1 1/2" S x 1 1/2" S x (8) 3/4" SB	20	13.70
672-5240	1 1/2" S x 1 1/2" Spg x 6 3/4" SB	50	8.19
672-5250	1 1/2" S x 6 3/4" SB Dead End	25	8.14
672-5260	1 1/2" S x 1 1/2" S x 6 3/4" SB	50	8.19
672-4680	1 1/2" Spigot x 1 1/2" S x (10) 3/4" SB	40	15.32
672-4900	2" Spigot x 2" Spigot x (2) 3/4" SB	60	5.58
672-4910	2" S x 2" Spigot x (2) 3/4" SB	60	5.58
672-7920	2" S x 2" S x (2) 3/4" SB	50	5.59
672-7360	2" S x Dead End x (2) 3/4" SB	90	5.59
672-4920	2" Spigot x 2" Spigot x (4) 3/4" SB	45	5.85
672-4160	2" S x 2" Spigot x (4) 3/4" SB	40	5.85
672-4170	2" S x 2" S x (4) 3/4" SB	50	5.85
672-7370	2" S x Dead End x (4) 3/4" SB	20	5.85
672-4930	2" Spigot x 2" Spigot x (6) 3/4" SB	30	8.14
672-4940	2" S x 2" Spigot x (6) 3/4" SB	30	8.14
672-7930	2" S x 2" S x (6) 3/4" SB	30	8.14
672-7380	2" S x Dead End x (6) 3/4" SB	35	8.14
425-1090	1.5" S x 2 3/4" SB End Cap	100	4.50



Spa Manifolds / ¾" Ribbed Barb Manifolds



¾" Ribbed Barb Manifolds			
Part No.	Description	Case Quantity	List (US \$)
672-7130	2" S x 2" Spigot x (2) ¾" RB	50	7.42
672-7100	2" S x 2" S x (2) ¾" RB	50	7.42
672-7160	2" S x Dead End x (2) ¾" RB	90	7.42
672-7140	2" S x 2" Spigot x (4) ¾" RB	40	8.91
672-7110	2" S x 2" S x (4) ¾" RB	40	8.91
672-7170	2" S x Dead End x (4) ¾" RB	50	8.91
672-7150	2" S x 2" Spigot x (6) ¾" RB	30	11.92
672-7120	2" S x 2" S x (6) ¾" RB	30	11.92
672-7180	2" S x Dead End x (6) ¾" RB	35	11.92
672-4980	2" S x 2" S x (12) ¾" RB	18	15.34







¾" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
411-3700	90° Ell - ¾" RB x ¾" RB	150	2.48
413-1860	120° Wye - ¾" RB	150	6.72
413-1960	120° Wye - ¾" SB	250	5.11
413-1800	Tee - ¾" SB x ¾" SB x ¾" SB	200	3.54
413-1850	Tee - ¾" SB x ¾" SB x ¾" SB	250	3.54
425-1000	½" Spigot x ¾" RB	300	1.60
425-1030	½" S x ¾" Spigot x ¾" RB	350	4.58
411-3500	90° Ell - ½" Spigot x ¾" RB	150	1.60
411-0360	90° Ell - ¾" Spigot x ½" S x ¾" SB	500	2.24
411-0350	90° Ell - ¾" Spigot x ½" S x ¾" RB	500	2.24
411-4060	90° Ell - ¾" Short Spigot x ¾" RB	300	2.20
411-4160	90° Ell - ¾" Spigot x ¾" SB Adapter	350	2.20
411-3490	Ell - 1" Spigot x ¾" RB	230	2.84
411-3480	Ell - 1" Spigot x ¾" SB	180	2.84
413-1920	Tee - 1" Spigot x (2) ¾" SB	180	3.79
672-4310	1" Spigot / ¾" S x ¾" RB	250	2.90
672-4320	1 ¼" Spigot / 1" S x ¾" RB	200	2.90
413-4360	1 ½" Spigot x ¾" SB	200	4.50
413-4370	1 ½" Spigot x ¾" RB	100	4.50
413-4510	2" Spigot x ¾" SB	125	5.36



Spa Manifolds / 3/4", 1", 1 1/2" Barb Adapters



3/4" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
419-1920	3/4" SB x 1/2" Spigot	200v	5.36
419-0900	Coupling - 3/4" SB x 3/4" SB	250	5.36
425-1030	1/2" S / 3/4" Spigot x 3/4" RB	350	4.58
672-1460	3/4" "C" Clip with Zip Tie Loops	1000	0.95
715-0340	3/4" SmartPlumb Deep Inverted Plug	500	1.30



1" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
425-1010	1" Spigot / 3/4" S x 1" RB	125	2.90



1 1/2" Barb Adapters

Part No.	Description	Case Quantity	List (US \$)
417-6140	1 1/2" MPT x 1 1/2" Hose	240	3.23



Thermowells			
Part No.	Description	Case Quantity	List (US \$)
400-4420	Mini Thermowell Assembly	100	14.07
400-4360	Thermosensor with Probe Protector	150	13.41
400-5540	90° Ell - 1 1/2" S x 1 1/2" S - with 2 Thermowells and Bushings	80	13.74
411-5520	Ell - 1 1/2" S x 1 1/2" S - with 2 Thermowells	80	9.98
400-5580	Ell - 1 1/2" S x 1 1/2" S - with Thermowell and Bushing	100	13.74
411-5540	90° Ell - 1 1/2" S x 1 1/2" S - with Thermowell	25	9.98
400-6040	90° Ell - 2" S x 2" Spigot x 3/8" Air Bleed - with Thermowell and 2 Bushing	60	15.32
411-6040	90° Ell - 2" S x 2" Spigot x Air Bleed - with Thermowell	60	13.98
805-0014	O-Ring for 90° Ell - 2" S x 2" Spigot x Air Bleed	100	0.59
811-8160	Bushing for Ells - 1 1/2" S x 1 1/2" S	100	0.92



Spa Miscellaneous & Accessories / Reducers, Nipples, and Plugs



421-1000



421-1050



421-4010




421-4070



421-4020



417-6127



417-6137

Reducers

Part No.	Description	Case Quantity	List (US \$)
421-1000	Reducer - 2" Spigot x 1 1/2" Spigot	50	4.81
421-1050	Reducer - 1" Spigot x 1/2" S	225	1.82
421-4010	Reducer - 1 1/4" MPT x 1/2" FPT	150	8.61
421-4030	Reducer - 1 1/2" Spigot x 1" Spigot	100	4.15
421-4070	Reducer - 1 1/2" Socket x 2" Spigot	100	2.65
421-4020	Bell Reducer - 1 1/2" x 1" S	75	4.15
421-5000	Bell Reducer - 2" S x 1 1/2" S	75	5.17
417-6127	Metric Reducer - 1" Spigot x 32mm S	75	1.94
417-6137	Metric Reducer - 1 1/2" Spigot x 50mm S	50	4.16

Threaded Nipple

Part No.	Description	Case Quantity	List (US \$)
423-4000	1 1/2" Spigot x 1 1/2" MPT	25	6.69

2" Barb Adapter

Part No.	Description	Case Quantity	List (US \$)
417-6197	2" Spigot x 63mm S	50	6.96



715-9870



715-9770






715-9850

Plugs

Part No.	Description	Case Quantity	List (US \$)
715-0000	1/2" Spigot	800	1.23
715-9890	3/4" Spigot	600	1.26
715-2000	1" Spigot	200	1.34
715-4000	1 1/2" Spigot	100	2.07
715-9880	2" Spigot	100	2.72
715-9870	3/8" Barb	100	1.04
715-0040	3/4" SmartPlumb Barb (New Style)	1300	0.98
715-9860	3/4" Barb (Old Style)	1000	0.98
715-9770	Cap Style - 3/8" RB	1500	1.04
715-9850	3/8" Hose	3000	0.66


FEATURES:

- Easy, snap together parts for quick assembly
- Packaged for retail sale
- 33" non-slip treads
- Made of durable UV protected polypropylene
- 800 lbs. weight capacity
- Available in multiple colors


Spa Steps

Part No.	Description	Color	Pallet Qty	List (US \$)
535-2209-BRK	33" Spa Step Assembly	Bark	32	166.94
535-2209-CIN	33" Spa Step Assembly	Cinnamon	32	166.94
535-2209-GPH	33" Spa Step Assembly	Graphite	32	166.94
535-2209-RDW	33" Spa Step Assembly	Redwood	32	166.94
535-2209-CSG	33" Spa Step Assembly	Coastal Gray	32	166.93
535-2209-MOC	33" Spa Step Assembly	Mocha Coffee	32	166.94
535-2300	Color Chip Sample Set	--	--	4.39



NEW!

FEATURES:

- Provides easy access to cabinets
- Fits most types of cabinet doors and panels
- Easy installation

Specifications:

- Niche
1 1/2" Hole Saw Size
- Threaded Flush Mount Insert
23/64" Hole Saw Size
6MM Drive Size
- Material
ABS Black Niche and Handle
Stainless Steel 1/4 - 20 Screw
Die Cast Zinc Alloy Threaded Flush Mount Insert



Cabinet Latch			
Part No.	Description	Case Quantity	List (US \$)
675-3000	Cabinet Latch, Niche and Flush Mount Insert Assy	--	6.44


FEATURES:

- Low profile design
- Hose bib pulls out for easy access
- Protective cover seals against all possible leak points
- Optional metric adapter
- Plumbs to ¾" flex hose



600-9101 / 600-9167

Lo-Profile Spa Drain Fill Valve

Part No.	Description	Case Quantity	List (US \$)
600-9101	Lo-Profile Drain Fill Valve Assembly	50	19.56
600-9167	Metric Hose Adapter with Gasket	200	2.93



640-2000




400-3031


Spa Drain and Fill Niche for Garden Hose Connection

Part No.	Description	Case Quantity	List (US \$)
640-2000	1" S - Spa Drain/Fill Valve Assembly - White	100	19.91
640-2001	1" S - Spa Drain/Fill Valve Assembly - Black	100	19.91
600-9101	¾" Lo-Profile Drain Fill Valve Assembly	50	19.56
600-9167	Lo-Profile Drain Fill Valve Metric Adapter with Gasket	200	2.93
400-3031	½" Hose On/Off Spa Drain Valve with Niche	75	23.72
400-3021	¾" Hose On/Off Spa Drain Valve with Niche	75	23.72



400-2060



400-2100

On/Off Valves for Garden Hose

Part No.	Description	Case Quantity	List (US \$)
400-2060	½" Hose On/Off Valve Assembly	125	14.11
400-2070	¾" Hose On/Off Valve Assembly	125	14.11
400-2100	¾" SB Hose On/Off Valve Assembly	100	14.11
519-0231	Drain Cap - ½" NHR	100	1.77
806-0100	Gasket - ¾"	50	1.30
872-0004	Shut-Off Valve	250	9.02
413-4400	Adapter - ½" S x Male Garden Hose	250	2.67
413-4410	Adapter - ¾" S x Male Garden Hose	200	2.67



Spa Miscellaneous & Accessories / Spa Accessories



ABS Plastic Hand Rails

Part No.	Description	Case Quantity	List (US \$)
616-4001	18" Hand Rail - Plastic - 1 1/4"	120	9.21
616-3001	12" Hand Rail - Plastic - 1 1/4"	170	5.81
611-5001	1 1/4" Rubber Grommet	300	2.16



Clear Acrylic Hand Rails

Part No.	Description	List (US \$)
616-1100	11" Clear Acrylic Hand Rail	16.38
616-1300	13" Clear Acrylic Hand Rail	17.88
616-1400	14" Clear Acrylic Hand Rail	19.37
616-1600	16" Clear Acrylic Hand Rail	20.88
616-1800	18" Clear Acrylic Hand Rail	22.35
616-2000	20" Clear Acrylic Hand Rail	23.87
611-6090	Rubber Grommet (<i>no angle</i>)	2.95
611-7000	Rubber Grommet	3.23

FEATURES:

- Easily sandwiches between most T&G skirt panels
- Louvered vent protects against weather and rodent intrusion
- Handle allows for easy removal of skirt panels
- LED compatible
- Available in multiple colors
- Measures 3.5" x 6.25"



Spa Handle Vent

Part No.	Description	List (US \$)
672-6560	Louvered Spa Vent	7.46

**FEATURES:**

- Automatically adjusts to temperature change:
Closed for cold or freezing conditions;
Open for hot conditions
- Easy through-wall installation
- Louvered grill to protect against weather and rodent intrusion
- Hole Saw Size: 4"

675-6531

**Adjustable Thermo Vent**

Part No.	Description	Case Quantity	List (US \$)
675-6530	Adjustable Thermo Vent	30	23.07

FEATURES:

- 4 3/4" overall diameter
- 4" diameter hole saw and vent area
- 0.100" diameter holes (148) for improved ventilation
- Available in assorted colors

4" Vent

Part No.	Description	Case Quantity	List (US \$)
672-0600	4" Vent	300	9.39



Misc / Accessories

Spa Cabinet Vents

Part No.	Description	Color	Case Quantity	List (US \$)
675-6501	Spa Vent Assembly – 2 5/16" x 8 1/2"	Black	150	5.95
675-6507	Spa Vent Assembly – 2 5/16" x 8 1/2"	Gray	150	5.95
675-6509-BRN	Spa Vent Assembly – 2 5/16" x 8 1/2"	Brown	150	5.95

**Aroma Therapy Canister and Beads**

Part No.	Description	Case Quantity	List (US \$)
670-2800	Aroma Therapy Canister Assembly - Ell Body	60	32.76
662-2700	Scented Aroma Therapy Beads - Ocean Pellets - .84 oz.	50	8.91
662-2710	Scented Aroma Therapy Beads - Kiwi - .76 oz.	50	8.91
662-2720	Scented Aroma Therapy Beads - Red Apple - .82 oz.	50	8.91
662-2730	Scented Aroma Therapy Beads - Floral - .86 oz.	50	8.91

